

Proposal & Plan Sales Will Begin on March 20, 2026



MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION

***Notice to Contractors***

Special Letting Date For April - April 10, 2026

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## NOTICE TO CONTRACTORS

### SPECIAL LETTING DATE FOR APRIL - Friday, April 10, 2026

Bids will be opened publicly in the Construction Division conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](https://shop.mdot.ms.gov)

### PROPOSAL AND PLAN SALES WILL BEGIN ON MARCH 20, 2026

Proposals must be purchased online at:  
<https://shop.mdot.ms.gov>  
For Information Please Contact:  
Contract Administration Division  
Jackson, MS  
Telephone: (601) 359-7700

Plans must be purchased online at:  
<https://shop.mdot.ms.gov>  
For Information Please Contact:  
MDOT Plans Print Shop  
Jackson, MS  
Telephone: (601) 359-7460  
e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Friday, April 10, 2026; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Construction Division Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

#### LIST OF CONTRACTS FOR APRIL

	CALL	CONTRACT	COUNTY
*	01	NHPP-0008-04(085)/108150304	YAZOO
	02	NHPP-0011-03(088)/108649301	LOWNDES
*	03	SP-0013-01(017)/109044301	COPIAH



CALL No. 01

Pavement Restoration on US 49 from Madison County Line to 0.8 miles North of Old Highway 49, known as Federal Aid Project No. NHPP-0008-04(085) / 108150304 in Yazoo County.

PROJECT COMPLETION: JULY 15, 2027

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

55 Station	201-D001	Random Clearing
2,860 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
400 Square Yard	202-B073	Removal of Concrete Pavement, All Depths
2,000 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
166 Each	202-B215	Removal of Sign Including Post & Footing
4,500 Linear Feet	202-B240	Removal of Traffic Stripe
240 Cubic Yard	203-EX041	Borrow Excavation, AH, LVM, Class B9-6
6,000 Cubic Yard	203-G002	Excess Excavation, LVM, AH
700 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
840 Linear Feet	237-A002	Wattles, 20"
8,000 Ton	304-D002	Granular Material, Crushed Stone
200,500 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
20 Mile	423-A001	Rumble Strips, Ground In
3,150 Linear Feet	503-C010	Saw Cut, Full Depth
2,420 Linear Feet	606-B001	Guard Rail, Class A, Type 1
2 Each	606-C003	Guard Rail, Cable Anchor, Type 1
10 Each	606-D019	Guard Rail, Bridge End Section, Type H
12 Each	606-E005	Guard Rail, Terminal End Section, Flared
500 Linear Feet	615-B001	Precast Concrete Median Barrier
1 Square Feet	618-B001	Additional Construction Signs
33 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
33 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
33 Mile	619-A3001	Temporary Traffic Stripe, Skip White
1,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail

1,000	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
8,035	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Each	619-J1004	Impact Attenuator, 60 MPH
1	Each	619-J2004	Impact Attenuator, 60 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
720	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
160	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
305	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
323	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
1,315	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
785	Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
209	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
35	Each	630-F006	Delineators, Guard Rail, White
35	Each	630-F007	Delineators, Guard Rail, Yellow
22	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
11,090	Ton	907-403-A003	12.5-mm, ST, Asphalt Pavement
7,060	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
325	Ton	907-403-B006	19-mm, ST, Asphalt Pavement, Leveling
8,500	Ton	907-403-B010	9.5-mm, HT, Asphalt Pavement, Leveling
14,000	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
15,550	Gallon	907-407-A001	Asphalt for Tack Coat
9,000	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
10,000	Pounds	907-420-A001	Undersealing
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
11	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
11	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
11	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
8,035	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow

500	Square Feet	907-626-H009	Thermoplastic Legend, White
1,000	Linear Feet	907-626-H010	Thermoplastic Legend, White
900	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1	Lump Sum	907-630-L001	Pedestal Sign Support, Assembly No 1, Contractor Designed
1	Lump Sum	907-630-L002	Pedestal Sign Support, Assembly No 2, Contractor Designed
1	Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly
4	Each	907-634-E001	Camera Pole with Foundation, 50' Pole
5	Each	907-634-F002	Detector Pole with Foundation, 35' Pole
9	Each	907-634-I001	Wood Pole, Class II Height 40'
2,050	Linear Feet	907-636-B053	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
1,200	Linear Feet	907-636-E001	Electric Cable, Underground in Conduit, Tracer Cable
10	Each	907-637-A002	Pullbox Enclosure, Type 2
81	Each	907-637-A004	Pullbox Enclosure, Type 4
17	Each	907-637-A005	Pullbox Enclosure, Type 5
88,100	Linear Feet	907-637-H001	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
980	Linear Feet	907-637-H002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2"
260	Linear Feet	907-637-K001	Traffic Signal Conduit Bank, Aerial Supported, Type 1, 2 @ 2"
8	Each	907-650-A002	On Street Video Equipment, Fixed Type
6	Each	907-650-A003	On Street Video Equipment, PTZ Type
2	Each	907-656-A002	Dynamic Message Sign, Type 2
1	Lump Sum	907-659-A001	Traffic Management Center Modifications
9	Each	907-660-A002	Equipment Cabinet, Type B
1	Each	907-660-A003	Equipment Cabinet, Type C
93,150	Linear Feet	907-661-A004	Fiber Optic Cable, 72 SM
260	Linear Feet	907-661-A006	Fiber Optic Cable, Aerial, 72 SM
840	Linear Feet	907-661-B002	Fiber Optic Drop Cable, 12 SM
3	Each	907-662-A002	Radio Interconnect, Signal Control, Installed in New Controller Cabinet
2	Each	907-662-D002	Radio Interconnect, Broadband, Short Range
9	Each	907-663-A001	Network Switch, Type A
1	Each	907-663-A005	Network Switch, Type E

1,500	Linear Feet	907-663-D001	Category 6 Cable, Installed in Conduit
1	Each	907-670-A001	Roadway Weather Information System
2	Each	907-670-B002	Warning Sign with Flashing Beacon
1	Lump Sum	907-899-A001	Railway-Highway Provisions
520	Hours	907-906001	Trainees
<b>ALTERNATE GROUP AA NUMBER 1</b>			
150	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
<b>ALTERNATE GROUP AA NUMBER 2</b>			
150	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
<b>ALTERNATE GROUP AA NUMBER 3</b>			
150	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
<b>Bridge Items</b>			
550	Ton	815-A007	Loose Riprap, Size 300
1,000	Square Yard	815-E001	Geotextile under Riprap
845	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
47	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
1,700	Linear Feet	907-808-A002	Joint Repair
871	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
1,700	Linear Feet	907-823-B001	Saw Cut, Type I
10	Square Feet	907-824-A003	General Epoxy Repair
18	Each	907-824-C001	Cap Cleaning
1,540	Linear Feet	907-824-PP008	Bridge Repair, Class 2 Spray Finish, Per Plans
36	Cubic Yard	907-828-A001	Hybrid Polymer Concrete Overlay

CALL No. 02

Mill & Overlay approximately 7 miles of US 82 from 1 mile east of Military Road to the Alabama State Line known as Project No. NHPP-0011-03(088) / 108649301 in Lowndes County.

PROJECT COMPLETION: OCTOBER 23, 2026

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

6,700	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
13,100	Linear Feet	202-B240	Removal of Traffic Stripe
120	Cubic Yard	203-G001	Excess Excavation, FM, AH
400	Square Yard	209-A004	Geotextile Stabilization, Type V
3,900	Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
360,000	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
27	Mile	423-A001	Rumble Strips, Ground In
3,170	Linear Feet	503-C010	Saw Cut, Full Depth
1	Square Feet	618-B001	Additional Construction Signs
35	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
33	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
42	Mile	619-A3001	Temporary Traffic Stripe, Skip White
25,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
800	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
100	Each	630-F006	Delineators, Guard Rail, White
50	Each	630-F007	Delineators, Guard Rail, Yellow
400	Square Yard	907-204-A003	Geogrid, Type II, Biaxial
240	Ton	907-403-A004	19-mm, HT, Asphalt Pavement
2,800	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
9,600	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
18,300	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
34,000	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
16	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White

20 Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
19 Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
21,000 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
5,200 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
600 Square Feet	907-626-H009	Thermoplastic Legend, White
1,700 Linear Feet	907-626-H010	Thermoplastic Legend, White
150 Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,300 Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
350 Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

**ALTERNATE GROUP AA NUMBER 1**

120 Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
----------------	----------	---------------------------------------

**ALTERNATE GROUP AA NUMBER 2**

120 Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
----------------	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 3**

120 Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
----------------	----------	-----------------------------------

**ALTERNATE GROUP BB NUMBER 1**

7,500 Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
5,700 Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
5,700 Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

**ALTERNATE GROUP BB NUMBER 2**

7,500 Linear Feet	907-628-G003	6" High Performance Cold Plastic Traffic Stripe, Skip White
5,700 Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
5,700 Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 03

Asphalt Overlay approximately 12 miles SR 28 from Jefferson County Line to 1 mile East of Sylvarena Road, known as Federal Aid Project No. SP-0013-01(017) / 109044301 in Covich County.

PROJECT COMPLETION: JULY 31, 2026

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

118	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,775	Linear Feet	202-B136	Removal of Guard Rail
19	Cubic Yard	203-G001	Excess Excavation, FM, AH
118	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1,500	Ton	304-B004	Granular Material, Class 5, Group D
300	Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
25	Mile	423-A001	Rumble Strips, Ground In
265	Linear Feet	503-C010	Saw Cut, Full Depth
825	Linear Feet	606-B001	Guard Rail, Class A, Type 1
250	Linear Feet	606-B010	Guard Rail, Class A, Type 1, Thrie Beam
100	Linear Feet	606-B013	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
16	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Square Feet	618-B001	Additional Construction Signs
25	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,500	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
62	Each	630-F006	Delineators, Guard Rail, White
16	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
23,500	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
80	Ton	907-403-B006	19-mm, ST, Asphalt Pavement, Leveling
800	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
15,200	Gallon	907-407-A001	Asphalt for Tack Coat

1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
25	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
10	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
14	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,700	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,200	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,300	Linear Feet	907-626-H010	Thermoplastic Legend, White
2,900	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,400	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us). Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE  
EXECUTIVE DIRECTOR