

Proposal & Plan Sales Will Begin on April 6, 2026



MISSISSIPPI DEPARTMENT OF
TRANSPORTATION

Notice to Contractors

Letting Date For April - April 28, 2026

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR APRIL - Tuesday, April 28, 2026

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](https://shop.mdot.ms.gov)

PROPOSAL AND PLAN SALES WILL BEGIN ON APRIL 6, 2026

Proposals must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, April 28, 2026; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR APRIL

CALL	CONTRACT	COUNTY
01	STBG-0010-01(180)/109171301	JACKSON
* 02	NH-0014-03(080)/109792301	PERRY
* 03	IM-0020-01(294)/110069301	RANKIN
04	IM-0055-01(154)/110061301	PIKE
* 05	IM-0059-02(123)/110070301	JASPER
06	HSIP-0070-04(029)/109378301	LAFAYETTE
* 07	STP-2157-00(003)/109804301 & MP-7000-33(371)/310097301	JEFFERSON DAVIS
* 08	HRRR-0533-00(008)/110142301 & MP-5482-50(007)/309963301	NESHOBA
09	MP-5000-00(193)/308848301	DISTRICT 5
* 10	MP-7550-43(011)/307907301	LINCOLN

CALL No. 01

I-10 Jackson County Welcome Center, known as Federal Aid Project No. STBG-0010-01(180) / 109171301 in Jackson County.

PROJECT COMPLETION: JUNE 30, 2028

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

26	Acre	201-B001	Clearing and Grubbing
23,807	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
14	Each	202-B038	Removal of Building Picnic Shelter
1	Each	202-B038	Removal of Building Security Building
1	Each	202-B038	Removal of Building Welcome Center
314	Square Yard	202-B063	Removal of Concrete Paved Ditch
8,111	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
3,425	Square Yard	202-B080	Removal of Concrete Sidewalk
2,645	Linear Feet	202-B089	Removal of Curb &/or Curb and Gutter, All Types
3,210	Linear Feet	202-B126	Removal of Fence, All Types
11	Each	202-B164	Removal of Inlet and Junction Box, All Types & Sizes
43	Each	202-B178	Removal of Low Mast Lighting Assembly and Foundation
9	Each	202-B180	Removal of Manhole
404	Linear Feet	202-B191	Removal of Pipe, 8" And Above
65	Each	202-B215	Removal of Sign Including Post & Footing
1	Each	202-B242	Removal of Treatment Plant Structures and Appurtenances
8,750	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
2,000	Cubic Yard	203-EX012	Borrow Excavation, AH, FME, Class B3
34,550	Cubic Yard	203-EX018	Borrow Excavation, AH, FME, Class B7-6
2,050	Cubic Yard	203-G001	Excess Excavation, FM, AH
8,265	Square Yard	203-I002	Site Grading
1,800	Cubic Yard	206-A001	Structure Excavation
700	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
41,840	Square Yard	209-A004	Geotextile Stabilization, Type V , Woven
82,210	Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way

1,688	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
195	Cubic Yard	211-C001	Topsoil for Plant Holes, Contractor Furnished
9	Ton	213-C001	Superphosphate
23,891	Square Yard	216-B002	Solid Sodding, Centipede
1,665	Thousand Gallon	219-A001	Watering
17	Acre	220-A001	Insect Pest Control
31	Cubic Yard	221-A001	Concrete Paved Ditch
62	Acre	223-A001	Mowing
17	Acre	225-A001	Grassing
9	Ton	225-B001	Agricultural Limestone
34	Ton	225-C001	Mulch, Vegetative Mulch
12	Acre	226-A001	Temporary Grassing
5	Acre	227-A001	Hydroseeding
167	Each	230-A036	Shrub Planting, Dwarf Maiden Grass 1 Gallon
131	Each	230-A041	Shrub Planting, Dwarf Wax Myrtle 3 Gallon
58	Each	230-A049	Shrub Planting, Francis Mason Abelia 3 Gallon
88	Each	230-A100	Shrub Planting, Parsons Juniper 3 Gallon
162	Each	230-A102	Shrub Planting, Pink Creeping Phlox 1 Gallon
127	Each	230-A119	Shrub Planting, Saw Palmetto 3 Gallon
74	Each	230-A121	Shrub Planting, Shi-Shi Gashira Camellia 3 Gallon
265	Each	230-A126	Shrub Planting, Spirea 'Anthony Waterer' 1 Gallon
84	Each	230-A142	Shrub Planting, Wheeler's Dwarf Pittosporum 3 Gallon
11	Each	230-A143	Shrub Planting, Formosa Azalea 3 Gallon
211	Each	230-A144	Shrub Planting, Blue Cascade Distylium 3 Gallon
18	Each	230-A145	Shrub Planting, Oakleaf Hydrangea 3 Gallon
87	Each	230-A146	Shrub Planting, Autumn Fern 1 Gallon
50	Each	230-A147	Shrub Planting, Cast Iron Plant 3 Gallon
36	Each	230-A148	Shrub Planting, Sand Cordgrass 1 Gallon
190	Each	230-A149	Shrub Planting, Little Bluestem 1 Gallon
127	Each	230-A150	Shrub Planting, Bicolor African Iris 1 Gallon

111	Each	230-A151	Shrub Planting, Copper Iris 1 Gallon
156	Each	230-A152	Shrub Planting, Giant Blue Iris 1 Gallon
40	Each	230-A153	Shrub Planting, Evergreen Daylily 1 Gallon
22	Each	230-A154	Shrub Planting, Variegated Hosta 1 Gallon
37	Each	230-A155	Shrub Planting, Beautyberry 3 Gallon
5	Each	230-A156	Shrub Planting, Coral Drift Rose
26	Each	230-B006	Tree Planting, Bald Cypress 65 Gallon
4	Each	230-B015	Tree Planting, Chaste Tree 30 Gallon
3	Each	230-B039	Tree Planting, Flowering Dogwood 30 Gallon
57	Each	230-B050	Tree Planting, Live Oak 65 Gallon
21	Each	230-B057	Tree Planting, Nutall Oak 65 Gallon
5	Each	230-B064	Tree Planting, Redbud 30 Gallon
4	Each	230-B067	Tree Planting, Savannah Holly 45 Gallon
12	Each	230-B078	Tree Planting, Southern Wax Myrtle 30 Gallon
31	Each	230-B084	Tree Planting, Sweetbay Magnolia 45 Gallon
15	Each	230-B104	Tree Planting, Black Gum 65 Gallon
34	Each	230-B105	Tree Planting, Bosque Elm 65 Gallon
1	Each	230-B106	Tree Planting, Japanese Maple 45 Gallon
37	Each	230-B107	Tree Planting, Longleaf Pine 30 Gallon
5	Each	230-B108	Tree Planting, Bottlebrush 15 Gallon
9	Each	230-B109	Tree Planting, Buttonbush 7 Gallon
33,814	Square Feet	230-D001	Bed Preparation
313	Cubic Yard	233-A003	Tree Bark Mulch, Type III
35	Cubic Yard	233-C005	Straw Mulch, Class II
1,700	Linear Feet	237-A002	Wattles, 20"
50	Each	246-B001	Rockbags
75	Ton	249-A001	Riprap for Erosion Control
53	Ton	249-A001	Riprap for Erosion Control Washed Gravel for Landscaped Areas
1,131	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
2,297	Gallon	407-A001	Asphalt for Tack Coat

25,624	Square Yard	501-A004	10" Reinforced Cement Concrete Pavement, Broom Finish
338	Linear Feet	501-D001	Expansion Joints, With Dowels
76	Linear Feet	501-F001	Concrete Lug Anchors
2,012	Pounds	602-A001	Reinforcing Steel
656	Linear Feet	603-CA012	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
240	Linear Feet	603-CA027	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
10	Each	603-CB003	18" Reinforced Concrete End Section
6	Each	603-CB004	24" Reinforced Concrete End Section
72	Linear Feet	603-CE001	18" x 11" Concrete Arch Pipe, Class A III
312	Linear Feet	603-CE003	22" x 13" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
72	Linear Feet	603-CE014	36" x 23" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
4	Each	603-CF002	22" x 13" Concrete Arch Pipe End Section
2	Each	603-CF004	36" x 23" Concrete Arch Pipe End Section
571	Linear Feet	603-PE001	12" Corrugated Polyethylene Pipe
704	Linear Feet	603-PE003	18" Corrugated Polyethylene Pipe
176	Linear Feet	603-PE009	8" Corrugated Polyethylene Pipe
79	Pounds	604-A001	Castings
1,776	Pounds	604-B001	Gratings
874	Linear Feet	607-B026	72" Type I Chain Link Fence, Class I , With Top Guard
2,940	Linear Feet	607-B027	72" Type I Chain Link Fence, Class II
1	Each	607-G061	Gate, 12' x 6' Double Chain Link
1	Each	607-G098	Gate, 16' x 6' Double Chain Link with Top Guard
347	Each	607-P1018	Line Post, 9' x 2" Galvanized Steel
49	Each	607-P2013	Brace Post, 10' x 2 1/2" Galvanized Steel
4	Each	607-P3009	Gate Post, 9' x 3 1/2" Galvanized Steel
4,245	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
283	Linear Feet	609-B002	Concrete Curb, Header
2,212	Linear Feet	609-C003	Concrete Integral Curb, Type 3
1,593	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
207	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified

2,474	Linear Feet	609-D013	Combination Concrete Curb and Gutter Type 3B
15	Cubic Yard	612-A001	Flowable Fill, Excavatable
748	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
1,480	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
52	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
304	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,480	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1,480	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
24	Linear Feet	619-G4005	Barricades, Type III, Single Faced
31	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
3	Each	619-G8001	Warning Lights, Type "C"
1	Lump Sum	620-A001	Mobilization
204	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
62	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
121	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
100	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
299	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
202	Linear Feet	630-C004	Square Tube Posts, 9.0 lb/ft
533	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
56	Linear Feet	630-C1001	Square Post Inner Sleeve
1	Lump Sum	699-A001	Roadway Construction Stakes
60	Ton	815-A002	Loose Riprap, Size 100
85	Square Yard	815-E001	Geotextile under Riprap
226	Square Yard	815-E001	Geotextile under Riprap for ditch in Landscape Area
6,400	Linear Feet	907-234-A001	Temporary Silt Fence
12	Each	907-234-D001	Inlet Siltation Guard
12	Each	907-234-E001	Reset Inlet Siltation Guard
938	Square Yard	907-240-A001	Interlocking Flexible Block Erosion Control System

1	Lump Sum	907-242-A001	Construction of Welcome Center Facility
1	Each	907-242-PP003	Installation of Irrigation System Pump
1	Lump Sum	907-260-A005	Utility Work - Sewer,
1	Lump Sum	907-262-A007	Utility Work - Water,
16	Each	907-282-A068	Sprinkler Head, 1812-RVAN-18
36	Each	907-282-A069	Sprinkler Head, 1812-RVAN-24
11	Each	907-282-A070	Sprinkler Head, 1812-RVAN-24-360
3	Each	907-282-A071	Sprinkler Head, 1812-RVAN-LCS
2	Each	907-282-A072	Sprinkler Head, 1812-RVAN-RCS
1	Each	907-282-A073	Sprinkler Head, 1812-RVAN-SST
162	Each	907-282-A074	Sprinkler Head, 1812-RVAN-14
300	Linear Feet	907-282-B001	Piping, 1 1/2" Diameter
4,400	Linear Feet	907-282-B003	Piping, 1" Diameter
1,975	Linear Feet	907-282-B006	Piping, 2" Diameter
500	Linear Feet	907-282-C003	Sleeves, 4"
13,950	Linear Feet	907-282-D001	Valve Control Wire
1	Each	907-282-G008	Electric Controller, 16 Station
3	Each	907-282-H001	Electric Control Valve, 1 1/2"
8	Each	907-282-H002	Electric Control Valve, 1"
2	Each	907-282-H003	Electric Control Valve, 2"
5	Each	907-282-J003	Isolation Valve, 2"
1	Each	907-282-J003	Isolation Valve, 2" Master Valve
1	Each	907-290-A001	Flagpole
2,038	Ton	907-403-A002	12.5-mm, MT, Asphalt Pavement
2,815	Ton	907-403-A005	19-mm, MT, Asphalt Pavement
1,313	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
38	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
37	Linear Feet	907-604-PP002	8" Trench Drain, Per Plans Inline Drain
56	Linear Feet	907-604-PP002	8" Trench Drain, Per Plans Slot Drain
1	Each	907-607-PP005	Cantilever Gate, Per Plans Tubular Steel Gate

282	Square Feet	907-608-C001	Detectable Warning Panels
4,070	Square Feet	907-608-D002	Stamped and Colored Concrete Sidewalk
2,833	Square Feet	907-616-C001	Colored and Imprinted Concrete Median and Island Pavement, 10-inch Thickness
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Each	907-619-E3001	Changeable Message Sign
2,447	Linear Feet	907-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
1,672	Linear Feet	907-626-F004	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
670	Linear Feet	907-626-G003	Thermoplastic Detail Stripe, Blue-ADA
5,376	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
422	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
6	Each	907-626-H001	Thermoplastic Legend, Blue-ADA Handicap Symbol
55	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
456	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
49	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1,144	Linear Feet	907-628-E002	6" Cold Plastic Detail Stripe, Blue-ADA
2	Each	907-628-H004	Cold Plastic Legend, Blue-ADA Handicap Symbol
9,201	Linear Feet	907-628-K003	High Performance Cold Plastic Detail Stripe, White
1,672	Linear Feet	907-628-K004	High Performance Cold Plastic Detail Stripe, Yellow
240	Linear Feet	907-628-L003	High Performance Cold Plastic Legend, White
125	Square Feet	907-628-L004	High Performance Cold Plastic Legend, White
2	Each	907-630-O001	Remove and Reset Sign Assembly

ALTERNATE GROUP AA NUMBER 1

18,838	Ton	304-F001	3/4" and Down Crushed Stone Base
--------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

18,838	Ton	304-F002	Size 610 Crushed Stone Base
--------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

18,838	Ton	304-F003	Size 825B Crushed Stone Base
--------	-----	----------	------------------------------

CALL No. 02

Overlay approximately 14.5 miles on US 98 from 1.05 miles east of SR 29 to the Greene County Line, known as Federal Aid Project No. NH-0014-03(080) / 109792301 in Perry County.

PROJECT COMPLETION: 146 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

5,632	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
4,400	Linear Feet	202-B136	Removal of Guard Rail
512	Square Yard	202-B188	Removal of Pavement, All Types and Depths
2	Mile	202-B241	Removal of Traffic Stripe
15,920	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
50	Mile	423-A001	Rumble Strips, Ground In
5,000	Linear Feet	503-C010	Saw Cut, Full Depth
4,532	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
20	Each	606-D001	Guard Rail, Bridge End Section
20	Each	606-E001	Guard Rail, Terminal End Section
1	Square Feet	618-B001	Additional Construction Signs
54	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
45	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
54	Mile	619-A3001	Temporary Traffic Stripe, Skip White
101,556	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,913	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
3,541	Each	619-C8001	One-Way Clear Reflective High Performance Raised Marker
4,444	Each	619-C9001	One-Way Yellow Reflective High Performance Raised Marker
1	Lump Sum	620-A001	Mobilization
145	Each	630-F006	Delineators, Guard Rail, White
25	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
68	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, Post Mounted
276	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
39,360	Ton	907-403-A013	9.5-mm, HT, Asphalt Pavement
7,500	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement

92,858	Gallon	907-407-A001	Asphalt for Tack Coat
23,070	Ton	907-411-A001	Ultra Thin Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
27	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
24	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
22	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
26,881	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
23,898	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,206	Square Feet	907-626-H009	Thermoplastic Legend, White
1,957	Linear Feet	907-626-H010	Thermoplastic Legend, White
145	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
3,961	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
2,595	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
720	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

19,260	Ton	304-F002	Size 610 Crushed Stone Base
--------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

19,260	Ton	304-F003	Size 825B Crushed Stone Base
--------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

3,476	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
3,476	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
3,476	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

3,476	Linear Feet	907-628-G003	6" High Performance Cold Plastic Traffic Stripe, Skip White
3,476	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
3,476	Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 03

OGFC Lift approximately 5.3 miles on I-20 from MS 18 to US 80 (East Brandon), Known as Federal Aid Project No. IM-0020-01(294) / 110069301 in Rankin County.

PROJECT COMPLETION: 134 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

430	Station	201-D001	Random Clearing
3,608	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
79	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
74	Square Yard	202-B045	Removal of Cement Treated Base, All Depths
316	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
740	Linear Feet	202-B096	Removal of Debris and Sand From Box Culvert, 10-foot and Greater Width
100	Each	202-B117	Removal of Delineator, All Types
10,236	Linear Feet	202-B126	Removal of Fence, All Types
10	Each	202-B135	Removal of Guard Post
8,117	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
119	Square Feet	202-B172	Removal of Legend, All Types
17,105	Linear Feet	202-B240	Removal of Traffic Stripe
200	Each	202-B244	Removal of Trees
335	Linear Feet	202-B276	Removal of Debris from Drainage Channel
241	Cubic Yard	203-G002	Excess Excavation, LVM, AH
250	Square Yard	216-A001	Solid Sodding
28	Cubic Yard	221-A001	Concrete Paved Ditch
966	Ton	304-D002	Granular Material, Crushed Stone
191,571	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
912	Linear Feet	413-D002	Cleaning and Filling Joints
463	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
629	Linear Feet	503-C004	Saw Cut, 3-inch
1,472	Linear Feet	503-C010	Saw Cut, Full Depth
8,117	Linear Feet	503-C010	Saw Cut, Full Depth Guardrail
20	Cubic Yard	503-D001	Concrete for Base Repair

116	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
24	Each	606-A003	Guard Posts
6,032	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
75	Linear Feet	606-B011	Guard Rail, Class A, Type 1, Thrie Beam, Metal Post
30	Linear Feet	606-B013	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
9	Each	606-C001	Guard Rail, Cable Anchor Type 1, Metal Post
10	Each	606-D005	Guard Rail, Bridge End Section, Type A
8	Each	606-D009	Guard Rail, Bridge End Section, Type C
2	Each	606-D023	Guard Rail, Bridge End Section, Type I, Metal Post
12	Each	606-E005	Guard Rail, Terminal End Section, Flared
25	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
4	Each	606-G003	Special Sections, Special Design Bridge Connector
10,236	Linear Feet	607-B017	60" Type I Chain Link Fence, Class I
5	Each	607-G058	Gate, 12' x 6' Chain Link
1,084	Each	607-P1008	Line Post, 7' x 1 1/2" Galvanized Steel
20	Each	607-P2004	Brace Post, 7 1/2' x 2" Galvanized Steel
10	Each	607-P3004	Gate Post, 8' x 2 1/2" Galvanized Steel
24	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
24	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
22	Mile	619-A3001	Temporary Traffic Stripe, Skip White
14,563	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
240	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
232	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
155	Each	630-F010	Delineators, Post Mounted, Double White
45	Each	630-F011	Delineators, Post Mounted, Double Yellow
80	Each	630-F012	Delineators, Post Mounted, Single White
35	Each	630-F013	Delineators, Post Mounted, Single Yellow

7,893	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
20,787	Gallon	907-402-B001	Bituminous Tack Coat
1,609	Ton	907-403-A013	9.5-mm, HT, Asphalt Pavement
180	Ton	907-403-B001	12.5-mm, HT, Asphalt Pavement, Leveling
26,681	Linear Feet	907-403-S002	Joint Sealant
1,480	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
3,768	Gallon	907-407-A001	Asphalt for Tack Coat
2,000	Linear Feet	907-413-A001	Joint Sealer Material, Mastic Patching Material
1,064	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
3,700	Gallon	907-414-B001	Asphalt for Fog Seal
1,000	Pounds	907-420-A002	Undersealing Concrete Pavement
261	Square Yard	907-503-A001	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
83	Square Yard	907-503-A002	8" and Variable Jointed Concrete Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
1,080	Hours	907-618-M2001	Work Zone Law Enforcement
11	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
12	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
12	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
14,563	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
240	Square Feet	907-626-H009	Thermoplastic Legend, White
2,500	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1	Each	907-687-A001	Traffic Recorder Classification Permanent System
3,296	Linear Feet	907-808-A003	Joint Repair Without Epoxy
1,648	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
3,296	Linear Feet	907-823-B001	Saw Cut, Type I
11	Square Feet	907-824-A003	General Epoxy Repair
56	Linear Feet	907-824-PP008	Bridge Repair, Endwall Repair, Per Plans

CALL No. 04

OGFC Lift on I-55 from the Mississippi State Line to MS 568, known as Federal Aid Project No. IM-0055-01(154) / 110061301 in Pike County.

PROJECT COMPLETION: 217 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,125	Station	201-D001	Random Clearing
7,513	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
100	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
22,352	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
3,504	Linear Feet	202-B240	Removal of Traffic Stripe
688	Cubic Yard	203-G002	Excess Excavation, LVM, AH
7,651	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
3,565	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
440,000	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
30	Mile	423-A001	Rumble Strips, Ground In
22,924	Linear Feet	503-C010	Saw Cut, Full Depth
18,098	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
363	Linear Feet	606-B010	Guard Rail, Class A, Type 1, Thrie Beam
62	Each	606-C003	Guard Rail, Cable Anchor, Type 1
20	Each	606-D005	Guard Rail, Bridge End Section, Type A
2	Each	606-D022	Guard Rail, Bridge End Section, Type I
78	Each	606-E005	Guard Rail, Terminal End Section, Flared
4	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
16	Each	606-G002	Special Sections, Guard Rail Bridge End Connector
8	Each	606-G004	Special Sections, Thrie Beam, Transition Section
1	Square Feet	618-B001	Additional Construction Signs
52	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
56	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
50	Mile	619-A3001	Temporary Traffic Stripe, Skip White
56,334	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail

53	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,480	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
72	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
216	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
406	Each	630-F006	Delineators, Guard Rail, White
265	Each	630-F007	Delineators, Guard Rail, Yellow
13,450	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
21,578	Gallon	907-402-B001	Bituminous Tack Coat
14	Ton	907-403-A003	12.5-mm, ST, Asphalt Pavement
33	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
10,638	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
16	Mile	907-403-S001	Joint Sealant
25,873	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
34,630	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
17	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
19	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
20	Mile	907-626-F005	6" Thermoplastic Edge Stripe, Continuous Yellow
26,972	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,195	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
27	Square Feet	907-626-H009	Thermoplastic Legend, White
740	Linear Feet	907-626-H010	Thermoplastic Legend, White
2,109	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
88	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Each	907-688-A002	Traffic Recorder WIM Kistler System, 4-Lane
ALTERNATE GROUP AA NUMBER 1			
2,604	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
2,604	Ton	304-F002	Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

2,604 Ton

304-F003 Size 825B Crushed Stone Base

CALL No. 05

Overlay approximately 6.2 miles of I-59 from north of CR 39 to the Clarke County Line, known as Federal Aid Project No. IM-0059-02(123) / 110070301 in Jasper County.

PROJECT COMPLETION: 87 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

711	Station	201-D001	Random Clearing
1,380	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
2,775	Linear Feet	202-B136	Removal of Guard Rail
4	Each	202-B143	Removal of Guard Rail Cable Anchor
202,706	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
24	Linear Feet	501-D001	Expansion Joints, With Dowels
24	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
3,129	Linear Feet	503-C010	Saw Cut, Full Depth
6	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
12	Each	503-F002	1" Smooth Dowel Bars, Drilled & Epoxied or Grouted
2,213	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	606-C001	Guard Rail, Cable Anchor Type 1, Metal Post
4	Each	606-D005	Guard Rail, Bridge End Section, Type A
2	Each	606-D023	Guard Rail, Bridge End Section, Type I, Metal Post
10	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Square Feet	618-B001	Additional Construction Signs
26	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
26	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
26	Mile	619-A3001	Temporary Traffic Stripe, Skip White
1	Lump Sum	620-A001	Mobilization
68	Each	630-F006	Delineators, Guard Rail, White
40	Each	630-F007	Delineators, Guard Rail, Yellow
10	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
10,208	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
15,203	Gallon	907-402-B001	Bituminous Tack Coat

256	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
152	Gallon	907-407-A001	Asphalt for Tack Coat
6,429	Gallon	907-410-D001	Asphalt for Rejuvenating Fog Seal, Grade CMS-1PF
16	Square Yard	907-503-A003	9" and Variable Reinforced Concrete Pavement, Broom Finish
3	Cubic Yard	907-503-D001	Concrete for Base Repair
1	Lump Sum	907-618-A001	Maintenance of Traffic
320	Hours	907-618-M2001	Work Zone Law Enforcement
2	Each	907-619-E3001	Changeable Message Sign
13	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
13	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
13	Mile	907-626-F005	6" Thermoplastic Edge Stripe, Continuous Yellow
1,628	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
814	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers
814	Each	907-627-N001	One-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

194	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

194	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

194	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

CALL No. 06

Restricted Crossing U-Turn (RCUT) on US 278 at CR 217/405, known as Federal Aid Project No. HSIP-0070-04(029) / 109378301 in Lafayette County.

PROJECT COMPLETION: 88 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2 Acre	201-B001	Clearing and Grubbing
643 Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
3,122 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
510 Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
3,015 Square Yard	202-B063	Removal of Concrete Paved Ditch
787 Linear Feet	202-B088	Removal of Curb & Gutter, All Types
93 Linear Feet	202-B191	Removal of Pipe, 8" And Above
4,772 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
3,014 Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
3,538 Cubic Yard	203-G001	Excess Excavation, FM, AH
280 Cubic Yard	206-A001	Structure Excavation
7,323 Square Yard	209-A004	Geotextile Stabilization, Type V
3,283 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
2 Ton	213-C001	Superphosphate
3,684 Square Yard	216-A001	Solid Sodding
223 Square Yard	217-A001	Ditch Liner
74 Thousand Gallon	219-A001	Watering
2 Acre	220-A001	Insect Pest Control
307 Cubic Yard	221-A001	Concrete Paved Ditch
6 Acre	223-A001	Mowing
387 Square Yard	224-A001	Soil Reinforcing Mat
3 Acre	225-A001	Grassing
2 Ton	225-B001	Agricultural Limestone
6 Ton	225-C001	Mulch, Vegetative Mulch
3 Acre	226-A001	Temporary Grassing

200	Linear Feet	237-A002	Wattles, 20"
200	Linear Feet	245-A001	Silt Dike
100	Each	246-B001	Rockbags
4,101	Ton	304-B004	Granular Material, Class 5, Group D
20,372	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
3	Mile	423-A001	Rumble Strips, Ground In
7,257	Linear Feet	503-C010	Saw Cut, Full Depth
476	Pounds	602-A001	Reinforcing Steel
152	Linear Feet	603-ALT011	36" Type A Alternate Pipe
56	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
184	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
5	Linear Feet	603-CA099	60" Reinforced Concrete Pipe, Class III
1	Each	603-CB003	18" Reinforced Concrete End Section
5	Each	603-CB004	24" Reinforced Concrete End Section
1	Each	603-CB010	60" Reinforced Concrete End Section
1,350	Linear Feet	606-B001	Guard Rail, Class A, Type 1
1	Each	606-C001	Guard Rail, Cable Anchor Type 1, Metal Post
1	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
810	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
1,214	Linear Feet	609-D014	Combination Concrete Curb and Gutter Type 3B Modified
37	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
892	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1	Square Feet	618-B001	Additional Construction Signs
7,337	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
6,918	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
8,056	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
9,152	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
113	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
6	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
6	Each	619-E1001	Flashing Arrow Panel, Type C

306	Linear Feet	619-G4005	Barricades, Type III, Single Faced
107	Each	619-G5001	Free Standing Plastic Drums
37	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
155	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
72	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
345	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
30	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
19	Pounds	630-E005	Structural Steel Angles & Bars, Aluminum Unistrut
27	Each	630-F012	Delineators, Post Mounted, Single White
1	Lump Sum	699-A001	Roadway Construction Stakes
12,750	Linear Feet	907-234-A001	Temporary Silt Fence
1,112	Ton	907-403-A004	19-mm, HT, Asphalt Pavement
1,112	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
180	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
1,071	Ton	907-403-B010	9.5-mm, HT, Asphalt Pavement, Leveling
890	Ton	907-403-D001	12.5-mm, HT, Asphalt Pavement, Polymer Modified
2,274	Ton	907-403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
8,849	Gallon	907-407-A001	Asphalt for Tack Coat
5	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	907-618-A001	Maintenance of Traffic
8,056	Linear Feet	907-626-A009	6" Thermoplastic Traffic Stripe, Skip White
561	Linear Feet	907-626-B005	6" Thermoplastic Traffic Stripe, Continuous White
6,776	Linear Feet	907-626-C013	6" Thermoplastic Edge Stripe, Continuous White
6,918	Linear Feet	907-626-F006	6" Thermoplastic Edge Stripe, Continuous Yellow
7,078	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,074	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
392	Square Feet	907-626-H009	Thermoplastic Legend, White
322	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers

6 Each 907-627-L001 Two-Way Yellow Reflective High Performance Raised Markers

1 Cubic Yard 907-634-C001 Pole Foundations, Class "B" Concrete

ALTERNATE GROUP AA NUMBER 1

3,674 Ton 304-F001 3/4" and Down Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

3,674 Ton 304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

3,674 Ton 304-F003 Size 825B Crushed Stone Base

CALL No. 07

Overlay approximately 4.5 miles on MS 184 and MS 13 at Prentiss from US 84 to end of MS 184 near US 84 and Ford Street and N. Frontage Road from MS 184 to MS 937, S. Frontage Road from MS 13 to MS 42 and MS 42 from MS 184 and MS 13 to MS 937, known as Project Nos. STP-2157-00(003) / 109804301 and MP-7000-33(371)/310097301 in Jefferson Davis County.

PROJECT COMPLETION: 57 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

36	Station	201-D001	Random Clearing
372	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
837	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
42	Cubic Yard	203-G002	Excess Excavation, LVM, AH
372	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
510	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
118,521	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
6	Mile	423-A001	Rumble Strips, Ground In
837	Linear Feet	503-C010	Saw Cut, Full Depth
525	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
6	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
2	Square Feet	618-B001	Additional Construction Signs
17	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
13	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A3001	Temporary Traffic Stripe, Skip White
3	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
63,829	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,796	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
30	Each	630-F006	Delineators, Guard Rail, White
13,306	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
1,155	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
14,643	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic

132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
10	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
5	Mile	907-626-F005	6" Thermoplastic Edge Stripe, Continuous Yellow
30,101	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,285	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,356	Linear Feet	907-626-H010	Thermoplastic Legend, White
181	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
891	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
817	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 08

Ultra-Thin Overlay & Safety Improvements on approximately 8 miles of existing SR 482 from north of the SR 16 to SR 491, known as Project Nos. HRRR-0533-00(008) / 110142301 and MP-5482-50(007) / 309963301 in Neshoba County.

PROJECT COMPLETION: 74 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

375	Station	201-D001	Random Clearing
1,280	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
96	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
1,180	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
720	Linear Feet	202-B171	Removal of Legend, All Types
43	Each	202-B215	Removal of Sign Including Post & Footing
4,096	Linear Feet	202-B240	Removal of Traffic Stripe
100	Cubic Yard	203-G002	Excess Excavation, LVM, AH
742	Cubic Yard	304-A005	Granular Material, LVM, Class 5, Group D
200	Cubic Yard	304-E003	Granular Material, LVM, Crushed Stone
200	Cubic Yard	310-B006	Size III Stabilizer Aggregate, Coarse
5,700	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
3,048	Square Feet	412-A001	Pre-Grinding
1,675	Linear Feet	503-C010	Saw Cut, Full Depth
1,225	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
12	Each	606-D019	Guard Rail, Bridge End Section, Type H
12	Each	606-E005	Guard Rail, Terminal End Section, Flared
31	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
27	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
8,948	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,680	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
270	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
190	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced

1	Lump Sum	620-A001	Mobilization
92	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
53	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
56	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
48	Each	630-F006	Delineators, Guard Rail, White
19	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
17	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
1,295	Ton	907-403-A003	12.5-mm, ST, Asphalt Pavement
35	Ton	907-403-B003	12.5-mm, ST, Asphalt Pavement, Leveling
3,215	Ton	907-403-C002	19-mm, MT, Asphalt Pavement, Trench Widening
10,356	Gallon	907-407-A001	Asphalt for Tack Coat
4,540	Ton	907-411-A001	Ultra Thin Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
16	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
16	Mile	907-626-C003	Thermoplastic Audible Edge Stripe
3	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
14	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,380	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,094	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,840	Linear Feet	907-626-H010	Thermoplastic Legend, White
2,253	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
949	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
720	Linear Feet	907-808-A002	Joint Repair
360	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
720	Linear Feet	907-823-B001	Saw Cut, Type I

CALL No. 09

Placement of Raised Pavement Markers throughout the District, known as State Project No. MP-5000-00(193) / 308848301 in District 5.

PROJECT COMPLETION: 93 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
52,637	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
14,264	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
27,594	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 10

Overlay approximately 11.2 miles on MS 550 from the Jefferson County Line to east of Bouie Mill Road, known as Project No. MP-7550-43(011) / 307907301 in Lincoln County.

PROJECT COMPLETION: 182 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

464	Station	201-D001	Random Clearing
298	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
3,467	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,840	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
3,954	Linear Feet	202-B240	Removal of Traffic Stripe
697	Cubic Yard	203-G002	Excess Excavation, LVM, AH
4,806	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
4,229	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
13,205	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
23	Mile	423-A001	Rumble Strips, Ground In
4,800	Linear Feet	503-C010	Saw Cut, Full Depth
1,175	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
8	Each	606-D019	Guard Rail, Bridge End Section, Type H
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
12	Each	606-E005	Guard Rail, Terminal End Section, Flared
2	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Square Feet	618-B001	Additional Construction Signs
45	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
41	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
8,952	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,062	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
70	Each	630-F006	Delineators, Guard Rail, White
986	Ton	907-403-A006	19-mm, ST, Asphalt Pavement

13,724	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
10,478	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
26,589	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
22	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
20	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,050	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,426	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,531	Linear Feet	907-626-H010	Thermoplastic Legend, White
2,446	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,121	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

1,392	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

1,392	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

1,392	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR