

Proposal & Plan Sales Will Begin on April 16, 2026



MISSISSIPPI DEPARTMENT OF
TRANSPORTATION

Notice to Contractors

Special Letting Date For May - May 08, 2026

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

SPECIAL LETTING DATE FOR MAY - Friday, May 8, 2026

Bids will be opened publicly in the Construction Division conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](https://shop.mdot.ms.gov)

PROPOSAL AND PLAN SALES WILL BEGIN ON APRIL 16, 2026

Proposals must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Friday, May 8, 2026; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Construction Division Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR MAY

	CALL	CONTRACT	COUNTY
*	01	SP-0018-02(061)/109043301	HOLMES
*	02	MP-6018-31(012)/308887301 & MP-6528-31(001)/308889301	JASPER
*	03	SP-0333-00(014)/109047301	SMITH

CALL No. 01

Scrub Seal and Overlay approximately 8 miles of SR 12 from Black Creek in Lexington to Ellington Road, known as Project No. SP-0018-02(061) / 109043301 in Holmes County.

PROJECT COMPLETION: OCTOBER 15, 2027

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

360 Station	201-D001	Random Clearing
18 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2,104 Linear Feet	202-B136	Removal of Guard Rail
650 Linear Feet	202-B240	Removal of Traffic Stripe
50 Cubic Yard	203-G001	Excess Excavation, FM, AH
2,000 Ton	304-B004	Granular Material, Class 5, Group D
200 Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
15 Mile	423-A001	Rumble Strips, Ground In
83 Linear Feet	503-C010	Saw Cut, Full Depth
1,326 Linear Feet	606-B001	Guard Rail, Class A, Type 1
4 Each	606-D006	Guard Rail, Bridge End Section, Type A Modified
16 Each	606-E005	Guard Rail, Terminal End Section, Flared
4 Each	606-G001	Special Sections, Bridge Connector
1 Square Feet	618-B001	Additional Construction Signs
15 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
9 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
500 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
62 Each	630-F006	Delineators, Guard Rail, White
4 Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
10,500 Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
13 Ton	907-403-B006	19-mm, ST, Asphalt Pavement, Leveling

450	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
8,300	Gallon	907-407-A001	Asphalt for Tack Coat
122,700	Square Yard	907-414-A001	Scrub Seal
4,000	Pounds	907-420-A001	Undersealing
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
15	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
4	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
9	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,200	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
400	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
900	Linear Feet	907-626-H010	Thermoplastic Legend, White
250	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
600	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 02

Level & Overlay approximately 8.4 miles on SR 18 from Smith County Line to east of Bay Springs (Antioch Church) & Widen, Level & Overlay approximately 1 miles of SR 531 from Smith County Line to SR 18, known as Project Nos. MP-6018-31(012) / 308887301 & MP-6528-31(001) / 308889301 in Jasper County.

PROJECT COMPLETION: MAY 07, 2027

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

300 Station	201-D001	Random Clearing
467 Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
1,424 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2,646 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
16 Linear Feet	202-B191	Removal of Pipe, 8" And Above
700 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
1,525 Cubic Yard	203-EX037	Borrow Excavation, AH, LVM, Class B7
100 Cubic Yard	203-G002	Excess Excavation, LVM, AH
54 Cubic Yard	206-A001	Structure Excavation
54 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
350 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
2 Ton	213-C001	Superphosphate
195 Square Yard	216-A001	Solid Sodding
3,000 Square Yard	217-A001	Ditch Liner
4 Thousand Gallon	219-A001	Watering
9 Cubic Yard	221-A001	Concrete Paved Ditch
2 Acre	225-A001	Grassing
1 Ton	225-B001	Agricultural Limestone
4 Ton	225-C001	Mulch, Vegetative Mulch
700 Linear Feet	237-A002	Wattles, 20"
245 Ton	249-A001	Riprap for Erosion Control
150 Cubic Yard	249-B001	Remove and Reset Riprap
21,752 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
17 Mile	423-A001	Rumble Strips, Ground In

125	Linear Feet	503-C010	Saw Cut, Full Depth
8	Linear Feet	603-CA012	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
32	Linear Feet	603-CA027	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
8	Linear Feet	603-CA056	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
1	Each	603-CB003	18" Reinforced Concrete End Section
2	Each	603-CB004	24" Reinforced Concrete End Section
1	Each	603-CB006	36" Reinforced Concrete End Section
1,690	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
8	Each	606-D018	Guard Rail, Bridge End Section, Type G, Modified
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
10	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Lump Sum	613-A001	Adjustment of Castings, Gratings & Utility Appurtenances
2	Square Feet	618-B001	Additional Construction Signs
29	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
24	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
11	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
9,307	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
280	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
440	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
101	Each	630-F006	Delineators, Guard Rail, White
48	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
3,500	Linear Feet	907-234-A001	Temporary Silt Fence
216	Ton	907-403-A005	19-mm, MT, Asphalt Pavement
15,207	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
2,200	Ton	907-403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
400	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
31,481	Gallon	907-407-A001	Asphalt for Tack Coat
8,880	Ton	907-411-A001	Ultra Thin Asphalt Pavement
18	Cubic Yard	907-601-A001	Class "B" Structural Concrete

10	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	907-618-A001	Maintenance of Traffic
15	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
6	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
13	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
10,062	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,476	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4	Each	907-626-H001	Thermoplastic Legend, Blue-ADA Handicap Symbol
280	Square Feet	907-626-H009	Thermoplastic Legend, White
440	Linear Feet	907-626-H010	Thermoplastic Legend, White
3,311	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,259	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
19	Each	907-627-P001	Two-Way Blue Reflective High Performance Raised Markers
1	Lump Sum	907-899-A001	Railway-Highway Provisions

ALTERNATE GROUP AA NUMBER 1

3,275	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

3,275	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

800	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
400	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

ALTERNATE GROUP BB NUMBER 2

800	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
400	Linear Feet	907-628-I004	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

CALL No. 03

Seal & Overlay approximately 16 miles of MS 501 from SR 18 to the Scott County Line, known as Project No. SP-0333-00(014) / 109047301 in Smith County.

PROJECT COMPLETION: MAY 21, 2027

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1,019	Station	201-D001	Random Clearing
380	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
700	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
450	Linear Feet	202-B240	Removal of Traffic Stripe
64	Cubic Yard	203-G002	Excess Excavation, LVM, AH
380	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
10,818	Ton	304-D002	Granular Material, Crushed Stone
3,767	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
720	Linear Feet	503-C010	Saw Cut, Full Depth
450	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Square Feet	618-B001	Additional Construction Signs
62	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
62	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
8,600	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
6,500	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
16	Each	630-F006	Delineators, Guard Rail, White
17,309	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
11,207	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
32,567	Gallon	907-407-A001	Asphalt for Tack Coat
209,811	Square Yard	907-414-A001	Scrub Seal
1	Lump Sum	907-618-A001	Maintenance of Traffic

132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
31	Mile	907-626-C003	Thermoplastic Audible Edge Stripe
31	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
31	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,850	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,450	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,250	Linear Feet	907-626-H010	Thermoplastic Legend, White
1,555	Each	907-627-H001	Chip Seal Reflective Raised Markers
4,725	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,555	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR