

Proposal & Plan Sales Will Begin on May 4, 2026



MISSISSIPPI DEPARTMENT OF
TRANSPORTATION

Notice to Contractors

Letting Date For May - May 27, 2026

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR MAY - Wednesday, May 27, 2026

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](https://shop.mdot.ms.gov)

PROPOSAL AND PLAN SALES WILL BEGIN ON MAY 4, 2026

Proposals must be purchased online at:
<https://shop.mdot.ms.gov>
 For Information Please Contact:
 Contract Administration Division
 Jackson, MS
 Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shop.mdot.ms.gov>
 For Information Please Contact:
 MDOT Plans Print Shop
 Jackson, MS
 Telephone: (601) 359-7460
 e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Wednesday, May 27, 2026; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR MAY

CALL	CONTRACT	COUNTY
01	HSIP-0002-03(098)/109403301 & SP-0002-03(097)/109005301	NOXUBEE
* 02	NH-0008-03(050)/105530301 & CRP-0008-03(050)/105530302 & CRP-0008-03(050)/105530303 & CRP-0008-03(050)/105530304	MADISON, HINDS, YAZOO
03	NHPP-0010-01(185)/109879301	HARRISON
04	HSIP-0015-01(151)/109580301	FRANKLIN
05	STP-0022-01(089)/108392301	HARRISON
* 06	STP-0022-01(094)/109465301 & SP-0022-01(094)/109466301	JONES
* 07	STBG-0024-03(021)/109770302 & SP-0023-02(068)/109770301	LEAKE
* 08	STBG-0035-01(011)/110039301	MARSHALL
* 09	HSIP-0039-02(060)/109926301	HINDS
10	NHPP-0055-04(123)/110040301	DESOTO
11	BR-0551-00(115)/102372302	LEAKE
* 12	STBG-9999-02(384)/108781302	PANOLA
* 13	SP-0231-00(090)/109467301 & MP-6613-20(007)/308310302	JACKSON, GEORGE
14	MP-1371-29(006)/307877301	ITAWAMBA

	15	SP-0071-05(017)/109758301	PRENTISS
	16	MP-1172-71(002)/310038301	TISHOMINGO
*	17	SP-1441-00(008)/110008301	HINDS
*	18	MP-2178-05(002)/309966301	BENTON
*	19	MP-5016-50(013)/310197301	NESHOBA
*	20	MP-6026-55(018)/309590301	PEARL RIVER
*	21	SP-9349-00(004)/109767301	GRENADA
	22	BWO-1051-41(004)/503808301	LEE

CALL No. 01

Intersection Improvements on US 45 from Misso Road to Magnolia Drive, and Mill & Overlay approximately 12 miles of existing US 45 from south of the Macon Bypass to Brooksville, known as Federal Aid Project No. HSIP-0002-03(098) / 109403301 & State Project No. SP-0002-03(097) / 109005301 in Noxubee County.

PROJECT COMPLETION: SEPTEMBER 15, 2027

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

189	Station	201-D001	Random Clearing
184	Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
1,806	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
49	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,534	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
39	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
542	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
12	Square Yard	202-B063	Removal of Concrete Paved Ditch
318	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
274	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
1,490	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
1,744	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
9,470	Square Yard	202-B188	Removal of Pavement, All Types and Depths
60	Linear Feet	202-B191	Removal of Pipe, 8" And Above
75	Each	202-B215	Removal of Sign Including Post & Footing
20,744	Linear Feet	202-B240	Removal of Traffic Stripe
25,948	Cubic Yard	203-EX008	Borrow Excavation, AH, FME, Class B15
32,318	Cubic Yard	203-G001	Excess Excavation, FM, AH
28	Cubic Yard	206-A001	Structure Excavation
23,428	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1,273	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
3	Ton	213-C001	Superphosphate
150	Square Yard	216-A001	Solid Sodding
3	Thousand Gallon	219-A001	Watering

5 Acre	220-A001	Insect Pest Control
3 Cubic Yard	221-A001	Concrete Paved Ditch
5 Acre	225-A001	Grassing
3 Ton	225-B001	Agricultural Limestone
10 Ton	225-C001	Mulch, Vegetative Mulch
5 Acre	226-A001	Temporary Grassing
1,280 Linear Feet	237-A002	Wattles, 20"
2,378 Cubic Yard	304-A005	Granular Material, LVM, Class 5, Group D
5,875 Ton	304-D002	Granular Material, Crushed Stone
200 Cubic Yard	304-E003	Granular Material, LVM, Crushed Stone
100 Cubic Yard	310-B006	Size III Stabilizer Aggregate, Coarse
556,322 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
37 Mile	423-A001	Rumble Strips, Ground In
137 Square Yard	503-A001	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
108 Square Yard	503-A006	6" and Variable Reinforced Concrete Pavement, Broom Finish
630 Linear Feet	503-B001	Saw Cut, Longitudinal Joints
1,038 Linear Feet	503-C004	Saw Cut, 3-inch
18,742 Linear Feet	503-C010	Saw Cut, Full Depth
192 Cubic Yard	503-D001	Concrete for Base Repair
519 Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
24 Linear Feet	603-ALT001	12" Type A Alternate Pipe
40 Linear Feet	603-ALT003	18" Type A Alternate Pipe
1,320 Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
8 Each	606-D019	Guard Rail, Bridge End Section, Type H
8 Each	606-E005	Guard Rail, Terminal End Section, Flared
696 Linear Feet	609-B003	Concrete Curb, Special Design Slotted Curb
1,093 Linear Feet	609-B003	Concrete Curb, Special Design Truck Apron
447 Linear Feet	609-C001	Concrete Integral Curb, Type 1
1,622 Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
932 Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified

22	Square Yard	614-B001	Concrete Driveway, With Reinforcement
396	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
214	Square Yard	616-A003	Concrete Median and/or Island Pavement, 12-inch
814	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
49	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
3,532	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
43	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1,138	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
70	Mile	619-A3001	Temporary Traffic Stripe, Skip White
162,492	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,258	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
9,112	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
86	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,551	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
318	Linear Feet	619-G4005	Barricades, Type III, Single Faced
275	Each	619-G5001	Free Standing Plastic Drums
135	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
520	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
642	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
198	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
356	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
1,301	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
104	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
28	Each	630-F006	Delineators, Guard Rail, White
28	Each	630-F007	Delineators, Guard Rail, Yellow
4	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
4	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
12	Each	635-A059	Traffic Signal Head, Type 1
4	Each	635-A065	Traffic Signal Head, Type 2 FYA

4	Each	635-A070	Traffic Signal Head, Type 3
4	Each	638-A006	Flasher Assembly, Prepare To Stop
1	Lump Sum	699-A001	Roadway Construction Stakes
2,460	Linear Feet	907-234-A001	Temporary Silt Fence
8	Each	907-234-D001	Inlet Siltation Guard
14,399	Ton	907-403-A001	12.5-mm, HT, Asphalt Pavement
1,852	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
4,633	Ton	907-403-A013	9.5-mm, HT, Asphalt Pavement
673	Ton	907-403-B001	12.5-mm, HT, Asphalt Pavement, Leveling
351	Ton	907-403-B006	19-mm, ST, Asphalt Pavement, Leveling
316	Ton	907-403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
23	Mile	907-403-S001	Joint Sealant
13,047	Linear Feet	907-403-S002	Joint Sealant
34,427	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
641	Ton	907-405-A002	Stone Matrix Asphalt, 12.5 mm Mixture
57,911	Gallon	907-407-A001	Asphalt for Tack Coat
16,268	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
88	Square Yard	907-502-A001	Reinforced Cement Concrete Bridge End Pavement
260	Square Yard	907-503-A007	12" and Variable Continuously Reinforced Concrete Pavement, Tine Finish
2	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Hours	907-618-M2001	Work Zone Law Enforcement
2	Each	907-619-E3001	Changeable Message Sign
23	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
1,846	Linear Feet	907-626-B005	6" Thermoplastic Traffic Stripe, Continuous White
24	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
569	Linear Feet	907-626-E006	6" Thermoplastic Traffic Stripe, Continuous Yellow
22	Mile	907-626-F005	6" Thermoplastic Edge Stripe, Continuous Yellow
59,137	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
33,058	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow

2,533	Square Feet	907-626-H009	Thermoplastic Legend, White
6,806	Linear Feet	907-626-H010	Thermoplastic Legend, White
1,845	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
3,673	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
764	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2	Each	907-630-N001	Reflective Sign Post Panel
7	Each	907-630-O008	Remove and Reset Signs, Post Mounted
2	Each	907-632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
2	Each	907-632-J001	Power Service Pedestal
4	Each	907-634-A260	Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 40' & 70' Arm
16	Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
1	Each	907-634-F002	Detector Pole with Foundation, 35' Pole
722	Linear Feet	907-636-B003	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor
4,992	Linear Feet	907-636-B013	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 4 Conductor
2,144	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
230	Linear Feet	907-636-B025	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 6, 3 Conductor
14	Each	907-637-A002	Pullbox Enclosure, Type 2
4	Each	907-637-A003	Pullbox Enclosure, Type 3
4,170	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
100	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
620	Linear Feet	907-637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
640	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
12	Each	907-643-A004	Video Vehicle Detection Sensor, Type 1A
3,240	Linear Feet	907-643-B001	Video Vehicle Detection Cable
2	Each	907-643-C002	Video Vehicle Detection Processor, Type 1
2	Each	907-650-A004	On Street Video Equipment, PTZ Type, Signal Monitoring
30	Square Feet	907-653-B001	Street Name Sign
1	Each	907-662-C001	Radio Interconnect, Signal Control Repeater
2	Each	907-662-D002	Radio Interconnect, Broadband, Short Range

2	Each	907-663-A001	Network Switch, Type A
1	Each	907-663-C002	SD-WAN Router
860	Linear Feet	907-663-D001	Category 6 Cable, Installed in Conduit
520	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

7,142	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

7,142	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

7,142	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

Bridge Items

1,204	Linear Feet	907-808-A002	Joint Repair
602	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
1,204	Linear Feet	907-823-B001	Saw Cut, Type I
23	Square Feet	907-824-A003	General Epoxy Repair

CALL No. 02

Pavement Restoration of US 49 from the Hinds County Line to the Yazoo County Line, and ITS Improvements on US 49 from Northside Drive to the Madison County Line, US 49 from the Hinds County Line to the Yazoo County Line, and US 49 from the Madison County Line to approximately 500 feet north of the Madison County Line, known as Federal Aid Project Nos. NH-0008-03(050) / 105530301 in Madison County, CRP-0008-03(050) / 105530302 in Madison County, CRP-0008-03(050) / 105530303 in Hinds County, and CRP-0008-03(050) / 105530304 in Yazoo County.

PROJECT COMPLETION: JULY 09, 2027

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

792	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
204	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
1,225	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
2,160	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
17	Square Yard	202-B168	Removal of Island Pavement, All Types
752	Linear Feet	202-B169	Removal of Joint Material
33,024	Cubic Yard	203-G001	Excess Excavation, FM, AH
78,113	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
6,709	Ton	304-B003	Granular Material, Class 5, Group C
11,918	Ton	304-B004	Granular Material, Class 5, Group D
29,404	Ton	304-D002	Granular Material, Crushed Stone
20	Ton	305-B001	Size I Stabilizer Aggregate, Coarse
357,405	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
36	Mile	423-A001	Rumble Strips, Ground In
3,348	Linear Feet	503-C010	Saw Cut, Full Depth
32	Linear Feet	603-RA002	18" Pipe Removed and Relaid
2	Each	603-RB002	18" End Section Removed and Relaid
1,660	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	606-D012	Guard Rail, Bridge End Section, Type D Modified
6	Each	606-D023	Guard Rail, Bridge End Section, Type I, Metal Post
10	Each	606-E005	Guard Rail, Terminal End Section, Flared
17	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
40	Mile	619-A1001	Temporary Traffic Stripe, Continuous White

40	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
40	Mile	619-A3001	Temporary Traffic Stripe, Skip White
11,803	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
72	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,234	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
600	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
15	Each	619-D3001	Remove and Reset Signs, All Sizes
24	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
30	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
136	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
35	Each	630-F006	Delineators, Guard Rail, White
35	Each	630-F007	Delineators, Guard Rail, Yellow
10	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
369	Station	907-201-C001	Random Clearing and Grubbing
6,796	Ton	907-403-A003	12.5-mm, ST, Asphalt Pavement
11,893	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
31,844	Ton	907-403-A013	9.5-mm, HT, Asphalt Pavement
10,561	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
1,695	Ton	907-403-B001	12.5-mm, HT, Asphalt Pavement, Leveling
51,600	Gallon	907-407-A001	Asphalt for Tack Coat
21,811	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
500	Pounds	907-420-A001	Undersealing
1	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	907-618-A001	Maintenance of Traffic
20	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
20	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
20	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
14,087	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White

10,281	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
338	Square Feet	907-626-H009	Thermoplastic Legend, White
1,234	Linear Feet	907-626-H010	Thermoplastic Legend, White
243	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
3,201	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
51	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
26	Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted Roadside Directional Signs
3	Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly
3	Each	907-634-E001	Camera Pole with Foundation, 50' Pole
340	Linear Feet	907-636-B053	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
3	Each	907-637-A002	Pullbox Enclosure, Type 2
45	Each	907-637-A004	Pullbox Enclosure, Type 4
11	Each	907-637-A005	Pullbox Enclosure, Type 5
340	Linear Feet	907-637-E001	Traffic Signal Conduit, Structural Conduit, Type 1, 1 1/2"
49,760	Linear Feet	907-637-H001	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
390	Linear Feet	907-637-H002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2"
1,850	Linear Feet	907-637-K001	Traffic Signal Conduit Bank, Aerial Supported, Type 1, 2 @ 2"
7	Each	907-650-A002	On Street Video Equipment, Fixed Type
3	Each	907-650-A003	On Street Video Equipment, PTZ Type
1	Lump Sum	907-659-A001	Traffic Management Center Modifications
3	Each	907-660-A002	Equipment Cabinet, Type B
51,500	Linear Feet	907-661-A004	Fiber Optic Cable, 72 SM
1,870	Linear Feet	907-661-A006	Fiber Optic Cable, Aerial, 72 SM
410	Linear Feet	907-661-B002	Fiber Optic Drop Cable, 12 SM
4	Each	907-663-A001	Network Switch, Type A
500	Linear Feet	907-663-D001	Category 6 Cable, Installed in Conduit
1,504	Linear Feet	907-808-A002	Joint Repair
596	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
39	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
117	Linear Feet	907-823-A003	Preformed Joint Seal, Type III

1,192	Linear Feet	907-823-B001	Saw Cut, Type I
78	Linear Feet	907-823-B002	Saw Cut, Type II
234	Linear Feet	907-823-B003	Saw Cut, Type III
16	Square Feet	907-824-A003	General Epoxy Repair

CALL No. 03

Widening on I-10 at MS 605 WB Ramp, known as Federal Aid Project No. NHPP-0010-01(185) / 109879301 in Harrison County.

PROJECT COMPLETION: JUNE 10, 2027

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

23 Square Yard	202-B063	Removal of Concrete Paved Ditch
3 Each	202-B117	Removal of Delineator, All Types
115 Linear Feet	202-B136	Removal of Guard Rail
930 Square Yard	202-B188	Removal of Pavement, All Types and Depths
8 Each	202-B215	Removal of Sign Including Post & Footing
137 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
649 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B7
3,647 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
633 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished Guardrail
1 Ton	213-C001	Superphosphate Shoulder
4 Ton	215-A001	Vegetative Materials for Mulch
133 Square Yard	216-A001	Solid Sodding
3 Thousand Gallon	219-A001	Watering
1 Acre	220-A001	Insect Pest Control
23 Cubic Yard	221-A001	Concrete Paved Ditch
2 Acre	225-A001	Grassing
1 Ton	225-B001	Agricultural Limestone
2 Acre	226-A001	Temporary Grassing
300 Linear Feet	237-A002	Wattles, 20"
30 Each	246-B001	Rockbags
4,968 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,329 Gallon	407-A001	Asphalt for Tack Coat
1,165 Linear Feet	503-C010	Saw Cut, Full Depth
1,780 Pounds	602-A001	Reinforcing Steel
5,488 Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White

1,568	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3,730	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
174	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
176	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
8	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
96	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,300	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1,300	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
12	Linear Feet	619-G4005	Barricades, Type III, Single Faced
20	Each	619-G5001	Free Standing Plastic Drums
1	Each	619-J1005	Impact Attenuator, 70 MPH
1	Each	619-J2005	Impact Attenuator, 70 MPH, Replacement Package
2	Each	619-J3001	Remove and Reset Impact Attenuator
1	Lump Sum	620-A001	Mobilization
69	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
36	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
502	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
169	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
24	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
81	Linear Feet	630-C1001	Square Post Inner Sleeve
79	Linear Feet	630-D005	Structural Steel Beams, W12 x 26
75	Linear Feet	630-D009	Structural Steel Beams, W8 x 18
74	Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
142	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
276	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
23	Each	630-F010	Delineators, Post Mounted, Double White
1	Each	630-F011	Delineators, Post Mounted, Double Yellow
5	Each	630-F012	Delineators, Post Mounted, Single White
4	Each	630-F013	Delineators, Post Mounted, Single Yellow
1	Lump Sum	699-A001	Roadway Construction Stakes

2,500	Linear Feet	907-234-A001	Temporary Silt Fence
839	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
335	Ton	907-403-D001	12.5-mm, HT, Asphalt Pavement, Polymer Modified
839	Ton	907-403-D003	19-mm, HT, Asphalt Pavement, Polymer Modified
703	Ton	907-403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
12	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	907-618-A001	Maintenance of Traffic
300	Hours	907-618-M2001	Work Zone Law Enforcement
1	Each	907-619-E3001	Changeable Message Sign
1,124	Linear Feet	907-626-B005	6" Thermoplastic Traffic Stripe, Continuous White
1,620	Linear Feet	907-626-C013	6" Thermoplastic Edge Stripe, Continuous White
795	Linear Feet	907-626-F006	6" Thermoplastic Edge Stripe, Continuous Yellow
2,159	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
241	Square Feet	907-626-H009	Thermoplastic Legend, White
88	Linear Feet	907-626-H010	Thermoplastic Legend, White
107	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

1,316	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

1,316	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

1,316	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 04

Restricted Crossing U-Turn (RCUT) on US 84 at MS 33, known as Federal Aid Project No. HSIP-0015-01(151) / 109580301 in Franklin County.

PROJECT COMPLETION: 140 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

4 Acre	201-B001	Clearing and Grubbing
1,150 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
289 Square Yard	202-B052	Removal of Concrete Driveways, All Depths
119 Square Yard	202-B063	Removal of Concrete Paved Ditch
1,769 Linear Feet	202-B088	Removal of Curb & Gutter, All Types
1,367 Square Yard	202-B168	Removal of Island Pavement, All Types
182 Linear Feet	202-B191	Removal of Pipe, 8" And Above
9,485 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
6,441 Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
2,018 Cubic Yard	203-G002	Excess Excavation, LVM, AH
173 Cubic Yard	206-A001	Structure Excavation
29,289 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1,880 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
4 Ton	213-C001	Superphosphate
703 Square Yard	216-A001	Solid Sodding
14 Thousand Gallon	219-A001	Watering
4 Acre	220-A001	Insect Pest Control
33 Cubic Yard	221-A001	Concrete Paved Ditch
14 Acre	223-A001	Mowing
7 Acre	225-A001	Grassing
4 Ton	225-B001	Agricultural Limestone
14 Ton	225-C001	Mulch, Vegetative Mulch
7 Acre	226-A001	Temporary Grassing
680 Linear Feet	237-A002	Wattles, 20"
78 Ton	249-A001	Riprap for Erosion Control

36	Cubic Yard	249-B001	Remove and Reset Riprap
3,910	Ton	304-B007	Granular Material, Class 6, Group D
3,872	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
6,761	Linear Feet	503-C010	Saw Cut, Full Depth
217	Pounds	602-A001	Reinforcing Steel
336	Linear Feet	603-ALT003	18" Type A Alternate Pipe
64	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
208	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
32	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
2	Each	603-CB003	18" Reinforced Concrete End Section
1	Each	603-CB004	24" Reinforced Concrete End Section
2	Each	603-CB006	36" Reinforced Concrete End Section
244	Pounds	604-A001	Castings
450	Pounds	604-B001	Gratings
151	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
339	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
12	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
500	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
2	Each	606-C003	Guard Rail, Cable Anchor, Type 1
2	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
32	Linear Feet	609-B003	Concrete Curb, Special Design
3,676	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
617	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
198	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
3,416	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
3,308	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
1,977	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
15,362	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
321	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
91	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet

1,879	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-E1001	Flashing Arrow Panel, Type C
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
528	Linear Feet	619-G4005	Barricades, Type III, Single Faced
159	Each	619-G5001	Free Standing Plastic Drums
26	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
244	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
73	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
191	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
966	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
75	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
18	Each	630-F006	Delineators, Guard Rail, White
1	Lump Sum	699-A001	Roadway Construction Stakes
374	Ton	815-A007	Loose Riprap, Size 300
461	Square Yard	815-E001	Geotextile under Riprap
44	Ton	815-F002	Sediment Control Stone
2,175	Linear Feet	907-234-A001	Temporary Silt Fence
1,186	Ton	907-403-A002	12.5-mm, MT, Asphalt Pavement
1,479	Ton	907-403-A005	19-mm, MT, Asphalt Pavement
1,479	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
1,598	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
2,660	Gallon	907-407-A001	Asphalt for Tack Coat
14	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	907-618-A001	Maintenance of Traffic
3,049	Linear Feet	907-626-B005	6" Thermoplastic Traffic Stripe, Continuous White
3,058	Linear Feet	907-626-E006	6" Thermoplastic Traffic Stripe, Continuous Yellow
12,346	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,111	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow

1,043	Square Feet	907-626-H009	Thermoplastic Legend, White
128	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
310	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
251	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
170	Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
			ALTERNATE GROUP AA NUMBER 1
12,519	Ton	304-F001	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
12,519	Ton	304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 3
12,519	Ton	304-F003	Size 825B Crushed Stone Base

CALL No. 05

Bridge Replacement on SR 15 over Cypress Branch on Bridge No. 15.7, known as Federal Aid Project No. STP-0022-01(089) / 108392301 in Harrison County.

PROJECT COMPLETION: 91 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
4,602	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1	Each	202-B023	Removal of Bridge
744	Linear Feet	202-B151	Removal of Guard Rail Only
193	Linear Feet	202-B191	Removal of Pipe, 8" And Above
5,200	Linear Feet	202-B240	Removal of Traffic Stripe
155	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
14,364	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B7
7,830	Cubic Yard	203-G001	Excess Excavation, FM, AH
660	Cubic Yard	206-A001	Structure Excavation
293	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
3,481	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
24,129	Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
5	Ton	213-C001	Superphosphate
20	Ton	215-A001	Vegetative Materials for Mulch
100	Square Yard	216-A001	Solid Sodding
2	Thousand Gallon	219-A001	Watering
10	Acre	220-A001	Insect Pest Control
10	Acre	225-A001	Grassing
5	Ton	225-B001	Agricultural Limestone
20	Ton	225-C001	Mulch, Vegetative Mulch
10	Acre	226-A001	Temporary Grassing
100	Linear Feet	237-A002	Wattles, 20"
292	Linear Feet	239-A001	Temporary Slope Drains
30	Linear Feet	246-B002	Rockbags

3	Each	247-A001	Temporary Stream Diversion
25	Ton	249-A001	Riprap for Erosion Control
1,360	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
1	Mile	423-A001	Rumble Strips, Ground In
200	Linear Feet	603-PE003	18" Corrugated Polyethylene Pipe
2,367	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
1,735	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1,050	Linear Feet	619-A5003	Temporary Traffic Stripe, Detail, Type 1 Tape
65	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
65	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
72	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
268	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72	Linear Feet	619-G4001	Barricades, Type III, Double Faced
74	Each	619-G5001	Free Standing Plastic Drums
10	Each	619-G7001	Warning Lights, Type "B"
22	Each	619-G8001	Warning Lights, Type "C"
1	Lump Sum	620-A001	Mobilization
4	Each	630-F013	Delineators, Post Mounted, Single Yellow
2	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
2	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
4,802	Linear Feet	907-234-A001	Temporary Silt Fence
284	Ton	907-403-A003	12.5-mm, ST, Asphalt Pavement
879	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
554	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
501	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
2,600	Linear Feet	907-626-C013	6" Thermoplastic Edge Stripe, Continuous White
459	Linear Feet	907-626-D004	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
2,141	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow

33 Each 907-627-L001 Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

3,298 Ton 304-F001 3/4" and Down Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

3,298 Ton 304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

3,298 Ton 304-F003 Size 825B Crushed Stone Base

ALTERNATE GROUP BB NUMBER 1

109 Ton 304-D005 Granular Material, Size 67

ALTERNATE GROUP BB NUMBER 2

109 Ton 304-F003 Size 825B Crushed Stone Base

Bridge Items

132,770 Pounds 805-A001 Reinforcement

204 Ton 815-A007 Loose Riprap, Size 300

252 Square Yard 815-E001 Geotextile under Riprap

634 Cubic Yard 907-804-B001 Box Bridge Concrete, Class B

CALL No. 06

Overlay approximately 11.4 miles of SR 15 from Ovet-Scarborough Road to south of Tuckers Crossing, and Overlay approximately 1.8 miles of SR 536 from SR 15 to the end of State Maintenance, known as Federal Aid Project Nos. STP-0022-01(094) / 109465301 & SP-0022-01(094) / 109466301 in Jones County.

PROJECT COMPLETION: OCTOBER 15, 2026

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

192	Station	201-D001	Random Clearing
4,680	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
729	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2	Square Yard	202-B083	Removal of Concrete Slope Paving
10	Linear Feet	202-B101	Removal of Debris and Sand From Pipe, 18" to Less Than 36" Diameter
2,855	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
8	Linear Feet	202-B191	Removal of Pipe, 8" And Above
2,460	Linear Feet	202-B240	Removal of Traffic Stripe
13	Cubic Yard	203-EX037	Borrow Excavation, AH, LVM, Class B7
13	Cubic Yard	203-G002	Excess Excavation, LVM, AH
2	Cubic Yard	206-A001	Structure Excavation
2	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
7	Square Yard	216-A001	Solid Sodding
8,206	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
23	Mile	423-A001	Rumble Strips, Ground In
54	Pounds	602-A001	Reinforcing Steel
8	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
250	Pounds	604-B001	Gratings
1,913	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
16	Each	606-D019	Guard Rail, Bridge End Section, Type H
16	Each	606-E005	Guard Rail, Terminal End Section, Flared
2	Square Feet	618-B001	Additional Construction Signs
49	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
31	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow

13	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
4,128	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,204	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
84	Each	630-F006	Delineators, Guard Rail, White
137	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
150	Linear Feet	907-234-A001	Temporary Silt Fence
29	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
32,835	Gallon	907-407-A001	Asphalt for Tack Coat
17,555	Ton	907-411-A001	Ultra Thin Asphalt Pavement
2	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
1	Cubic Yard	907-601-B002	Class "C" Structural Concrete, Minor Structures
1	Lump Sum	907-618-A001	Maintenance of Traffic
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
27	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
7	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
17	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,774	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,354	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,204	Linear Feet	907-626-H010	Thermoplastic Legend, White
640	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,999	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,494	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers
1	Each	907-627-P001	Two-Way Blue Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

5,924	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

5,924	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

5,924	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

2,198	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
2,198	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

2,198	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,198	Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 07

Traffic Signal Improvements on MS 16 at Van Buren, and Mill & Overlay approximately 6 miles of MS 35 from Pleasant Hill Road to MS 25, known as Federal Aid Project No. STBG-0024-03(021) / 109770302 & State Project No. SP-0023-02(068) / 109770301 in Leake County.

PROJECT COMPLETION: OCTOBER 30, 2026

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

14 Station	201-D001	Random Clearing
1,330 Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
1,155 Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
107 Square Yard	202-B063	Removal of Concrete Paved Ditch
2,640 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
2,284 Linear Feet	202-B240	Removal of Traffic Stripe
350 Cubic Yard	203-G001	Excess Excavation, FM, AH
240 Cubic Yard	206-A001	Structure Excavation
1,662 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
12 Cubic Yard	221-A001	Concrete Paved Ditch
1,650 Ton	304-D002	Granular Material, Crushed Stone
187,667 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
3 Mile	423-A001	Rumble Strips, Ground In
4,100 Linear Feet	503-C010	Saw Cut, Full Depth
200 Pounds	602-A001	Reinforcing Steel
1,840 Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
16 Each	606-D018	Guard Rail, Bridge End Section, Type G, Modified
16 Each	606-E005	Guard Rail, Terminal End Section, Flared
19 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
12 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
12 Mile	619-A3001	Temporary Traffic Stripe, Skip White
4 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
52,990 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,775 Square Feet	619-A6001	Temporary Traffic Stripe, Legend

575	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
88	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
448	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
144	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
96	Each	630-F006	Delineators, Guard Rail, White
16	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
20,584	Ton	907-403-A002	12.5-mm, MT, Asphalt Pavement
525	Ton	907-403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
2,640	Linear Feet	907-403-S002	Joint Sealant
687	Ton	907-405-A002	Stone Matrix Asphalt, 12.5 mm Mixture
15,483	Gallon	907-407-A001	Asphalt for Tack Coat
1,000	Pounds	907-420-A001	Undersealing
4	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
7	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
15	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
5	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
8	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
14,900	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
22,900	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
576	Square Feet	907-626-H009	Thermoplastic Legend, White
2,600	Linear Feet	907-626-H010	Thermoplastic Legend, White
550	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
920	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1,800	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
8	Each	907-643-A004	Video Vehicle Detection Sensor, Type 1A
680	Linear Feet	907-643-B001	Video Vehicle Detection Cable
2	Each	907-643-C002	Video Vehicle Detection Processor, Type 1

Bridge Items

986	Linear Feet	907-808-A002	Joint Repair
493	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
986	Linear Feet	907-823-B001	Saw Cut, Type I
4	Square Feet	907-824-A003	General Epoxy Repair

CALL No. 08

Bridge Repair on MS 311 over Little Coldwater River (Bridge No. 11.8), known as Federal Aid Project No. STBG-0035-01(011) / 110039301 in Marshall County.

PROJECT COMPLETION: 40 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

1,594	Ton	815-A007	Loose Riprap, Size 300
1,404	Square Yard	815-E001	Geotextile under Riprap
2,000	Pounds	907-420-A001	Undersealing
4	Each	907-824-C001	Cap Cleaning
1	Lump Sum	907-824-PP004	Bridge Repair, Bank Reshaping

Roadway Items

1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign

CALL No. 09

Installation of Center Line Rumble Strips on MS 18 from Old Port Gibson Road to the Copiah County Line, known as Federal Aid Project No. HSIP-0039-02(060) / 109926301 in Hinds County.

PROJECT COMPLETION: 47 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3 Mile	423-A001	Rumble Strips, Ground In , 1/2" Depth
3 Mile	423-A001	Rumble Strips, Ground In , 24" Spacing
3 Mile	423-A001	Rumble Strips, Ground In , Sinusoidal Pattern
3 Mile	423-A001	Rumble Strips, Ground In , Split 4" Width
3 Mile	423-A001	Rumble Strips, Ground In , Split 6" Width
3 Mile	423-A001	Rumble Strips, Ground In , Split Sinusoidal Pattern
19 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
9 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1 Lump Sum	620-A001	Mobilization
1 Lump Sum	907-618-A001	Maintenance of Traffic
9 Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
19 Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,334 Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 10

Bridge Repair on I-55 over Star Landing Road (Bridge Nos. 285.9A & 285.9B), known as Federal Aid Project No. NHPP-0055-04(123) / 110040301 in Desoto County.

PROJECT COMPLETION: 62 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,618	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1	Square Feet	618-B001	Additional Construction Signs
720	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
720	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
720	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
410	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1,230	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
4	Each	619-G7001	Warning Lights, Type "B"
3	Each	619-G8001	Warning Lights, Type "C"
1	Lump Sum	620-A001	Mobilization
123	Ton	907-403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
720	Linear Feet	907-626-A009	6" Thermoplastic Traffic Stripe, Skip White
720	Linear Feet	907-626-B005	6" Thermoplastic Traffic Stripe, Continuous White
720	Linear Feet	907-626-F006	6" Thermoplastic Edge Stripe, Continuous Yellow
10	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers

Bridge Items

404	Linear Feet	619-F1001	Concrete Median Barrier, Precast
404	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
100	Ton	907-403-B010	9.5-mm, HT, Asphalt Pavement, Leveling
1,175	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck
12	Cubic Yard	907-824-PP007	Bridge Repair, High Early strength Concrete
640	Linear Feet	907-824-PP008	Bridge Repair, Steel Bridge Railing

CALL No. 11

Bridge Replacement on SR 427 (Bridge No. 4.4) between SR 488 & SR 16, known as Federal Aid Project No. BR-0551-00(115) / 102372302 in Leake County.

PROJECT COMPLETION: AUGUST 16, 2027

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

807	Square Yard	501-K001	Transverse Grooving
3,670	Linear Feet	803-D005	HP 14 x 117 Steel Piling
1,492	Linear Feet	804-C192	100' Prestressed Concrete Beam, Type FIB-36
80,340	Pounds	805-A001	Reinforcement
2,236	Pounds	805-C001	Reinforcement, Corrosion Resistant
605	Linear Feet	813-A004	Concrete Railing, 36"
1,389	Ton	815-A007	Loose Riprap, Size 300
1,267	Square Yard	815-E001	Geotextile under Riprap
2	Each	907-803-I003	PDA Test Pile, HP Steel Pile
2	Each	907-803-J001	Pile Restrike
255	Cubic Yard	907-804-A001	Bridge Concrete, Class BDY
109	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
66	Linear Feet	907-823-A002	Preformed Joint Seal, Type II

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
47	Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
3,195	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1	Each	202-B023	Removal of Bridge
1	Each	202-B125	Removal of Fence Gate, All Types, All Sizes
927	Linear Feet	202-B126	Removal of Fence, All Types
274	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
4	Each	202-B215	Removal of Sign Including Post & Footing
1,359	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
6,915	Cubic Yard	203-EX010	Borrow Excavation, AH, FME, Class B17
1,781	Cubic Yard	203-G001	Excess Excavation, FM, AH

4,329	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1,367	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
2	Ton	213-C001	Superphosphate
30	Square Yard	216-A001	Solid Sodding
1	Thousand Gallon	219-A001	Watering
4	Acre	220-A001	Insect Pest Control
6	Cubic Yard	221-A001	Concrete Paved Ditch
7	Acre	223-A001	Mowing
4	Acre	225-A001	Grassing
2	Ton	225-B001	Agricultural Limestone
7	Ton	225-C001	Mulch, Vegetative Mulch
4	Acre	226-A001	Temporary Grassing
400	Linear Feet	237-A002	Wattles, 20"
700	Linear Feet	239-A001	Temporary Slope Drains
100	Linear Feet	246-B002	Rockbags
1,000	Ton	249-A001	Riprap for Erosion Control
86	Ton	304-D002	Granular Material, Crushed Stone
578	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1	Mile	423-A001	Rumble Strips, Ground In
19	Square Yard	501-K001	Transverse Grooving
48	Linear Feet	603-ALT003	18" Type A Alternate Pipe
38	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
67	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
5	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
3	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
188	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E001	Guard Rail, Terminal End Section
40	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
28	Each	617-A001	Right-of-Way Marker

2,944	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
2,944	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
263	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
346	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
84	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
12	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
18	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
30	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
18	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
76	Ton	815-A007	Loose Riprap, Size 300
77	Square Yard	815-E001	Geotextile under Riprap
21	Ton	815-F002	Sediment Control Stone
3,000	Linear Feet	907-234-A001	Temporary Silt Fence
550	Linear Feet	907-234-C001	Super Silt Fence
125	Linear Feet	907-234-F001	Turbidity Barrier
618	Ton	907-403-A003	12.5-mm, ST, Asphalt Pavement
286	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
28	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
27	Ton	907-403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
482	Gallon	907-407-A001	Asphalt for Tack Coat
67	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
124	Square Yard	907-502-A001	Reinforced Cement Concrete Bridge End Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
2,944	Linear Feet	907-626-B005	6" Thermoplastic Traffic Stripe, Continuous White
2,944	Linear Feet	907-626-E006	6" Thermoplastic Traffic Stripe, Continuous Yellow

58 Each 907-627-J001 Two-Way Clear Reflective High Performance Raised Markers
29 Each 907-627-L001 Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

1,163 Ton 304-F001 3/4" and Down Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

1,163 Ton 304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

1,163 Ton 304-F003 Size 825B Crushed Stone Base

ALTERNATE GROUP BB NUMBER 1

37 Cubic Yard 605-W002 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM

ALTERNATE GROUP BB NUMBER 2

37 Cubic Yard 605-W003 Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM

CALL No. 12

Bridge Preventive Maintenance on I-55 (Bridge Nos. 237.3A & 237.3B) over Hentz Road, known as Federal Aid Project No. STBG-9999-02(384) / 108781302 in Panola County.

PROJECT COMPLETION: 158 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1 Square Feet	618-B001	Additional Construction Signs
1 Lump Sum	907-618-A001	Maintenance of Traffic
1 Each	907-620-A001	Mobilization

Bridge Items

4,000 Pounds	907-420-A001	Undersealing
672 Linear Feet	907-808-A002	Joint Repair
350 Linear Feet	907-823-A001	Preformed Joint Seal, Type I
672 Linear Feet	907-823-B001	Saw Cut, Type I
24 Square Feet	907-824-A003	General Epoxy Repair
8 Each	907-824-C001	Cap Cleaning
60 Each	907-824-D002	Bearing Replacements, Prestressed Concrete Girder
112 Linear Feet	907-824-PP008	Bridge Repair, Endwall Repair, Per Plans

CALL No. 13

Widen & Overlay approximately 6.1 miles of SR 613 from SR 614 to the George County Line & approximately 5.5 miles from the Jackson County Line north to Fire Department Road, known as Project Nos. SP-0231-00(090) / 109467301 & MP-6613-20(007) / 308310302 in Jackson & George Counties.

PROJECT COMPLETION: JUNE 25, 2027

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

967	Station	201-D001	Random Clearing
8,723	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
25	Mile	423-A001	Rumble Strips, Ground In
2	Square Feet	618-B001	Additional Construction Signs
50	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
26	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
18	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
2,109	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
987	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
864	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
12	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
15,921	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
22,716	Gallon	907-407-A001	Asphalt for Tack Coat
10,255	Ton	907-411-A001	Ultra Thin Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
25	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
9	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
14	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
6,761	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
5,760	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
987	Square Feet	907-626-H009	Thermoplastic Legend, White
964	Linear Feet	907-626-H010	Thermoplastic Legend, White

842	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,658	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,176	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers
1	Lump Sum	907-899-A001	Railway-Highway Provisions

ALTERNATE GROUP AA NUMBER 1

3,861	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

3,861	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

3,861	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 14

Mill & Overlay 10 miles of SR 371 from the Mantachie Corp. limit to the Prentiss County Line, known as Project No. MP-1371-29(006) / 307877301 in Itawamba County.

PROJECT COMPLETION: OCTOBER 30, 2026

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

34	Station	201-D001	Random Clearing
1	Acre	201-D002	Random Clearing
75	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
3,324	Linear Feet	202-B240	Removal of Traffic Stripe
10	Cubic Yard	203-G001	Excess Excavation, FM, AH
75	Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
3,750	Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
190,527	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
15,422	Gallon	407-A001	Asphalt for Tack Coat
108	Linear Feet	503-C010	Saw Cut, Full Depth
1	Square Feet	618-B001	Additional Construction Signs
42	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
24	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
13	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
7,791	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
6,174	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
91	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
20	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
24	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
168	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
75	Square Yard	907-204-A003	Geogrid, Type II, Biaxial
15,965	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

21 Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
7 Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
12 Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,896 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,087 Linear Feet	907-626-H010	Thermoplastic Legend, White
402 Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,827 Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,140 Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

125 Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
----------------	----------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

125 Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
----------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

125 Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
----------------	----------	-----------------------------------

ALTERNATE GROUP BB NUMBER 1

2,953 Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,477 Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

ALTERNATE GROUP BB NUMBER 2

2,953 Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,477 Linear Feet	907-628-I004	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

CALL No. 15

Mill & Overlay approximately 7 miles of SR 4 from east of Church Street to west of the Junction with SR 371 at Hobo Station, known as State Project No. SP-0071-05(017) / 109758301 in Prentiss County.

PROJECT COMPLETION: OCTOBER 30, 2026

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

29	Station	201-D001	Random Clearing
310	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
3,660	Linear Feet	202-B240	Removal of Traffic Stripe
205	Cubic Yard	203-G001	Excess Excavation, FM, AH
310	Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
1,400	Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
126,500	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
12	Mile	423-A001	Rumble Strips, Ground In
310	Linear Feet	503-C010	Saw Cut, Full Depth
1	Square Feet	618-B001	Additional Construction Signs
31	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
29	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
12,750	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
210	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,000	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
16	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
225	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
31	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
520	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
22	Each	630-F006	Delineators, Guard Rail, White
310	Square Yard	907-204-A003	Geogrid, Type II, Biaxial
250	Ton	907-403-A005	19-mm, MT, Asphalt Pavement
11,100	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement

10,000	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
15	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
1	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
15	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,550	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,200	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
210	Square Feet	907-626-H009	Thermoplastic Legend, White
1,325	Linear Feet	907-626-H010	Thermoplastic Legend, White
425	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
31	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1,250	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,320	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

300	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
-----	------------	----------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

300	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
-----	------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

300	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
-----	------------	----------	-----------------------------------

CALL No. 16

Scrub Seal & Overlay approximately 12 miles of MS 172 from the junction of US 72 to the Junction of US 72, known as State Project No. MP-1172-71(002) / 310038301 in Tishomingo County.

PROJECT COMPLETION: OCTOBER 02, 2026

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

50 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2,150 Linear Feet	202-B240	Removal of Traffic Stripe
25 Cubic Yard	203-G001	Excess Excavation, FM, AH
50 Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
3,140 Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
8,100 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
3,540 Square Feet	412-A001	Pre-Grinding
16 Mile	423-A001	Rumble Strips, Ground In
50 Linear Feet	503-C010	Saw Cut, Full Depth
1 Square Feet	618-B001	Additional Construction Signs
42 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
34 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
9 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
15,825 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
235 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
2,605 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
440 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
195 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
540 Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
185 Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
2,135 Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
44 Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
50 Square Yard	907-204-A003	Geogrid, Type II, Biaxial
50 Ton	907-403-A005	19-mm, MT, Asphalt Pavement

15,040	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
13,670	Gallon	907-407-A001	Asphalt for Tack Coat
173,600	Square Yard	907-414-A001	Scrub Seal
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
22	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
5	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
18	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
9,280	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,550	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
235	Square Feet	907-626-H009	Thermoplastic Legend, White
3,475	Linear Feet	907-626-H010	Thermoplastic Legend, White
620	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
20	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1,640	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

110	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
-----	------------	----------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

110	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
-----	------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

110	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
-----	------------	----------	-----------------------------------

CALL No. 17

Thin Lift Overlay approximately 10.2 miles of MS 467 from beginning of maintenance to South of Edwards, known as State Project No. SP-1441-00(008) / 110008301 in Hinds County.

PROJECT COMPLETION: OCTOBER 15, 2026

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

759	Station	201-D001	Random Clearing
1,050	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
560	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
120	Linear Feet	202-B096	Removal of Debris and Sand From Box Culvert, 10-foot and Greater Width
2	Each	202-B129	Removal of Flared End Section, All Sizes
2,125	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
263	Linear Feet	202-B191	Removal of Pipe, 8" And Above
4,000	Linear Feet	202-B240	Removal of Traffic Stripe
100	Cubic Yard	203-G001	Excess Excavation, FM, AH
692	Cubic Yard	206-A001	Structure Excavation
1,300	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
3,300	Ton	304-B004	Granular Material, Class 5, Group D
225	Ton	304-D002	Granular Material, Crushed Stone
1,271	Ton	304-F002	Size 610 Crushed Stone Base
3,465	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
9,192	Square Feet	412-A001	Pre-Grinding
526	Linear Feet	503-C010	Saw Cut, Full Depth
60	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
264	Linear Feet	603-CA076	48" Reinforced Concrete Pipe, Class III
80	Linear Feet	603-CA119	72" Reinforced Concrete Pipe, Class III
2	Each	603-CB006	36" Reinforced Concrete End Section
8	Each	603-CB008	48" Reinforced Concrete End Section
2	Each	603-CB012	72" Reinforced Concrete End Section
1,250	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
16	Each	606-D019	Guard Rail, Bridge End Section, Type H

20	Each	606-E005	Guard Rail, Terminal End Section, Flared
41	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
35	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
22	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
4,700	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,000	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
646	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
180	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
315	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
24	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
615	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
92	Each	630-F006	Delineators, Guard Rail, White
38	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
340	Ton	815-A007	Loose Riprap, Size 300
237	Square Yard	815-E001	Geotextile under Riprap
125	Ton	907-403-A003	12.5-mm, ST, Asphalt Pavement
359	Ton	907-403-B003	12.5-mm, ST, Asphalt Pavement, Leveling
13,300	Gallon	907-407-A001	Asphalt for Tack Coat
146	Gallon	907-410-D001	Asphalt for Rejuvenating Fog Seal, Grade CMS-1PF
7,300	Ton	907-411-A001	Ultra Thin Asphalt Pavement
100	Gallon	907-413-A002	Joint Sealer Material, Mastic Patching Material
212	Linear Feet	907-413-D001	Cleaning and Filling Joints and Cracks
50	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
21	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
21	Mile	907-626-C003	Thermoplastic Audible Edge Stripe
7	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow

12	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,550	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
850	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,450	Linear Feet	907-626-H010	Thermoplastic Legend, White
1,900	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
875	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,168	Linear Feet	907-808-A002	Joint Repair
584	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
1,168	Linear Feet	907-823-B002	Saw Cut, Type II

CALL No. 18

Mill & Overlay approximately 10.1 miles of MS 178 from the Marshall County Line to the Union County, known as State Project No. MP-2178-05(002) / 309966301 in Benton County.

PROJECT COMPLETION: MAY 29, 2027

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

459	Station	201-D001	Random Clearing
234	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
1,941	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
60	Each	202-B117	Removal of Delineator, All Types
2,219	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
108	Each	202-B213	Removal of Sign
85	Each	202-B215	Removal of Sign Including Post & Footing
894	Linear Feet	202-B240	Removal of Traffic Stripe
100	Cubic Yard	203-G001	Excess Excavation, FM, AH
50	Ton	304-B004	Granular Material, Class 5, Group D for guardrail
10,150	Ton	304-B004	Granular Material, Class 5, Group D for shoulders
207,681	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
22	Mile	423-A001	Rumble Strips, Ground In
25,893	Linear Feet	503-C010	Saw Cut, Full Depth
1,383	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
144	Linear Feet	606-B010	Guard Rail, Class A, Type 1, Thrie Beam
56	Linear Feet	606-B013	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
2	Each	606-D015	Guard Rail, Bridge End Section, Type F
2	Each	606-D016	Guard Rail, Bridge End Section, Type F Modified
8	Each	606-D022	Guard Rail, Bridge End Section, Type I
16	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Square Feet	618-B001	Additional Construction Signs
42	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A3001	Temporary Traffic Stripe, Skip White

23	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
29,882	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
894	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
80	Each	619-F3001	Delineators, Guard Rail, White
1	Lump Sum	620-A001	Mobilization
335	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
245	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
548	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
1,410	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
146	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1,350	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
1,600	Ton	907-403-A013	9.5-mm, HT, Asphalt Pavement
20,700	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
150	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
19,328	Gallon	907-407-A001	Asphalt for Tack Coat
22,452	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2	Each	907-606-PP005	Guard Rail, Bridge Connector, Per Plans
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
21	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
12	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
13,078	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
16,804	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
154	Square Feet	907-626-H009	Thermoplastic Legend, White
2,544	Linear Feet	907-626-H010	Thermoplastic Legend, White
3,225	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
108	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1,296	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

175 Ton 304-F001 3/4" and Down Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

175 Ton 304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

175 Ton 304-F003 Size 825B Crushed Stone Base

CALL No. 19

Thin Lift Overlay of MS 16 from Thompson Drive to the Intersection of MS 15, known as State Project No. MP-5016-50(013) / 310197301 in Neshoba County.

PROJECT COMPLETION: SEPTEMBER 15, 2026

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

22	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
100	Cubic Yard	203-G001	Excess Excavation, FM, AH
1,900	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
240	Square Feet	412-A001	Pre-Grinding
60	Linear Feet	503-C010	Saw Cut, Full Depth
36	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
27	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
27	Mile	619-A3001	Temporary Traffic Stripe, Skip White
59,638	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
6,800	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
8,768	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
24	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
350	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
10	Ton	907-403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
21,520	Gallon	907-407-A001	Asphalt for Tack Coat
12,447	Ton	907-411-A001	Ultra Thin Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
9	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
12	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
9	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
23,089	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,730	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,400	Square Feet	907-626-H009	Thermoplastic Legend, White

4,384	Linear Feet	907-626-H010	Thermoplastic Legend, White
1,153	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,964	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers

CALL No. 20

Widen & Overlay approximately 2 miles of SR 26 from the east end of the Pearl River Bridge to the east bridge abutment of the White Sands Bridge, known as State Project No. MP-6026-55(018) / 309590301 in Pearl River County.

PROJECT COMPLETION: 70 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

217	Station	201-D001	Random Clearing
4,380	Linear Feet	202-B136	Removal of Guard Rail
18,332	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
19	Mile	423-A001	Rumble Strips, Ground In
4,380	Linear Feet	503-C010	Saw Cut, Full Depth
4,380	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
28	Each	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post
28	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Square Feet	618-B001	Additional Construction Signs
40	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
20	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1	Lump Sum	620-A001	Mobilization
208	Each	630-F006	Delineators, Guard Rail, White
60	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
58	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, Post Mounted
14,170	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
1,575	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
13,300	Gallon	907-407-A001	Asphalt for Tack Coat
154,760	Square Yard	907-414-A001	Scrub Seal
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
18	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
10	Linear Feet	907-626-D006	6" Thermoplastic Traffic Stripe, Skip Yellow

7 Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,920 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,308 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
639 Square Feet	907-626-H009	Thermoplastic Legend, White
3,550 Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,690 Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,602 Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 1

2,600 Ton	304-F001	3/4" and Down Crushed Stone Base
-----------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

2,600 Ton	304-F002	Size 610 Crushed Stone Base
-----------	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

2,600 Ton	304-F003	Size 825B Crushed Stone Base
-----------	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

4,921 Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
-------------------	--------------	--

1,620 Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
-------------------	--------------	---

ALTERNATE GROUP BB NUMBER 2

4,921 Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
-------------------	--------------	---

1,620 Linear Feet	907-628-I004	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
-------------------	--------------	--

CALL No. 21

Widening of US 51 from Glenwild to North Street, known as State Project No. SP-9349-00(004) / 109767301 in Grenada County.

PROJECT COMPLETION: MAY 07, 2027

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

33	Station	201-D001	Random Clearing
40	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
394	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
9	Square Yard	202-B065	Removal of Concrete Paved Shoulders, All Depths
1,073	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
178	Each	202-B215	Removal of Sign Including Post & Footing
7,526	Linear Feet	202-B240	Removal of Traffic Stripe
20	Cubic Yard	203-G001	Excess Excavation, FM, AH
25	Ton	304-B004	Granular Material, Class 5, Group D Guardrails
1,800	Ton	304-B004	Granular Material, Class 5, Group D Shoulders
217,010	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,150	Linear Feet	503-C010	Saw Cut, Full Depth
913	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-D012	Guard Rail, Bridge End Section, Type D Modified
1	Each	606-D022	Guard Rail, Bridge End Section, Type I
3	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Square Feet	618-B001	Additional Construction Signs
17	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
20	Mile	619-A3001	Temporary Traffic Stripe, Skip White
7	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
46,111	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,117	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
10,332	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization

516	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
474	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
496	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
60	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
2,415	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
35	Each	630-F006	Delineators, Guard Rail, White
28	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
275	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
17,550	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
1,275	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
325	Ton	907-403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
23,500	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
10	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
9	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
7	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
10	Mile	907-626-F005	6" Thermoplastic Edge Stripe, Continuous Yellow
36,860	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
9,251	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4,117	Square Feet	907-626-H009	Thermoplastic Legend, White
7,392	Linear Feet	907-626-H010	Thermoplastic Legend, White
1,247	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,700	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
3,809	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4	Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly
3	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
17	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
3,520	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
4	Each	907-641-F002	Signal Radar Vehicle Detection Processor, Type 2

ALTERNATE GROUP AA NUMBER 1

50 Ton 304-F001 3/4" and Down Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

50 Ton 304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

50 Ton 304-F003 Size 825B Crushed Stone Base

CALL No. 22

Building Improvements at District 1 Shop Electrical Upgrades, known as State Project No. BWO-1051-41(004) / 503808301 in Lee County.

PROJECT COMPLETION: MARCH 31, 2027

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	1510-A001	Renovate Shop Electrical Upgrades
---	----------	-----------	-----------------------------------

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR