

Proposal & Plan Sales Will Begin on May 14, 2026



MISSISSIPPI DEPARTMENT OF
TRANSPORTATION

Notice to Contractors

Special Letting Date For June - June 05, 2026

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

SPECIAL LETTING DATE FOR JUNE - Friday, June 5, 2026

Bids will be opened publicly in the Construction Division conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](https://shop.mdot.ms.gov)

PROPOSAL AND PLAN SALES WILL BEGIN ON MAY 14, 2026

Proposals must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Friday, June 5, 2026; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Construction Division Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JUNE

	CALL	CONTRACT	COUNTY
*	01	NHPP-0009-02(086)/108212301	WARREN
*	02	NHPP-0015-02(129)/108722301	COVINGTON
*	03	SP-0037-01(071)/109230301	YAZOO
*	04	SP-0054-01(058)/108989301	WALTHALL
*	05	SP-0055-04(129)/100222303	DESOTO
*	06	NHPP-0060-03(026)/109438301	MARSHALL
	07	MP-1025-48(013)/307878301	MONROE
*	08	MP-7024-79(011)/308853301	WILKINSON

CALL No. 01

Mill & Overlay approximately 11 miles of US 61 from 0.5 miles North of US 80/SR27 Intersection to 0.36 miles North of SR 465 at Redwood, known as Project No. NHPP-0009-02(086) / 108212301 in Warren County.

PROJECT COMPLETION: MAY 31, 2027

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

528	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
452	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
3,021	Linear Feet	202-B136	Removal of Guard Rail
32	Linear Feet	202-B191	Removal of Pipe, 8" And Above
21,000	Linear Feet	202-B240	Removal of Traffic Stripe
48	Cubic Yard	203-G001	Excess Excavation, FM, AH
25	Cubic Yard	206-A001	Structure Excavation
1,100	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
5,500	Ton	304-D002	Granular Material, Crushed Stone
34,000	Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
25	Mile	423-A001	Rumble Strips, Ground In
351	Square Yard	503-A001	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
1,462	Linear Feet	503-C010	Saw Cut, Full Depth
551	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
32	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
2	Each	603-CB004	24" Reinforced Concrete End Section
2,357	Linear Feet	606-B001	Guard Rail, Class A, Type 1
1	Each	606-C003	Guard Rail, Cable Anchor, Type 1
6	Each	606-D019	Guard Rail, Bridge End Section, Type H
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
11	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Square Feet	618-B001	Additional Construction Signs
42	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
33	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow

37 Mile	619-A3001	Temporary Traffic Stripe, Skip White
45,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
500 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
4,000 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
81 Each	630-F006	Delineators, Guard Rail, White
6 Each	630-F007	Delineators, Guard Rail, Yellow
10 Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
29,000 Ton	907-403-A013	9.5-mm, HT, Asphalt Pavement
7,300 Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
200 Ton	907-403-B006	19-mm, ST, Asphalt Pavement, Leveling
34,000 Gallon	907-407-A001	Asphalt for Tack Coat
17,500 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
24,000 Pounds	907-420-A001	Undersealing
351 Square Yard	907-503-A001	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
19 Cubic Yard	907-503-D001	Concrete for Base Repair
1 Lump Sum	907-618-A001	Maintenance of Traffic
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips
2 Each	907-619-E3001	Changeable Message Sign
18 Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
21 Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
17 Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
48,000 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
46,000 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
900 Square Feet	907-626-H009	Thermoplastic Legend, White
6,000 Linear Feet	907-626-H010	Thermoplastic Legend, White
1,000 Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
3,250 Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
600 Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3 Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1

3	Each	907-632-G001	Malfunction Management Unit
3	Each	907-643-A004	Video Vehicle Detection Sensor, Type 1A
2	Each	907-643-A005	Video Vehicle Detection Sensor, Type 1B
1,190	Linear Feet	907-643-B001	Video Vehicle Detection Cable
3	Each	907-643-C002	Video Vehicle Detection Processor, Type 1
3	Each	907-650-A004	On Street Video Equipment, PTZ Type, Signal Monitoring
4	Each	907-662-D002	Radio Interconnect, Broadband, Short Range
3	Each	907-663-A001	Network Switch, Type A

CALL No. 02

Mill & Overlay approximately 9 miles of US 84 Westbound Lanes from Collins to the Jones County Line, known as Project No. NHPP-0015-02(129) / 108722301 in Covington County.

PROJECT COMPLETION: APRIL 16, 2027

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

452	Station	201-D001	Random Clearing
749	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
1,685	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
2,820	Linear Feet	202-B240	Removal of Traffic Stripe
62	Cubic Yard	203-G002	Excess Excavation, LVM, AH
749	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
3,451	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
161,534	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
16	Mile	423-A001	Rumble Strips, Ground In
1,735	Linear Feet	503-C010	Saw Cut, Full Depth
1,313	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
2	Each	606-C003	Guard Rail, Cable Anchor, Type 1
2	Each	606-D019	Guard Rail, Bridge End Section, Type H
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
6	Each	606-E005	Guard Rail, Terminal End Section, Flared
2	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Square Feet	618-B001	Additional Construction Signs
16	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
15	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
18	Mile	619-A3001	Temporary Traffic Stripe, Skip White
59,172	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
160	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
11,688	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
92	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow

54	Each	630-F006	Delineators, Guard Rail, White
35	Each	630-F007	Delineators, Guard Rail, Yellow
3,091	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
11,010	Ton	907-403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
12,452	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
9	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
8	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
7	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
15,042	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
14,544	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
80	Square Feet	907-626-H009	Thermoplastic Legend, White
5,844	Linear Feet	907-626-H010	Thermoplastic Legend, White
555	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,300	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1,103	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

253	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

253	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

253	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

CALL No. 03

Mill & Overlay approximately 3 miles of MS 16/149 from MS 3 to US 49, known as Project No. SP-0037-01(071) / 109230301 in Yazoo County.

PROJECT COMPLETION: NOVEMBER 20, 2026

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3,200	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
119	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
575	Linear Feet	202-B136	Removal of Guard Rail
44	Cubic Yard	203-G001	Excess Excavation, FM, AH
500	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
200	Ton	304-B004	Granular Material, Class 5, Group D
6,800	Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
625	Linear Feet	503-C010	Saw Cut, Full Depth
300	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-D019	Guard Rail, Bridge End Section, Type H
6	Each	606-E005	Guard Rail, Terminal End Section, Flared
3	Each	613-D005	Adjustment of Manhole
1	Square Feet	618-B001	Additional Construction Signs
10	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
9	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A3001	Temporary Traffic Stripe, Skip White
2	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
7,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
600	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
2,600	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
20	Each	630-F006	Delineators, Guard Rail, White
6	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
2	Each	635-A076	Traffic Signal Head, Type 6
6,000	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement

89	Ton	907-403-B006	19-mm, ST, Asphalt Pavement, Leveling
900	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
6,500	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
6	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
2	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,700	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
9,700	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
800	Square Feet	907-626-H009	Thermoplastic Legend, White
2,600	Linear Feet	907-626-H010	Thermoplastic Legend, White
1,300	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
100	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1,100	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
1	Each	907-632-G001	Malfunction Management Unit
100	Linear Feet	907-636-B013	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 4 Conductor
1	Each	907-637-A002	Pullbox Enclosure, Type 2
100	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
100	Linear Feet	907-637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
700	Linear Feet	907-640-B001	Shielded Cable, AWG #14, 2 Conductor
1	Each	907-643-A005	Video Vehicle Detection Sensor, Type 1B
100	Linear Feet	907-643-B001	Video Vehicle Detection Cable
1	Each	907-643-C002	Video Vehicle Detection Processor, Type 1
24	Each	907-645-B001	Accessible Pedestrian Detection Assembly
3	Each	907-650-A004	On Street Video Equipment, PTZ Type, Signal Monitoring
3	Each	907-662-D002	Radio Interconnect, Broadband, Short Range
3	Each	907-663-A001	Network Switch, Type A

540	Linear Feet	907-663-D001	Category 6 Cable, Installed in Conduit
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 04

Overlay approximately 8 miles of SR 27 from the Louisiana State Line to High School Drive, known as Project No. SP-0054-01(058) / 108989301 in Walthall County.

PROJECT COMPLETION: OCTOBER 15, 2026

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

733	Linear Feet	202-B240	Removal of Traffic Stripe
1,209	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
5,906	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
17	Mile	423-A001	Rumble Strips, Ground In
1	Square Feet	618-B001	Additional Construction Signs
21	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
9	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
7,896	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
916	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
39	Each	630-F006	Delineators, Guard Rail, White
17,750	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
2,249	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
16,646	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
17	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
7	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
6,128	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,768	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
40	Square Feet	907-626-H009	Thermoplastic Legend, White
916	Linear Feet	907-626-H010	Thermoplastic Legend, White
551	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers

585 Each

907-627-L001 Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 05

Overlay approximately 0.3 miles of Stateline Road beginning just west of Northwest Drive and going easterly to just east of Hamilton Road, known as State Project No. SP-0055-04(129) / 100222303300 in Desoto County.

PROJECT COMPLETION: AUGUST 24, 2026

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

31	Each	202-B213	Removal of Sign
2	Each	202-B215	Removal of Sign Including Post & Footing
18,028	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1	Square Feet	618-B001	Additional Construction Signs
4	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
1	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
612	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A3001	Temporary Traffic Stripe, Skip White
12,668	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
932	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,520	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
84	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
9	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
45	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
30	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
8	Each	630-F010	Delineators, Post Mounted, Double White
1,803	Gallon	907-402-B001	Bituminous Tack Coat
1,500	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
2	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
306	Linear Feet	907-626-F006	6" Thermoplastic Edge Stripe, Continuous Yellow
3,933	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,401	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow

466	Square Feet	907-626-H009	Thermoplastic Legend, White
760	Linear Feet	907-626-H010	Thermoplastic Legend, White
314	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
66	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly
775	Linear Feet	907-640-A001	Vehicle Loop Assemblies
6	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
2	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
1,800	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
1	Each	907-641-F002	Signal Radar Vehicle Detection Processor, Type 2

CALL No. 06

Overlay approximately 14.3 miles of MS Highway 7 beginning at the Lafayette County Line going northerly through the I-22 Interchange, known as Project No. NHPP-0060-03(026) / 109438301 in Marshall County.

PROJECT COMPLETION: MAY 31, 2027

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

234	Station	201-D001	Random Clearing
3,407	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
22	Each	202-B117	Removal of Delineator, All Types
693	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
95	Each	202-B213	Removal of Sign
81	Each	202-B215	Removal of Sign Including Post & Footing
650	Linear Feet	202-B240	Removal of Traffic Stripe
150	Cubic Yard	203-G001	Excess Excavation, FM, AH
15,000	Ton	304-B004	Granular Material, Class 5, Group D
280,734	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
28,074	Gallon	407-A001	Asphalt for Tack Coat
42	Mile	423-A001	Rumble Strips, Ground In
2,650	Linear Feet	503-C010	Saw Cut, Full Depth
525	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Square Feet	618-B001	Additional Construction Signs
59	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A3001	Temporary Traffic Stripe, Skip White
26	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
30,334	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,356	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
425	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness

736	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
171	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
1,305	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
22	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
2,300	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
23,800	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
30	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
13	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
15,605	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
14,729	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
530	Square Feet	907-626-H009	Thermoplastic Legend, White
5,356	Linear Feet	907-626-H010	Thermoplastic Legend, White
2,686	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
85	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
942	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

300	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

300	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

300	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

Mill & Overlay approximately 9 miles of SR 25 from US 45A to US 45, known as Project No. MP-1025-48(013) / 307878301 in Monroe County.

PROJECT COMPLETION: SEPTEMBER 30, 2026

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,300	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,500	Cubic Yard	203-G001	Excess Excavation, FM, AH
2,250	Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
1,500	Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
152,000	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
18	Mile	423-A001	Rumble Strips, Ground In
2,050	Linear Feet	503-C010	Saw Cut, Full Depth
1	Square Feet	618-B001	Additional Construction Signs
35	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
17	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
6,700	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
140	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,750	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
40	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
16	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
64	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
12	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
192	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
28	Each	630-F006	Delineators, Guard Rail, White
39	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
2,250	Square Yard	907-204-A003	Geogrid, Type II, Biaxial
1,500	Ton	907-403-A005	19-mm, MT, Asphalt Pavement
13,600	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement

9,200	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
18	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
9	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,300	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,600	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
140	Square Feet	907-626-H009	Thermoplastic Legend, White
1,200	Linear Feet	907-626-H010	Thermoplastic Legend, White
925	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
600	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
100	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers
1	Lump Sum	907-899-A001	Railway-Highway Provisions

ALTERNATE GROUP AA NUMBER 1

1,500	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
-------	------------	----------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

1,500	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
-------	------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

1,500	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
-------	------------	----------	-----------------------------------

ALTERNATE GROUP BB NUMBER 1

800	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
400	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
400	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

800	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
400	Linear Feet	907-628-I004	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
400	Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 08

Mill & Overlay approximately 2 miles of SR 24 from Lower Woodville Road to US 61, known as Project No. MP-7024-79(011) / 308853301 in Wilkinson County.

PROJECT COMPLETION: AUGUST 28, 2026

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

317	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
40,134	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
3	Mile	423-A001	Rumble Strips, Ground In
1	Square Feet	618-B001	Additional Construction Signs
7	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
11,868	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,212	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
3,378	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
340	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
3,169	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
2	Each	907-619-E3001	Changeable Message Sign
4	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
4	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,368	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,565	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,738	Linear Feet	907-626-H010	Thermoplastic Legend, White
386	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
9	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
269	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
9	Each	907-627-P001	Two-Way Blue Reflective High Performance Raised Markers

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR