

Proposal & Plan Sales Will Begin on June 1, 2026



MISSISSIPPI DEPARTMENT OF
TRANSPORTATION

Notice to Contractors

Letting Date For June - June 23, 2026

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR JUNE - Tuesday, June 23, 2026

Bids will be opened publicly in the Construction Division conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](https://shop.mdot.ms.gov)

PROPOSAL AND PLAN SALES WILL BEGIN ON JUNE 1, 2026

Proposals must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, June 23, 2026; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Construction Division Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JUNE

CALL	CONTRACT	COUNTY
01	SP-0926-00(030)/109974301	LEE
* 02	MP-1000-00(169)/309572301	DISTRICT 1
03	STBG-7889-00(002)/109064301	DESOTO
* 04	MP-2035-08(008)/309967301	CARROLL
* 05	NHPP-0024-02(036)/109680301	MADISON
* 06	SP-1232-00(008)/108700302 & SP-0341-00(007)/108700303 & STBG-0348-00(010)/108954301 & STP-0339-00(008)/109462301	CLARKE, JASPER
* 07	IM-0010-01(187)/110062301 & IM-0010-01(188)/110063301	HARRISON
* 08	MP-6149-66(003)/309591301	STONE
* 09	SP-0196-00(033)/109967301	LAWRENCE

CALL No. 01

Mill & Overlay approximately 6 miles of MS 348 from the Union County Line to just west of US 45, known as State Project No. SP-0926-00(030) / 109974301 in Lee County.

PROJECT COMPLETION: 58 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

934	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,186	Linear Feet	202-B240	Removal of Traffic Stripe
934	Cubic Yard	203-G001	Excess Excavation, FM, AH
934	Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
2,650	Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
115,306	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
13	Mile	423-A001	Rumble Strips, Ground In
656	Linear Feet	503-C010	Saw Cut, Full Depth
1	Square Feet	618-B001	Additional Construction Signs
13	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,843	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,816	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
934	Square Yard	907-204-A003	Geogrid, Type II, Biaxial
11,056	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
1,230	Ton	907-403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
8,072	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
13	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
5	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,607	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White

1,236	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,816	Linear Feet	907-626-H010	Thermoplastic Legend, White
665	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
650	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
300	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

1,010	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

1,010	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

1,010	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

1,054	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
527	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

ALTERNATE GROUP BB NUMBER 2

1,054	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
527	Linear Feet	907-628-I004	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

CALL No. 02

Placement of Raised Pavement Markers on various routes throughout the District, known as State Project No. MP-1000-00(169) / 309572301 in District 1.

PROJECT COMPLETION: 154 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	907-618-A001	Maintenance of Traffic
56,803	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
70,380	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 03

Roundabout on US 51 at Green T Road, known as Federal Aid Project No. STBG-7889-00(002) / 109064301 in Desoto County.

PROJECT COMPLETION: 192 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1 Acre	201-B001	Clearing and Grubbing
1,156 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
318 Square Yard	202-B052	Removal of Concrete Driveways, All Depths
262 Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
751 Square Yard	202-B063	Removal of Concrete Paved Ditch
1,138 Linear Feet	202-B089	Removal of Curb &/or Curb and Gutter, All Types
973 Linear Feet	202-B126	Removal of Fence, All Types
7 Each	202-B129	Removal of Flared End Section, All Sizes
4 Each	202-B163	Removal of Inlet Tops
357 Linear Feet	202-B191	Removal of Pipe, 8" And Above
13 Each	202-B215	Removal of Sign Including Post & Footing
2,000 Linear Feet	202-B240	Removal of Traffic Stripe
5,225 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
10,245 Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
1,000 Cubic Yard	203-G001	Excess Excavation, FM, AH
543 Cubic Yard	206-A001	Structure Excavation
26 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
13,010 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
3 Ton	213-C001	Superphosphate
330 Square Yard	216-A001	Solid Sodding
163 Square Yard	217-A001	Ditch Liner
7 Thousand Gallon	219-A001	Watering
3 Acre	220-A001	Insect Pest Control
73 Cubic Yard	221-A001	Concrete Paved Ditch
18 Acre	223-A001	Mowing

201 Square Yard	224-A001 Soil Reinforcing Mat
6 Acre	225-A001 Grassing
12 Ton	225-B001 Agricultural Limestone
12 Ton	225-C001 Mulch, Vegetative Mulch
6 Acre	226-A001 Temporary Grassing
800 Linear Feet	237-A002 Wattles, 20"
60 Linear Feet	239-A001 Temporary Slope Drains
400 Linear Feet	245-A001 Silt Dike
600 Each	246-B001 Rockbags
1 Each	247-A001 Temporary Stream Diversion
900 Ton	304-B004 Granular Material, Class 5, Group D
1,990 Square Yard	406-D001 Fine Milling of Bituminous Pavement, All Depths
855 Linear Feet	503-C010 Saw Cut, Full Depth
17,572 Pounds	602-A001 Reinforcing Steel
80 Linear Feet	603-ALT003 18" Type A Alternate Pipe
64 Linear Feet	603-ALT006 24" Type A Alternate Pipe
712 Linear Feet	603-CA011 18" Reinforced Concrete Pipe, Class III
216 Linear Feet	603-CA026 24" Reinforced Concrete Pipe, Class III
64 Linear Feet	603-CA038 24" Reinforced Concrete Pipe, Class V, Jacked or Bored
24 Linear Feet	603-CA055 36" Reinforced Concrete Pipe, Class III
64 Linear Feet	603-CA065 36" Reinforced Concrete Pipe, Class V, Jacked or Bored
168 Linear Feet	603-CA076 48" Reinforced Concrete Pipe, Class III
5 Each	603-CB003 18" Reinforced Concrete End Section
4 Each	603-CB004 24" Reinforced Concrete End Section
1 Each	603-CB006 36" Reinforced Concrete End Section
3 Each	603-CB008 48" Reinforced Concrete End Section
24 Linear Feet	603-CE002 22" x 13" Concrete Arch Pipe, Class A III
1,343 Pounds	604-A001 Castings
391 Pounds	604-B001 Gratings
174 Linear Feet	609-B002 Concrete Curb, Header

377	Linear Feet	609-B003	Concrete Curb, Special Design
274	Linear Feet	609-C001	Concrete Integral Curb, Type 1
69	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
5,108	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 3 Modified
15	Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
1,126	Square Yard	614-B001	Concrete Driveway, With Reinforcement
497	Square Yard	616-A003	Concrete Median and/or Island Pavement, 12-inch
15	Each	617-A001	Right-of-Way Marker
5	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
4	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
13,577	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
699	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
645	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
235	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
596	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Linear Feet	619-G4001	Barricades, Type III, Double Faced
192	Linear Feet	619-G4005	Barricades, Type III, Single Faced
155	Each	619-G5001	Free Standing Plastic Drums
8	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
178	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
36	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
170	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
293	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
50	Linear Feet	682-A018	Underground Branch Circuit, AWG 2, 3 Conductor
1,644	Linear Feet	682-A039	Underground Branch Circuit, AWG 8, 3 Conductor
496	Linear Feet	682-B037	Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
1	Each	682-D003	Underground Pull Box
12	Each	682-E003	Underground Junction Box With Concrete Pad
1	Each	682-F001	Secondary Power Controller

10	Each	683-B208	Lighting Assembly, Low Mast, LED, Type 35-1-10-263
2	Each	683-B209	Lighting Assembly, Low Mast, LED, Type 35-2-10-263
16	Cubic Yard	684-A004	Pole Foundation, 30" Diameter
7	Linear Feet	684-B004	Slip Casing, 30" Diameter
1,545	Linear Feet	685-B004	Aerially Supported Electrical Cable, XLP, AWG 4, 3 Conductor
11	Each	685-C001	Temporary Lighting Assemblies
1	Each	685-D001	Service Pole
1	Lump Sum	699-A001	Roadway Construction Stakes
100	Ton	815-A007	Loose Riprap, Size 300
113	Square Yard	815-E001	Geotextile under Riprap
2,000	Linear Feet	907-234-A001	Temporary Silt Fence
5	Each	907-234-D001	Inlet Siltation Guard
5	Each	907-234-E001	Reset Inlet Siltation Guard
984	Ton	907-403-A002	12.5-mm, MT, Asphalt Pavement
1,340	Ton	907-403-A005	19-mm, MT, Asphalt Pavement
1,201	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
1,000	Ton	907-403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
2,618	Gallon	907-407-A001	Asphalt for Tack Coat
1,330	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
88	Cubic Yard	907-601-A001	Class "B" Structural Concrete
77	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
2,410	Linear Feet	907-609-F002	Prefabricated Curb
13,716	Square Feet	907-616-C003	Colored and Imprinted Concrete Median and Island Pavement, 4-inch Thickness
1	Lump Sum	907-618-A001	Maintenance of Traffic
4,814	Linear Feet	907-626-B005	6" Thermoplastic Traffic Stripe, Continuous White
2,808	Linear Feet	907-626-E006	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,650	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,550	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
443	Square Feet	907-626-H009	Thermoplastic Legend, White
168	Linear Feet	907-626-H010	Thermoplastic Legend, White

145	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1,811	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

6,400	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

6,400	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

6,400	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 04

Thin Lift Overlay approximately 10.1 miles of MS 35 from 4 Forks to the Grenada County Line, known as State Project No. MP-2035-08(008) / 309967301 in Carroll County.

PROJECT COMPLETION: 54 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

317	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2,266	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
44	Each	202-B215	Removal of Sign Including Post & Footing
480	Linear Feet	202-B240	Removal of Traffic Stripe
15	Cubic Yard	203-G001	Excess Excavation, FM, AH
2,350	Ton	304-B004	Granular Material, Class 5, Group D
2,134	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
21	Mile	423-A001	Rumble Strips, Ground In
585	Linear Feet	503-C010	Saw Cut, Full Depth
1,113	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
8	Each	606-D005	Guard Rail, Bridge End Section, Type A
12	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Square Feet	618-B001	Additional Construction Signs
20	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
5,136	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,920	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
22	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
234	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
105	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
645	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
108	Each	630-F006	Delineators, Guard Rail, White
12	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L

225	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
14,277	Gallon	907-407-A001	Asphalt for Tack Coat
9,900	Ton	907-411-A001	Ultra Thin Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
20	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
10	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,602	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,534	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,920	Linear Feet	907-626-H010	Thermoplastic Legend, White
280	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,340	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,340	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers
520	Linear Feet	907-824-PP008	Bridge Repair, Bridge Rail Replacement

ALTERNATE GROUP AA NUMBER 1

25	Ton	304-F001	3/4" and Down Crushed Stone Base
----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

25	Ton	304-F002	Size 610 Crushed Stone Base
----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

25	Ton	304-F003	Size 825B Crushed Stone Base
----	-----	----------	------------------------------

CALL No. 05

Bridge Repair on SR 22 over Persimmon Creek (Bridge No. 32.5), known as Federal Aid Project No. NHPP-0024-02(036) / 109680301 in Madison County.

PROJECT COMPLETION: 40 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
32	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
80	Linear Feet	907-234-F001	Turbidity Barrier
1	Lump Sum	907-618-A001	Maintenance of Traffic

Bridge Items

22	Ton	304-D002	Granular Material, Crushed Stone
242	Ton	815-A007	Loose Riprap, Size 300
2,500	Pounds	907-420-A001	Undersealing

CALL No. 06

Thin Lift Overlay approximately 8.5 miles of SR 514 from SR 513 to SR 145, approximately 0.5 miles of the SR 513 Spur (SR952) from US 11 to US 11, approximately 12.5 miles of SR 513 from SR 145 to the SR 513 Spur, and approximately 5.8 miles of SR 513 from the Clarke County Line to SR 18, known as Federal Aid Project Nos. STBG-0348-00(010) / 108954301, SP-1232-00(008) / 108700302, SP-0341-00(007) / 108700303 & STP-0339-00(008) / 109462301 in Clarke & Jasper Counties.

PROJECT COMPLETION: 142 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1,283	Station	201-D001	Random Clearing
3,331	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
2,595	Linear Feet	202-B136	Removal of Guard Rail
915	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
6,140	Square Yard	202-B188	Removal of Pavement, All Types and Depths
10,960	Linear Feet	202-B240	Removal of Traffic Stripe
20,409	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
57	Mile	423-A001	Rumble Strips, Ground In
3,255	Linear Feet	503-C010	Saw Cut, Full Depth
3,510	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
24	Each	606-D001	Guard Rail, Bridge End Section
16	Each	606-E001	Guard Rail, Terminal End Section
12	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
4	Square Feet	618-B001	Additional Construction Signs
54	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
53	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
16	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
12,499	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,047	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
105	Each	630-F006	Delineators, Guard Rail, White
76	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
130	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, Post Mounted
3,372	Ton	907-403-A006	19-mm, ST, Asphalt Pavement

40,450	Gallon	907-407-A001	Asphalt for Tack Coat
20,120	Ton	907-411-A001	Ultra Thin Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
54	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
16	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
53	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,727	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,784	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
260	Square Feet	907-626-H009	Thermoplastic Legend, White
4,858	Linear Feet	907-626-H010	Thermoplastic Legend, White
2,174	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
3,860	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,591	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers
1	Lump Sum	907-899-A001	Railway-Highway Provisions
ALTERNATE GROUP AA NUMBER 1			
10,620	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
10,620	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
10,620	Ton	304-F003	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1			
4,270	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,474	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
2,579	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NUMBER 2			
4,270	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,474	Linear Feet	907-628-I004	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
2,579	Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 07

Overlay and OGFC Lift from east of the Shorecrest Road Overpass to approximately 0.9 mile west of the D'Iberville Boulevard overpass and from approximately 0.9 mile west of D'Iberville Boulevard overpass to the Harrison/Jackson County Line, known as Federal Aid Project Nos. IM-0010-01(187) / 110062301 and IM-0010-01(188) / 110063301 in Harrison County.

PROJECT COMPLETION: 119 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

260	Station	201-D001	Random Clearing
6,959	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
30	Square Yard	202-B076	Removal of Concrete Pavement, Failed Areas
7,052	Linear Feet	202-B136	Removal of Guard Rail
9	Each	202-B143	Removal of Guard Rail Cable Anchor
36,041	Linear Feet	202-B240	Removal of Traffic Stripe
414,133	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
28	Linear Feet	501-D001	Expansion Joints, With Dowels
40	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
8,153	Linear Feet	503-C010	Saw Cut, Full Depth
10	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
20	Each	503-F002	1" Smooth Dowel Bars, Drilled & Epoxied or Grouted
5,062	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
9	Each	606-C001	Guard Rail, Cable Anchor Type 1, Metal Post
8	Each	606-D012	Guard Rail, Bridge End Section, Type D Modified
8	Each	606-D019	Guard Rail, Bridge End Section, Type H
19	Each	606-D022	Guard Rail, Bridge End Section, Type I
32	Each	606-E005	Guard Rail, Terminal End Section, Flared
10	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
384	Linear Feet	615-A005	Concrete Pier Protection Barrier, 32"
1,685	Linear Feet	615-A006	Concrete Pier Protection Barrier, 42"
2	Square Feet	618-B001	Additional Construction Signs
38	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
38	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow

68 Mile	619-A3001	Temporary Traffic Stripe, Skip White
51,258 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,554 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
2,000 Linear Feet	619-F1001	Concrete Median Barrier, Precast
4,000 Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
4 Each	619-J1005	Impact Attenuator, 70 MPH
8 Each	619-J3001	Remove and Reset Impact Attenuator
1 Lump Sum	620-A001	Mobilization
152 Each	630-F006	Delineators, Guard Rail, White
108 Each	630-F007	Delineators, Guard Rail, Yellow
100 Each	630-F010	Delineators, Post Mounted, Double White
30 Each	630-F011	Delineators, Post Mounted, Double Yellow
14 Each	630-F012	Delineators, Post Mounted, Single White
22 Each	630-F013	Delineators, Post Mounted, Single Yellow
35 Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
18,315 Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
22,278 Gallon	907-402-B001	Bituminous Tack Coat
14 Ton	907-403-A001	12.5-mm, HT, Asphalt Pavement
5,219 Ton	907-403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
2,720 Gallon	907-407-A001	Asphalt for Tack Coat
11,440 Gallon	907-410-D001	Asphalt for Rejuvenating Fog Seal, Grade CMS-1PF
1,920 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
30 Square Yard	907-503-A003	9" and Variable Reinforced Concrete Pavement, Broom Finish
6 Cubic Yard	907-503-D001	Concrete for Base Repair
1 Lump Sum	907-618-A001	Maintenance of Traffic
300 Hours	907-618-M2001	Work Zone Law Enforcement
4 Each	907-619-E3001	Changeable Message Sign
34 Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
19 Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
19 Mile	907-626-F005	6" Thermoplastic Edge Stripe, Continuous Yellow

25,629	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
150	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,277	Square Feet	907-626-H009	Thermoplastic Legend, White
304	Linear Feet	907-626-H010	Thermoplastic Legend, White
6,087	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
686	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers
686	Each	907-627-N001	One-Way Yellow Reflective High Performance Raised Markers
13,192	Linear Feet	907-628-G003	6" High Performance Cold Plastic Traffic Stripe, Skip White
10,714	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
12,847	Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
5,514	Linear Feet	907-628-K003	High Performance Cold Plastic Detail Stripe, White
3,696	Linear Feet	907-628-K004	High Performance Cold Plastic Detail Stripe, Yellow

ALTERNATE GROUP AA NUMBER 1

1,042	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

1,042	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

1,042	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 08

Mill & Overlay approximately 3.87 miles of SR 149 from US 49S to US 49N, known as State Project No. MP-6149-66(003) / 309591301 in Stone County.

PROJECT COMPLETION: 49 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

146	Station	201-D001	Random Clearing
91,218	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1	Each	613-D003	Adjustment of Inlet
1	Each	613-D005	Adjustment of Manhole
1	Square Feet	618-B001	Additional Construction Signs
8	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,062	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
909	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
7,803	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
4,303	Gallon	907-407-A001	Asphalt for Tack Coat
10,495	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
4	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,960	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
5,798	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,808	Square Feet	907-626-H009	Thermoplastic Legend, White
1,386	Linear Feet	907-626-H010	Thermoplastic Legend, White
270	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,087	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

515 Each 907-627-M001 One-Way Clear Reflective High Performance Raised Markers

1 Lump Sum 907-899-A001 Railway-Highway Provisions

ALTERNATE GROUP AA NUMBER 1

503 Ton 304-F001 3/4" and Down Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

503 Ton 304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

503 Ton 304-F003 Size 825B Crushed Stone Base

CALL No. 09

Overlay approximately 8.5 miles of MS 587 from the Marion County Line to the Northern Ervin-Reid Circle Drive, known as State Project No. SP-0196-00(033) / 109967301 in Lawrence County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

692	Station	201-D001	Random Clearing
1,454	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
512	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
980	Linear Feet	202-B240	Removal of Traffic Stripe
271	Cubic Yard	203-G002	Excess Excavation, LVM, AH
1,625	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
5,822	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
5,163	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
2,048	Linear Feet	503-C010	Saw Cut, Full Depth
325	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-D005	Guard Rail, Bridge End Section, Type A
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
4	Each	606-G002	Special Sections, Guard Rail Bridge End Connector
1	Square Feet	618-B001	Additional Construction Signs
34	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
29	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,100	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,624	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
16	Each	630-F006	Delineators, Guard Rail, White
671	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
9,093	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
7,703	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
17,891	Gallon	907-407-A001	Asphalt for Tack Coat

1	Lump Sum	907-618-A001	Maintenance of Traffic
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
17	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
17	Mile	907-626-C003	Thermoplastic Audible Edge Stripe
2	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
15	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,048	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
502	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
812	Linear Feet	907-626-H010	Thermoplastic Legend, White
2,423	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,146	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

572	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

572	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

572	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR