


GENERAL INDEX

INCLUDED THIS PROJECT	BEGIN WITH SHEET
<input checked="" type="checkbox"/> ROADWAY.....	1
<input checked="" type="checkbox"/> PERMANENT SIGNS.....	1001
<input type="checkbox"/> TRAFFIC SIGNALS.....	2001
<input type="checkbox"/> ITS COMPONENTS.....	3001
<input type="checkbox"/> LIGHTING.....	4001
<input type="checkbox"/> (RESERVED).....	5001
<input checked="" type="checkbox"/> ROADWAY STD. DWGS.....	6001
<input type="checkbox"/> BOX CULVERT STD. DWGS (LRFD).....	7001
<input type="checkbox"/> BOX CULVERT STD. DWGS (STD. SPEC.)....	7501
<input checked="" type="checkbox"/> BRIDGE.....	8001
<input type="checkbox"/> CROSS SECTIONS.....	9001


**STATE OF MISSISSIPPI
MISSISSIPPI DEPARTMENT OF TRANSPORTATION**

**PLAN AND PROFILE OF
PROPOSED STATE HIGHWAY
FEDERAL AID PROJECT NO. STBG-0091-01(009)
SR 16/SR 149 over SR 3 & Yazoo River (203.3) - Bridge Repair
YAZOO COUNTY**



BRIDGE STRUCTURES REQ'D.
None

BOX BRIDGES REQ'D.
None



BR# 203.3

DESIGN CONTROL

MPH = V (SPEED DESIGN)
ADT () = : ADT () =
DHV = : D = % T = %

PERMITS ACQUIRED BY MDOT

WETLANDS AND WATERS PERMITS

	WATERS	WETLANDS
NATIONWIDE #14	<input type="checkbox"/>	<input type="checkbox"/>
NATIONWIDE (OTHER)*	<input type="checkbox"/>	<input type="checkbox"/>
GENERAL*	<input type="checkbox"/>	<input type="checkbox"/>
INDIVIDUAL (404)*	<input type="checkbox"/>	<input type="checkbox"/>

STORMWATER PERMIT

Y REQUIRED, CNOI SUBMITTED BY MDOT (DISTURBED AREA=5 ACRES)

S REQUIRED, SCNOI TO BE SUBMITTED BY CONTRACTOR (1 TO 4.99 ACRES)

N NO STORMWATER PERMIT REQUIRED (<1 ACRE)

APPROVED BY: _____

DESIGNED BY: _____

CONSTRUCTION PROJECT DATA

EXTERNAL PROJECT NUMBER	STBG-0091-01(009)
FMS & DETAIL	108865/301000

P S & E DATE: _____


APPROVED: _____

DEPUTY EXECUTIVE DIRECTOR / CHIEF ENGINEER

EXECUTIVE DIRECTOR



CONVENTIONAL SYMBOLS



LENGTH DATA

LENGTH OF ROADWAY	FT.	MI.
LENGTH OF BRIDGES	FT.	MI.
LENGTH OF PROJECT (NET)	FT.	MI.
LENGTH OF EXCEPTIONS	FT.	MI.
LENGTH OF PROJECT (GROSS)	FT.	MI.

EQUATIONS

None

SCALES

PLAN 1 IN. = 100 FT.
PROFILE HOR. 1 IN. = 100 FT.
VERT. 1 IN. = 10 FT.
LAYOUT 1 IN. = 10 FT.

EXCEPTIONS

None

TITLE SHEET

6/25/2026 9:23:54 AM RWD - TITLE SHEET.dgn

DESCRIPTION OF SHEET

WKG. NO. SH. NO.

REVISIONS	
DATE	BY
6/26/26	AD



1ST ORD. REVISION

TITLE SHEET

1

DETAILED INDEX AND GENERAL NOTE SHEETS (4)

DETAILED INDEX
SUMMARY OF REVISIONS
GENERAL NOTES
GENERAL NOTES
GENERAL NOTES

DI-1 2 [△]
RVP-1
GN-1 3
GN-2 4
GN-3 5

SUMMARY OF QUANTITY SHEETS (1)

SUMMARY OF QUANTITIES

SQS-1 6 [△]

ESTIMATED QUANTITY SHEETS (2)

ESTIMATED QUANTITIES FOR TRAFFIC CONTROL SIGNS
ESTIMATED QUANTITIES FOR PERMANENT SIGNS

TCPQ-1 7
EQ-1 8

SPECIAL DESIGN SHEETS (12)

DETAIL OF CONSTRUCTION SIGNING
DETAIL OF CONSTRUCTION SIGNING

DCS-1 9 [△]
DCS-2 10 [△]

TRAFFIC CONTROL PLAN - OFFSITE DETOUR LAYOUT

LAY-1 11

TRAFFIC CONTROL PLAN - DETAIL "A" ROAD CLOSURE DETAIL AT BRIDGE SITE
TRAFFIC CONTROL PLAN - DETAIL "B" OFFSITE DETOUR HWY 49W AND HWY 3 AT YAZOO CITY
TRAFFIC CONTROL PLAN - DETAIL "C" OFFSITE DETOUR HWY 49 AND HWY 149 AT SILVER CITY
TRAFFIC CONTROL PLAN - DETAIL "D" OFFSITE DETOUR HWY 149 AND HWY 14 AT LOUISE
TRAFFIC CONTROL PLAN - DETAIL "E" OFFSITE DETOUR HWY 149 AND HWY 16
TRAFFIC CONTROL PLAN - DETAIL "F" ROAD CLOSURE AT BRIDGE SITE
TRAFFIC CONTROL PLAN
TRAFFIC CONTROL PLAN
DETAIL OF MEDIAN BARRIER

TC-1 12
TC-2 13
TC-3 14
TC-4 15
TC-5 16
TC-6 17
TC-7 18 [△]
TC-8 19 [△]
DMB-1 20 [△]

PERMANENT SIGNING PLAN SHEETS (5)

PERMANENT SIGNING PLAN
PERMANENT SIGNING DETAILS: "TRUCKS TO 49" "BELZONI/GREENWOOD". "LOUISE"
PERMANENT SIGNING DETAILS: "YAZOO CITY". "VICKSBURG"
OVERHEAD SIGN ASSEMBLIES: ASSEMBLY NO. 1
OVERHEAD SIGN ASSEMBLIES: ASSEMBLY NO. 2

PSD-1 1001
PSD-1 1002
PSD-2 1003
OH-1 1004
OH-2 1005

STANDARD DRAWING SHEETS (9)

PAVEMENT MARKING DETAILS FOR 2-LANE AND 4-LANE DIVIDED HIGHWAYS
CONCRETE MEDIAN BARRIER (SLOPE FACE) (1 OF 2)
CONCRETE MEDIAN BARRIER (SLOPE FACE) (2 OF 2)
TRAFFIC CONTROL PLAN FOR POSTED SPEED LIMIT LESS THAN 65 MPH
SHORT DURATION CLOSING OF DIVIDED HIGHWAY
HIGHWAY SIGN AND BARRICADE DETAILS FOR CONSTRUCTION PROJECTS
TRAFFIC CONTROL PLAN MOBILE OPERATIONS MULTILANE ROADS AND TWO-LANE ROADS
TEMPORARY STRIPING FOR TRAFFIC CONTROL 2-LANE AND 4-LANE DIVIDED HIGHWAYS
TRAFFIC CONTROL DETAILS DRUM PLACEMENT AND SHOULDER CLOSURE

PM-1 6051
CMB-2A 6224 [△]
CMB-2B 6225 [△]
TCP-3 6353 [△]
TCP-7 6357
TCP-8 6358
TCP-9 6359
TCP-13 6363
TCP-16 6366

BRIDGE SHEETS

8001-8026

TOTAL SHEETS = 40 [△]

PLAN SHEET

6/26/2026 2:46:44 PM RWD - DETAILED INDEX.dgn

DESIGNED BY: DAUGHDRILL

DETAILED BY:

CHECKED BY:

DATE:

FMS CON: 108865/301000

PROJECT NO.: STBG-0091-01(009)

COUNTY: YAZOO

DETAILED INDEX

SHEET ID
DI-1

SHEET NO.
2

GENERAL NOTES

BRIDGES AND WALLS

- (1) STORAGE OF FLAMMABLE MATERIALS WILL NOT BE ALLOWED UNDER ANY BRIDGE STRUCTURES WITHOUT WRITTEN APPROVAL FROM THE PROJECT ENGINEER. SEE NOTICE TO BIDDERS ENTITLED "MATERIAL STORAGE UNDER BRIDGES" FOR MORE INFORMATION.

DRAINAGE STRUCTURES

- (2) THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROTECTING EXISTING STRUCTURES SUCH AS, BUT NOT LIMITED TO, PIPES, INLETS, APRONS, AND BRIDGES FROM DAMAGE WHICH MIGHT OCCUR DURING CONSTRUCTION. THE CONTRACTOR SHALL REPLACE OR REPAIR, AS DIRECTED BY THE ENGINEER, ANY STRUCTURES DAMAGED DURING THE LIFE OF THE CONTRACT. NO PAYMENT WILL BE MADE FOR REPLACEMENT OR REPAIR OF DAMAGED ITEMS.

EARTHWORK

- (3) NO TEMPORARY CULVERT STREAM CROSSINGS WILL BE ALLOWED.

PLANS

- (4) ALL ADDENDA TO THESE PLANS WILL BE POSTED TO WWW.MDOT.MS.GOV UNDER THE PROPOSAL ADDENDA COLUMN. BIDDERS ARE ADVISED THAT HARD COPIES OF ANY ADDENDA FOR THIS PROJECT WILL NOT BE MAILED. IT IS THE BIDDER'S RESPONSIBILITY TO CHECK AND SEE IF ANY ADDENDA HAVE BEEN POSTED FOR THIS PROJECT.
- (5) SEE BRIDGE PLANS FOR DETAILED INDEX SHEET(S), ESTIMATED AND SUMMARY OF QUANTITY SHEETS, AND EROSION CONTROL SHEETS.

TRAFFIC CONTROL - PERMANENT

- (6) INSTALLATION DATES SHALL BE CLEARLY WRITTEN IN BOLD BLACK MARKINGS ON THE BACK BOTTOM HALF OF ALL SIGNS WITH A PERMANENT MARKING STICK THAT IS WATERPROOF, FADE RESISTANT AND MARKS ON WET OR DRY SURFACES.
- (7) ALL POST, PIPE, AND I-BEAM LENGTHS IN THESE PLANS ARE ESTIMATES. POST LENGTHS FOR ALL SIGNS SHALL BE VERIFIED IN THE FIELD BY THE CONTRACTOR PRIOR TO FABRICATION.
- (8) ALL EXISTING SIGNS WHICH ARE TO BE REMOVED AS A PART OF THIS PROJECT THAT ARE NOT IN CONFLICT WITH CONSTRUCTION SHALL REMAIN IN PLACE UNTIL NEW SIGNS ARE INSTALLED UNLESS NOTED OR DIRECTED OTHERWISE BY THE PROJECT ENGINEER. ROADWAY SIGNS THAT ARE IN CONFLICT WITH CONSTRUCTION SHALL BE REMOVED AND RELOCATED BY THE CONTRACTOR AS DIRECTED BY THE ENGINEER, THE COST OF WHICH SHALL BE ABSORBED IN OTHER ITEMS BID.
- (9) DIRECT-APPLIED LEGEND, BORDER, AND/OR SHIELDS ARE TO BE USED ON ALL SIGNS. DIGITALLY PRODUCED SIGN COPY, SHIELDS, LEGEND, SYMBOLS, OR IMAGES WILL NOT BE ALLOWED WITHOUT WRITTEN APPROVAL FROM MDOT'S PROJECT ENGINEER.
- (10) ALL PERMANENT SIGNS SHALL CONFORM TO THE LATEST EDITION OF THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES.
- (11) ALL SIGN LOCATIONS SHALL BE APPROVED BY THE PROJECT ENGINEER PRIOR TO INSTALLATION.



DESIGNED BY: DAUGHDRILL

DETAILED BY:

CHECKED BY:

DATE:

FMS CON: 108865/301000

PROJECT NO.: STBG-0091-01(009)

COUNTY: YAZOO

GENERAL NOTES

SHEET ID
GN-1

SHEET NO.
3

GENERAL NOTES (CONT.)

(12) THE RETROREFLECTIVE SIGN SHEETING ON PERMANENT GROUND-MOUNTED SIGNS SHALL BE AS FOLLOWS: BROWN BACKGROUND SHEETING ON GUIDE SIGNS SHALL BE MINIMUM TYPE VIII; GREEN AND BLUE BACKGROUND SHEETING ON GUIDE SIGNS SHALL BE MINIMUM TYPE IX; ALL WHITE, YELLOW, FLUORESCENT YELLOW AND FLUORESCENT YELLOW/GREEN SHEETING SHALL BE TYPE XI. ALL SIGN SHEETING ON OVERHEAD SIGNS SHALL BE TYPE XI.

(13) ALL EXISTING SIGNS AND SUPPORTS REMOVED UNDER THIS PROJECT SHALL BECOME THE PROPERTY OF THE CONTRACTOR AND ARE NOT A SEPARATE PAY ITEM.

(14) REMOVAL OF RAISED PAVEMENT MARKERS THAT ARE IN CONFLICT WITH REQUIRED CONSTRUCTION IS NOT CONSIDERED A SEPARATE PAY ITEM. COST TO BE ABSORBED IN OTHER ITEMS BID.

(15) REMOVAL OF OBJECT MARKERS IS NOT CONSIDERED A SEPARATE PAY ITEM, AND SHALL BE ABSORBED IN OTHER ITEMS BID.

TRAFFIC CONTROL - TEMPORARY

(16) THE LOCATION AND SPACING OF SIGNS, SHOWN ON THE TRAFFIC CONTROL PLANS, ARE APPROXIMATE AND MAY BE ADJUSTED AS NECESSARY TO FIT FIELD CONDITIONS.

(17) ALL TRAFFIC CONTROL DEVICES ON THIS PROJECT SHALL COMPLY WITH PART VI OF THE **MUTCD** (LATEST EDITION).

(18) ALL PLASTIC DRUMS SHALL HAVE A BALLASTING COLLAR MADE FROM RECYCLED TRUCK TIRES OR OTHER SUITABLE MATERIAL.

(19) FLUORESCENT ORANGE SHEETING SHALL BE USED ON ALL CONSTRUCTION AND TRAFFIC CONTROL SIGNS EXCEPT FOR THOSE DESIGNATED ON THE PLANS TO BE BLACK LEGEND AND BORDER ON WHITE BACKGROUND.

(20) THE CONTRACTOR SHALL COORDINATE WITH THE CONTRACTOR FROM ADJACENT PROJECT(S) IN IMPLEMENTING THE TRAFFIC CONTROL PLAN AS DIRECTED BY THE ENGINEER. ALL CONFLICTING SIGNS SHALL BE COVERED OR REMOVED AS DIRECTED BY THE ENGINEER.

(21) THE CONTRACTOR SHALL COVER OR REMOVE ANY TEMPORARY TRAFFIC CONTROL SIGNS SHOWN IN THE TRAFFIC CONTROL PLAN THAT DO NOT APPLY TO THE CURRENT PHASE.

(22) THE RETROREFLECTIVE SIGN SHEETING ON RIGID, TEMPORARY TRAFFIC CONTROL (ORANGE) SIGNS SHALL BE MINIMUM TYPE IX.

(23) TEMPORARY STRIPING SHALL CONFORM TO FINISHED STRIPE SPECIFICATIONS FOR ALIGNMENT, NEATNESS, AND STRAIGHTNESS.



DESIGNED BY: DAUGHDRILL

DETAILED BY:

CHECKED BY:

DATE:

FMS CON: 108865/301000

PROJECT NO.: STBG-0091-01(009)

COUNTY: YAZOO

GENERAL NOTES

SHEET ID
GN-2

SHEET NO.
4

GENERAL NOTES (CONT.)

MISCELLANEOUS

- (24) SOME WORK IS REQUIRED OUTSIDE THE PROJECT LIMITS. NO ADDITIONAL COMPENSATION WILL BE MADE FOR SUCH WORK EXCEPT AS PROVIDED BY SPECIFIC PAY ITEMS INCLUDED IN THE PLANS.
- (25) THE CONTRACTOR IS RESPONSIBLE FOR FIELD-VERIFICATION OF EXISTING GRADES AND MAKING ADJUSTMENTS AS NECESSARY WITH THE APPROVAL OF THE PROJECT ENGINEER.



DESIGNED BY: DAUGHRILL
 DETAILED BY:
 CHECKED BY:
 DATE:

FMS CON: 108865/301000
 PROJECT NO.: STBG-0091-01(009)
 COUNTY: YAZOO

GENERAL NOTES

SHEET ID
GN-3

SHEET NO.
5