

TITLE SHEET

7/21/2026 10:17:40 AM TITLE\_SH.dgn

| GENERAL INDEX                                                   |      |                  |
|-----------------------------------------------------------------|------|------------------|
| INCLUDED THIS PROJECT                                           |      | BEGIN WITH SHEET |
| <input checked="" type="checkbox"/> ROADWAY.....                | 1    |                  |
| <input type="checkbox"/> PERMANENT SIGNS.....                   | 1001 |                  |
| <input type="checkbox"/> TRAFFIC SIGNALS.....                   | 2001 |                  |
| <input type="checkbox"/> ITS COMPONENTS.....                    | 3001 |                  |
| <input type="checkbox"/> LIGHTING.....                          | 4001 |                  |
| <input type="checkbox"/> (RESERVED).....                        | 5001 |                  |
| <input checked="" type="checkbox"/> ROADWAY STD. DWGS.....      | 6001 |                  |
| <input type="checkbox"/> BOX CULVERT STD. DWGS (LRFD).....      | 7001 |                  |
| <input type="checkbox"/> BOX CULVERT STD. DWGS (STD. SPEC.).... | 7501 |                  |
| <input checked="" type="checkbox"/> BRIDGE.....                 | 8001 |                  |
| <input type="checkbox"/> CROSS SECTIONS.....                    | 9001 |                  |


BRIDGE STRUCTURES REQ'D.

NONE

BOX BRIDGES REQ'D.

NONE

CONVENTIONAL SYMBOLS




LENGTH DATA

|                           |           |           |
|---------------------------|-----------|-----------|
| LENGTH OF ROADWAY         | _____ FT. | _____ MI. |
| LENGTH OF BRIDGES         | _____ FT. | _____ MI. |
| LENGTH OF PROJECT (NET)   | _____ FT. | _____ MI. |
| LENGTH OF EXCEPTIONS      | _____ FT. | _____ MI. |
| LENGTH OF PROJECT (GROSS) | _____ FT. | _____ MI. |

STATE OF MISSISSIPPI  
MISSISSIPPI DEPARTMENT OF TRANSPORTATION

PLAN AND PROFILE OF  
PROPOSED STATE HIGHWAY  
FEDERAL AID PROJECT NO. NHPP-0008-05(044)

US 49 OVER BIG SUNFLOWER RIVER TRIBUTARY (BRIDGE # 305.6)  
COAHOMA COUNTY



EQUATIONS

NONE


SCALES

|         |                   |
|---------|-------------------|
| PLAN    | 1 IN. = 100 FT.   |
| PROFILE | 1 IN. = 100 FT.   |
| LAYOUT  | 1 IN. = 10 FT.    |
|         | 1 IN. = _____ FT. |

EXCEPTIONS

NONE

1ST ORD.  
REVISION



DESIGN CONTROL

\_\_\_ MPH = V (SPEED DESIGN)

ADT ( \_\_\_ ) = \_\_\_\_\_ : ADT ( \_\_\_ ) = \_\_\_\_\_  
DHV = \_\_\_\_\_ : D = \_\_\_ % T = \_\_\_ %

PERMITS ACQUIRED  
BY MDOT

WETLANDS AND WATERS PERMITS

|                     | WATERS                              | WETLANDS                            |
|---------------------|-------------------------------------|-------------------------------------|
| NATIONWIDE #14      | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| NATIONWIDE (OTHER)* | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| GENERAL*            | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| INDIVIDUAL (404)*   | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |

STORMWATER PERMIT ☒

Y REQUIRED, CNOI SUBMITTED BY MDOT (DISTURBED AREA=5 ACRES)

S REQUIRED, SCNOI TO BE SUBMITTED BY CONTRACTOR (1 TO 4.99 ACRES)

N NO STORMWATER PERMIT REQUIRED (<1 ACRE)

APPROVED BY: \_\_\_\_\_

DESIGNED BY: \_\_\_\_\_

CONSTRUCTION PROJECT DATA

EXTERNAL PROJECT NUMBER NHPP-0008-05(044)

FMS & DETAIL 110045/301000

P S & E DATE: \_\_\_\_\_

APPROVED:

DEPUTY EXECUTIVE DIRECTOR / CHIEF ENGINEER

EXECUTIVE DIRECTOR



| DESCRIPTION OF SHEET                                                      |  | WK. NO. SHEET NO. |      |
|---------------------------------------------------------------------------|--|-------------------|------|
| TITLE SHEET (1)                                                           |  | 1                 |      |
| DETAILED INDEX & GENERAL NOTES (3)                                        |  |                   |      |
| DETAILED INDEX                                                            |  | DI-1              | 2    |
| SUMMARY OF REVISIONS                                                      |  | REV-1             |      |
| GENERAL NOTES                                                             |  | GN-1              | 3    |
| QUANTITY SHEETS (2)                                                       |  |                   |      |
| SUMMARY OF QUANTITIES                                                     |  | SQ-1              | 4    |
| ESTIMATED QUANTITIES FOR TRAFFIC CONTROL SIGNS                            |  | TCPQ-1            | 5    |
| SPECIAL DESIGN SHEETS (4)                                                 |  |                   |      |
| DETAIL OF CONSTRUCTION SIGNING                                            |  | DCS-1             | 6    |
| TRAFFIC CONTROL US 49 PHASE 1                                             |  | TC-1              | 7    |
| TRAFFIC CONTROL US 49 PHASE 2                                             |  | TC-2              | 8    |
| TEMPORARY TRAFFIC SIGNAL                                                  |  | TTS-1             | 9    |
| STANDARD DRAWINGS (8)                                                     |  |                   |      |
| PAVEMENT MARKING DETAILS FOR 2-LANE & 4-LANE DIVIDED ROADWAYS.            |  | PM-1              | 6051 |
| TRAFFIC CONTROL PLAN WITH FLAGGER (ONE-LANE CLOSURE OF TWO-WAY TRAFFIC)   |  | TCP-1             | 6351 |
| SHORT DURATION CLOSING OF TWO-LANE TWO-WAY HIGHWAYS                       |  | TCP-6             | 6356 |
| HIGHWAY SIGN AND BARRICADE DETAILS FOR CONSTRUCTION PROJECTS              |  | TCP-8             | 6358 |
| TRAFFIC CONTROL PLAN MOBILE DETAILS FOR CONTRUCTION PROJECTS              |  | TCP-9             | 6359 |
| TEMPORARY STRIPING FOR TRAFFIC CONTROL 2-LANE AND 4-LAND DIVIDED HIGHWAYS |  | TCP-13            | 6363 |
| LOCATION OF R16-3 SIGNS (SPEEDING FINES DOUBLED)                          |  | TCP-15            | 6365 |
| TRAFFIC CONTROL DETAILS DRUM PLACEMENT AND SHOULDER CLOSURE               |  | TCP-16            | 6366 |
| TOTAL SHEETS (NOT INCLUDING BRIDGE SHEETS) (18)                           |  |                   |      |



|              |              |             |       |
|--------------|--------------|-------------|-------|
| DESIGNED BY: | DETAILED BY: | CHECKED BY: | DATE: |
|              |              |             |       |

|                        |                                |                 |
|------------------------|--------------------------------|-----------------|
| FMS CON: 110045/301000 | PROJECT NO.: NHPP-0008-05(044) | COUNTY: COAHOMA |
|------------------------|--------------------------------|-----------------|

DETAILED INDEX

|                  |
|------------------|
| SHEET ID<br>DI-1 |
| SHEET NO.<br>2   |



|                                |                           |
|--------------------------------|---------------------------|
| FMS CON: 110045/301000         | DESIGNED BY: M.F. GRONDIN |
| PROJECT NO.: NHPP-0008-05(044) | DETAILED BY:              |
| COUNTY: COAHOMA                | CHECKED BY:               |
|                                | DATE:                     |

## **SUMMARY OF REVISIONS**

**SHEET ID**  
**REV-1**

SHEET NO

GENERAL NOTES

BRIDGES AND WALLS

- (1) STORAGE OF FLAMMABLE MATERIALS WILL NOT BE ALLOWED UNDER ANY BRIDGE STRUCTURES WITHOUT WRITTEN APPROVAL FROM THE PROJECT ENGINEER. SEE NOTICE TO BIDDERS ENTITLED "MATERIAL STORAGE UNDER BRIDGES" FOR MORE INFORMATION.

DRAINAGE STRUCTURES

- (2) THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROTECTING EXISTING STRUCTURES SUCH AS, BUT NOT LIMITED TO, PIPES, INLETS, APRONS, AND BRIDGES FROM DAMAGE WHICH MIGHT OCCUR DURING CONSTRUCTION. THE CONTRACTOR SHALL REPLACE OR REPAIR, AS DIRECTED BY THE ENGINEER, ANY STRUCTURES DAMAGED DURING THE LIFE OF THE CONTRACT. NO PAYMENT WILL BE MADE FOR REPLACEMENT OR REPAIR OF DAMAGED ITEMS.

EARTHWORK

- (3) VOIDS CREATED BY THE REMOVAL OF, BUT NOT LIMITED TO, POSTS, CONCRETE ANCHORS, AND FOOTINGS SHALL BE BACKFILLED AND TAMPED IN ACCORDANCE WITH SECTION 203 OF **THE MISSISSIPPI STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION**, THE COST OF WHICH WILL BE ABSORBED IN OTHER ITEMS BID.


PLANS

- (4) ALL ADDENDA TO THESE PLANS WILL BE POSTED TO [WWW.MDOT.MS.GOV](http://WWW.MDOT.MS.GOV) UNDER THE PROPOSAL ADDENDA COLUMN. BIDDERS ARE ADVISED THAT HARD COPIES OF ANY ADDENDA FOR THIS PROJECT WILL NOT BE MAILED. IT IS THE BIDDER'S RESPONSIBILITY TO CHECK AND SEE IF ANY ADDENDA HAVE BEEN POSTED FOR THIS PROJECT.
- (5) SEE BRIDGE PLANS FOR DETAILED INDEX SHEET(S), ESTIMATED AND SUMMARY OF QUANTITY SHEETS, AND EROSION CONTROL SHEETS.
- TRAFFIC CONTROL - TEMPORARY**
  - (6) THE LOCATION AND SPACING OF SIGNS, SHOWN ON THE TRAFFIC CONTROL PLANS, ARE APPROXIMATE AND MAY BE ADJUSTED AS NECESSARY TO FIT FIELD CONDITIONS.
  - (7) ALL TRAFFIC CONTROL DEVICES ON THIS PROJECT SHALL COMPLY WITH PART VI OF THE **MUTCD** (LATEST EDITION).
  - (8) ALL PLASTIC DRUMS SHALL HAVE A BALLASTING COLLAR MADE FROM RECYCLED TRUCK TIRES OR OTHER SUITABLE MATERIAL.
  - (9) FLUORESCENT ORANGE SHEETING SHALL BE USED ON ALL CONSTRUCTION AND TRAFFIC CONTROL SIGNS EXCEPT FOR THOSE DESIGNATED ON THE PLANS TO BE BLACK LEGEND AND BORDER ON WHITE BACKGROUND.
  - (10) THE CONTRACTOR SHALL COVER OR REMOVE ANY TEMPORARY TRAFFIC CONTROL SIGNS SHOWN IN THE TRAFFIC CONTROL PLAN THAT DO NOT APPLY TO THE CURRENT PHASE.
  - (11) TEMPORARY STRIPING SHALL COMFORM TO FINISHED STRIPE SPECIFICATIONS FOR ALIGNMENT, NEATNESS, AND STRAIGHTNESS.

MISCELLANEOUS

- (12) SOME WORK IS REQUIRED OUTSIDE THE PROJECT LIMITS. NO ADDITIONAL COMPENSATION WILL BE MADE FOR SUCH WORK EXCEPT AS PROVIDED BY SPECIFIC PAY ITEMS INCLUDED IN THE PLANS.
- (13) THE CONTRACTOR IS RESPONSIBLE FOR FIELD-VERIFICATION OF EXISTING GRADES AND MAKING ADJUSTMENTS AS NECESSARY WITH THE APPROVAL OF THE PROJECT ENGINEER.
- (14) REMOVAL OF RAISED PAVEMENT MARKERS THAT ARE IN CONFLICT WITH REQUIRED CONSTRUCTION IS NOT CONSIDERED A SEPARATE PAY ITEM. COST TO BE OBSORBED IN OTHER ITEMS BID.
- (15) REMOVAL OF OBJECT MARKERS IS NOT CONSIDERED A SEPERATE PAY ITEM, AND SHALL BE ABSORBED IN OTHER ITEMS BID.

NOTICE:  
THE NOTES CONTAINED HEREON ARE SPECIFIC TO THE SUBJECT PROJECT AND SHOULD BE REVIEWED IN DETAIL BY THE CONTRACTOR, PER SECTION 102.05 OF THE STANDARD SPECIFICATIONS, "THE BIDDER IS REQUIRED TO EXAMINE CAREFULLY THE SITE OF THE PROPOSED WORK, THE PROPOSAL, PLANS, STANDARD SPECIFICATIONS, SPECIAL PROVISIONS, NOTICES TO BIDDERS AND CONTRACT FORMS BEFORE SUBMITTING A PROPOSAL.



|                                |  |
|--------------------------------|--|
| DESIGNED BY:                   |  |
| DETAILED BY:                   |  |
| CHECKED BY:                    |  |
| DATE:                          |  |
| FMS CON: 110045/301000         |  |
| PROJECT NO.: NHPP-0008-05(044) |  |
| COUNTY: COAHOMA                |  |

GENERAL NOTES