

Proposal & Plan Sales Will Begin on August 31, 2026



MISSISSIPPI DEPARTMENT OF
TRANSPORTATION

Notice to Contractors

Letting Date For September - September 22, 2026

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR SEPTEMBER - Tuesday, September 22, 2026

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](https://shop.mdot.ms.gov)

PROPOSAL AND PLAN SALES WILL BEGIN ON AUGUST 31, 2026

Proposals must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, September 22, 2026; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR SEPTEMBER

	CALL	CONTRACT	COUNTY
	01	NHPP-0002-08(027)/110037301	ALCORN
*	02	STBG-0011-01(077)/110042301	WASHINGTON
	03	HSIP-0011-03(090)/109518301 & STP-0011-03(091)/109752302	OKTIBBEHA
*	04	IM-0055-04(124)/110064301 & IM-0055-04(125)/110065301 & IM-0055-04(126)/110066301	DESOTO, TATE
	05	STBG-0056-01(076)/104101302 & STBG-0056-01(127)/104101305 & NHPP-0056-01(105)/108281301	RANKIN
*	06	NHPP-0055-02(287)/110043301 & IM-0055-02(291)/110067301 & IM-0055-02(292)/110068301	MADISON
*	07	STBG-0057-01(008)/110222301	COAHOMA
	08	STBG-0209-00(007)/110227301	COVINGTON
*	09	STBG-0510-00(012)/110184301	YAZOO
*	10	HRRR-0914-00(042)/110212301	MARSHALL
	11	STBG-2708-00(002)/109707301 & STBG-2708-00(002)/109707302	LOWNDES, MONROE
*	12	HRRR-7889-00(007)/110211301 & HRRR-7889-00(007)/110211302 & HRRR-7889-00(007)/110211303	DESOTO, PANOLA, TATE

CALL No. 01

Bridge Repair on US 45 over Norfolk Southern Railroad (Bridge Nos. 275.6A & 275.6B), known as Federal Aid Project No. NHPP-0002-08(027) / 110037301 in Alcorn County.

PROJECT COMPLETION: 77 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

388	Ton	815-A002	Loose Riprap, Size 100
845	Square Yard	815-E001	Geotextile under Riprap
632	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
2,500	Pounds	907-420-A001	Undersealing
42	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
244	Linear Feet	907-808-A002	Joint Repair
237	Linear Feet	907-808-A003	Joint Repair Without Epoxy
247	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
481	Linear Feet	907-823-B001	Saw Cut, Type I
112	Square Feet	907-824-A003	General Epoxy Repair
6	Each	907-824-C001	Cap Cleaning
588	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck
19	Cubic Yard	907-828-A001	Hybrid Polymer Concrete Overlay

Roadway Items

281	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
470	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
2	Each	202-B183	Removal of Object Markers
452	Linear Feet	202-B240	Removal of Traffic Stripe
49	Ton	304-D002	Granular Material, Crushed Stone
981	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
360	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-D005	Guard Rail, Bridge End Section, Type A
2	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Square Feet	618-B001	Additional Construction Signs
767	Linear Feet	619-A1005	Temporary Traffic Stripe, Continuous White, Type 1 Tape

767	Linear Feet	619-A2006	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
767	Linear Feet	619-A3006	Temporary Traffic Stripe, Skip White, Type 1 Tape
546	Linear Feet	619-F1001	Concrete Median Barrier, Precast
546	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
8	Each	619-F3001	Delineators, Guard Rail, White
9	Each	619-F3002	Delineators, Guard Rail, Yellow
1	Lump Sum	620-A001	Mobilization
2	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
209	Ton	907-403-A013	9.5-mm, HT, Asphalt Pavement
95	Gallon	907-407-A001	Asphalt for Tack Coat
2	Each	907-606-PP005	Guard Rail, Bridge Connector, Per Plans
1	Lump Sum	907-618-A001	Maintenance of Traffic
4	Each	907-619-E3001	Changeable Message Sign
315	Linear Feet	907-626-A009	6" Thermoplastic Traffic Stripe, Skip White
315	Linear Feet	907-626-B005	6" Thermoplastic Traffic Stripe, Continuous White
315	Linear Feet	907-626-E006	6" Thermoplastic Traffic Stripe, Continuous Yellow
20	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1	Lump Sum	907-899-A001	Railway-Highway Provisions

ALTERNATE GROUP AA NUMBER 1

452	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
452	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
452	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

452	Linear Feet	907-628-G003	6" High Performance Cold Plastic Traffic Stripe, Skip White
452	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
452	Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 02

Bridge Repair on US 82 over Bogue Phalia (Bridge No. 22.1B) & Bridge Repair on MS 438 over Bogue Phalia (Bridge No. 11.1) known as Federal Aid Project No. STBG-0011-01(077) / 110042301 in Washington County.

PROJECT COMPLETION: 87 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

934	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,325	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
322	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
322	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
201	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
192	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
44	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
248	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
501	Linear Feet	619-F1001	Concrete Median Barrier, Precast
501	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
48	Linear Feet	619-G4001	Barricades, Type III, Double Faced
24	Linear Feet	619-G4005	Barricades, Type III, Single Faced
12	Each	619-G5001	Free Standing Plastic Drums
10	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1,000	Linear Feet	907-234-A001	Temporary Silt Fence
800	Linear Feet	907-234-F001	Turbidity Barrier
40	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
40	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
5	Each	907-619-E3001	Changeable Message Sign
2	Each	907-619-H2001	Traffic Signal, Portable, Type 1
322	Linear Feet	907-626-A009	6" Thermoplastic Traffic Stripe, Skip White
724	Linear Feet	907-626-B005	6" Thermoplastic Traffic Stripe, Continuous White
201	Linear Feet	907-626-D006	6" Thermoplastic Traffic Stripe, Skip Yellow

322	Linear Feet	907-626-E006	6" Thermoplastic Traffic Stripe, Continuous Yellow
10	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Bridge Items

2,198	Ton	815-A007	Loose Riprap, Size 300
1,265	Square Yard	815-E001	Geotextile under Riprap
2,500	Pounds	907-420-B001	Deep Injection Undersealing
364	Linear Feet	907-808-A002	Joint Repair
191	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
364	Linear Feet	907-823-B001	Saw Cut, Type I
50	Square Feet	907-824-A003	General Epoxy Repair
9	Linear Feet	907-824-B005	FRP Wrap, Bi-directional
9	Each	907-824-C001	Cap Cleaning
24	Each	907-824-PP006	Bridge Repair, Pile Encasement
13	Cubic Yard	907-834-A001	Polyester Polymer Concrete Overlay
1	Lump Sum	907-845-A001	Coating Existing Structural Steel

CALL No. 03

Restricted crossing U-Turn (RCUT) on US 82 at Sturgis-Maben Road & Mill & Overlay approximately 7.3 miles of US 82 from Choctaw County Line to the beginning of the Starkville Bypass, known as Federal Aid Project Nos. HSIP-0011-03(090) / 109518301 & STP-0011-03(091) / 109752302 in Oktibbeha County.

PROJECT COMPLETION: 139 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
1,451	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
338	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
1,214	Square Yard	202-B063	Removal of Concrete Paved Ditch
1,265	Linear Feet	202-B089	Removal of Curb &/or Curb and Gutter, All Types
2,191	Linear Feet	202-B114	Removal of Debris and Sand From Pipe, All Sizes
251	Linear Feet	202-B191	Removal of Pipe, 8" And Above
8,696	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
3,434	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
10,678	Cubic Yard	203-G001	Excess Excavation, FM, AH
154	Cubic Yard	206-A001	Structure Excavation
2,750	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
17,551	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
3	Ton	213-C001	Superphosphate
2,505	Square Yard	216-A001	Solid Sodding
740	Square Yard	217-A001	Ditch Liner
50	Thousand Gallon	219-A001	Watering
3	Acre	220-A001	Insect Pest Control
247	Cubic Yard	221-A001	Concrete Paved Ditch
12	Acre	223-A001	Mowing
6	Acre	225-A001	Grassing
12	Ton	225-B001	Agricultural Limestone
12	Ton	225-C001	Mulch, Vegetative Mulch

6 Acre	226-A001 Temporary Grassing
418 Linear Feet	237-A002 Wattles, 20"
720 Linear Feet	246-B002 Rockbags
130 Ton	249-A001 Riprap for Erosion Control
79 Cubic Yard	249-B001 Remove and Reset Riprap
7,076 Cubic Yard	304-A003 Granular Material, LVM, Class 3, Group D
10,875 Ton	304-D002 Granular Material, Crushed Stone
278,425 Square Yard	406-D001 Fine Milling of Bituminous Pavement, All Depths
27 Mile	423-A001 Rumble Strips, Ground In
2,108 Linear Feet	503-C010 Saw Cut, Full Depth
2,632 Pounds	602-A001 Reinforcing Steel
200 Linear Feet	603-ALT003 18" Type A Alternate Pipe
40 Linear Feet	603-ALT006 24" Type A Alternate Pipe
16 Linear Feet	603-CA011 18" Reinforced Concrete Pipe, Class III
112 Linear Feet	603-CA026 24" Reinforced Concrete Pipe, Class III
96 Linear Feet	603-CA040 30" Reinforced Concrete Pipe, Class III
2 Each	603-CB003 18" Reinforced Concrete End Section
3 Each	603-CB004 24" Reinforced Concrete End Section
1 Each	603-CB005 30" Reinforced Concrete End Section
8,302 Linear Feet	605-H001 Edge Drain
650 Linear Feet	605-I001 Edge Drain Outlets/Vents
3,067 Linear Feet	609-D004 Combination Concrete Curb and Gutter Type 2 Modified
259 Linear Feet	609-D008 Combination Concrete Curb and Gutter Type 3A
22 Cubic Yard	612-B001 Flowable Fill, Non-Excavatable
544 Square Yard	616-A001 Concrete Median and/or Island Pavement, 10-inch
1,956 Square Yard	616-A004 Concrete Median and/or Island Pavement, 4-inch
1 Square Feet	618-B001 Additional Construction Signs
27 Mile	619-A1001 Temporary Traffic Stripe, Continuous White
23 Mile	619-A2001 Temporary Traffic Stripe, Continuous Yellow
26 Mile	619-A3001 Temporary Traffic Stripe, Skip White

66,099	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
763	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
619	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
395	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
28	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
376	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,216	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-E1001	Flashing Arrow Panel, Type C
480	Linear Feet	619-G4005	Barricades, Type III, Single Faced
397	Each	619-G5001	Free Standing Plastic Drums
122	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
152	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
168	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
30	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
610	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
110	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
137	Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
1	Lump Sum	699-A001	Roadway Construction Stakes
240	Ton	815-A007	Loose Riprap, Size 300
277	Square Yard	815-E001	Geotextile under Riprap
47	Ton	815-F002	Sediment Control Stone
1,000	Linear Feet	907-234-A001	Temporary Silt Fence
1	Each	907-234-D001	Inlet Siltation Guard
6,020	Ton	907-403-A001	12.5-mm, HT, Asphalt Pavement
4,066	Ton	907-403-A004	19-mm, HT, Asphalt Pavement
30,670	Ton	907-403-A013	9.5-mm, HT, Asphalt Pavement
35,684	Gallon	907-407-A001	Asphalt for Tack Coat
15	Cubic Yard	907-601-A001	Class "B" Structural Concrete
10	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures

1	Lump Sum	907-618-A001	Maintenance of Traffic
13	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
13	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
1	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
12	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
1	Mile	907-626-F005	6" Thermoplastic Edge Stripe, Continuous Yellow
33,160	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
23,016	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
582	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
360	Square Feet	907-626-H009	Thermoplastic Legend, White
1,580	Linear Feet	907-626-H010	Thermoplastic Legend, White
233	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,622	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
159	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
19	Each	907-630-O006	Remove and Reset Signs, Ground Mounted
164	Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted

ALTERNATE GROUP AA NUMBER 1

6,777	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

6,777	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

6,777	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 04

Remove OGFC & Replace with Micro-Surface on I-55 for approximately 12.5 miles from approximately 2.2 miles north of the Desoto/ Tate County Line to the Tate/Panola County Line, known as Federal Aid Project Nos. IM-0055-04(124) / 110064301, IM-0055-04(125) / 110065301 & IM-0055-04(126) / 110066301 in Desoto & Tate Counties.

PROJECT COMPLETION: 146 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

329	Station	201-D001	Random Clearing
2,466	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
10,950	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
581	Each	202-B199	Removal of Raised Reflective Pavement Marker
76	Each	202-B215	Removal of Sign Including Post & Footing
15,240	Linear Feet	202-B240	Removal of Traffic Stripe
400	Ton	304-B004	Granular Material, Class 5, Group D , for guardrail
650	Ton	304-B004	Granular Material, Class 5, Group D , for shoulders
400	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
461,714	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,960	Linear Feet	503-C010	Saw Cut, Full Depth
9,225	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
32	Each	606-C003	Guard Rail, Cable Anchor, Type 1
12	Each	606-D005	Guard Rail, Bridge End Section, Type A
6	Each	606-D022	Guard Rail, Bridge End Section, Type I
47	Each	606-E005	Guard Rail, Terminal End Section, Flared
3	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
3	Square Feet	618-B001	Additional Construction Signs
87	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
87	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
87	Mile	619-A3001	Temporary Traffic Stripe, Skip White
1	Lump Sum	620-A001	Mobilization
63	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
439	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness

228	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
180	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
778	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
20	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
231	Each	630-F006	Delineators, Guard Rail, White
126	Each	630-F007	Delineators, Guard Rail, Yellow
22	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
700	Ton	907-403-A013	9.5-mm, HT, Asphalt Pavement
789	Gallon	907-407-A001	Asphalt for Tack Coat
126,981	Gallon	907-418-A001	Emulsified Asphalt for Micro-Surfacing Type II
176,361	Gallon	907-418-A001	Emulsified Asphalt for Micro-Surfacing Type III
4,325	Ton	907-418-B001	Aggregate for Micro-Surfacing Type II
6,000	Ton	907-418-B001	Aggregate for Micro-Surfacing Type III
15,819	Gallon	907-428-C001	Bituminous-Based Fog Seal with Rejuvenator
1	Lump Sum	907-618-A001	Maintenance of Traffic
6	Each	907-619-E3001	Changeable Message Sign
30	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
30	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
30	Mile	907-626-F005	6" Thermoplastic Edge Stripe, Continuous Yellow
10,104	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,685	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
140	Linear Feet	907-640-A001	Vehicle Loop Assemblies
1	Each	907-688-A001	Traffic Recorder WIM Kistler System

CALL No. 05

Add 2 Lanes on SR 25 from Grants Ferry to SR 471, Ramp Improvements & Roundabouts on MS 471 at the SR 25 Interchange Ramps and Spillway Road, & Bridge Preservation (Bridge No. 12.7) on SR 25 over Plummer Slough, known as Federal Aid Project Nos. STBG-0056-01(076) / 104101302, STBG-0056-01(127) / 104101305 & NHPP-0056-01(105) / 108281301 in Rankin County.

PROJECT COMPLETION: Contractor Determined

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

85	Square Yard	202-B026	Removal of Bridge Deck
300	Linear Feet	202-B037	Removal of Bridge Railing
10	Square Yard	202-B275	Removal of Part of End Bent Cap, Curb, and Wingwall
1,720	Cubic Yard	203-F001	Channel Excavation, FM
150	Ton	304-D004	Granular Material, Size 57
750	Linear Feet	803-D007	HP 14 x 89 Steel Piling
159	Linear Feet	804-C065	40' Prestressed Concrete Beam, Type I+2
140	Linear Feet	804-C104	70' Prestressed Concrete Beam, Type III
63,512	Pounds	805-A001	Reinforcement
303	Linear Feet	813-A004	Concrete Railing, 36"
9,004	Ton	815-A007	Loose Riprap, Size 300
1,380	Ton	815-A009	Loose Riprap, Size 500
6,796	Square Yard	815-E001	Geotextile under Riprap
2	Each	907-803-I003	PDA Test Pile, HP Steel Pile
2	Each	907-803-J001	Pile Restrike
28	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
71	Cubic Yard	907-804-A004	Bridge Concrete, Class BD
235	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
302	Linear Feet	907-808-A002	Joint Repair
217	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
302	Linear Feet	907-823-B001	Saw Cut, Type I
1	Lump Sum	907-824-PP004	Bridge Repair, Dewatering and Water Diversion Measurements
1	Each	907-824-PP006	Bridge Repair, Removal of Existing Headwall, Apron, Wing Walls, and a Portion of Barrel

Roadway Items

14	Acre	201-B001	Clearing and Grubbing
12	Station	201-D001	Random Clearing
1	Lump Sum	202-A001	Removal of Obstructions
19,047	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
19,834	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
12	Square Yard	202-B029	Removal of Bridge End Pavement
188	Square Yard	202-B045	Removal of Cement Treated Base, All Depths
70	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
3,287	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
6,146	Square Yard	202-B063	Removal of Concrete Paved Ditch
535	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
10,115	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
20	Each	202-B129	Removal of Flared End Section, All Sizes
704	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
26	Each	202-B165	Removal of Inlets, All Sizes
1	Each	202-B170	Removal of Junction Box
1,552	Linear Feet	202-B191	Removal of Pipe, 8" And Above
140	Linear Feet	202-B204	Removal of Retaining Wall
15	Each	202-B215	Removal of Sign Including Post & Footing
16	Each	202-B239	Removal of Traffic Signal
8,000	Linear Feet	202-B240	Removal of Traffic Stripe
90,330	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
15,455	Cubic Yard	203-EX008	Borrow Excavation, AH, FME, Class B15
25,517	Cubic Yard	203-G001	Excess Excavation, FM, AH
3,933	Cubic Yard	206-A001	Structure Excavation
127	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
194,328	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
13,000	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
33	Ton	213-C001	Superphosphate
8,456	Square Yard	216-A001	Solid Sodding

12,053	Square Yard	217-A001	Ditch Liner
170	Thousand Gallon	219-A001	Watering
66	Acre	220-A001	Insect Pest Control
2,140	Cubic Yard	221-A001	Concrete Paved Ditch
192	Acre	223-A001	Mowing
65	Acre	225-A001	Grassing
33	Ton	225-B001	Agricultural Limestone
133	Ton	225-C001	Mulch, Vegetative Mulch
65	Acre	226-A001	Temporary Grassing
1	Acre	227-A001	Hydroseeding
1,259	Square Yard	229-A001	Erosion Mat
2	Each	236-A008	Silt Basin, Type D
4,096	Linear Feet	237-A001	Wattles, 12"
9,144	Linear Feet	237-A002	Wattles, 20"
1,000	Linear Feet	239-A001	Temporary Slope Drains
6,384	Linear Feet	245-A001	Silt Dike
5,952	Linear Feet	246-A001	Sandbags
6,384	Linear Feet	246-B002	Rockbags
1,537	Ton	249-A001	Riprap for Erosion Control
150	Cubic Yard	249-B001	Remove and Reset Riprap
29,691	Ton	304-B003	Granular Material, Class 5, Group C
2,903	Ton	304-D002	Granular Material, Crushed Stone
150	Ton	305-B001	Size I Stabilizer Aggregate, Coarse
74,246	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
160	Square Yard	406-E002	Fine Milling of Concrete Pavement, All Depths
40,000	Linear Feet	413-B001	Cleaning and Sealing Joints
8	Mile	413-C002	Cleaning and Sealing Cracks
1	Mile	423-A001	Rumble Strips, Ground In
42	Linear Feet	501-D001	Expansion Joints, With Dowels
24	Linear Feet	501-I001	Joint Filler, Wooden Board

191	Square Yard	503-A001	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
485	Square Yard	503-A002	8" and Variable Jointed Concrete Pavement
306	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
197	Linear Feet	503-C004	Saw Cut, 3-inch
38,267	Linear Feet	503-C010	Saw Cut, Full Depth
94	Cubic Yard	503-D001	Concrete for Base Repair
86	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
31,078	Pounds	602-A001	Reinforcing Steel
2,942	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
208	Linear Feet	603-CA022	18" Reinforced Concrete Pipe, Class V, Jacked or Bored
512	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
24	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
480	Linear Feet	603-CA053	30" Reinforced Concrete Pipe, Class V, Jacked or Bored
368	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
232	Linear Feet	603-CA065	36" Reinforced Concrete Pipe, Class V, Jacked or Bored
720	Linear Feet	603-CA076	48" Reinforced Concrete Pipe, Class III
56	Linear Feet	603-CA087	54" Reinforced Concrete Pipe, Class III
36	Each	603-CB003	18" Reinforced Concrete End Section
13	Each	603-CB004	24" Reinforced Concrete End Section
5	Each	603-CB005	30" Reinforced Concrete End Section
13	Each	603-CB006	36" Reinforced Concrete End Section
14	Each	603-CB008	48" Reinforced Concrete End Section
1	Each	603-CB009	54" Reinforced Concrete End Section
48	Linear Feet	603-CE013	36" x 23" Concrete Arch Pipe, Class A III
2	Each	603-CF004	36" x 23" Concrete Arch Pipe End Section
3	Each	603-SB014	18" Branch Connections, Stub into Concrete Box Culvert
1	Each	603-SB019	18" Branch Connections, Stub into Existing Inlet
2,793	Pounds	604-A001	Castings
7,300	Pounds	604-B001	Gratings
475	Linear Feet	606-B001	Guard Rail, Class A, Type 1

100	Linear Feet	606-B006	Guard Rail, Class A, Type 1, Double Faced
2	Each	606-C003	Guard Rail, Cable Anchor, Type 1
2	Each	606-D019	Guard Rail, Bridge End Section, Type H
2	Each	606-D022	Guard Rail, Bridge End Section, Type I
1	Each	606-E003	Guard Rail, Terminal End Section, Double Faced
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
2	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
972	Linear Feet	609-B003	Concrete Curb, Special Design , Rolled Face Curb
640	Linear Feet	609-C003	Concrete Integral Curb, Type 3
20	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
11,730	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
11,355	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
150	Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
70	Square Yard	614-B001	Concrete Driveway, With Reinforcement
420	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
4,460	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
20	Each	617-A001	Right-of-Way Marker
8	Each	617-B001	Permanent Easement Marker
34	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
25	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
38	Mile	619-A3001	Temporary Traffic Stripe, Skip White
1,103	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
321,495	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
15,477	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
12,468	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
9,583	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
5,152	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
1,481	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
3,011	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

9	Each	619-E1001	Flashing Arrow Panel, Type C
27,290	Linear Feet	619-F1001	Concrete Median Barrier, Precast
10,920	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
1,468	Linear Feet	619-G4001	Barricades, Type III, Double Faced
568	Linear Feet	619-G4005	Barricades, Type III, Single Faced
2,084	Each	619-G5001	Free Standing Plastic Drums
374	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	619-H1001	Traffic Signals
9	Each	619-J1002	Impact Attenuator, 45 MPH
26	Each	619-J1003	Impact Attenuator, 50 MPH
10	Each	619-J2003	Impact Attenuator, 50 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
1	Each	622-A004	Engineer's Field Office Building, Type 3
118	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
2,904	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
412	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
395	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
301	Square Feet	630-B003	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
868	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
347	Linear Feet	630-C004	Square Tube Posts, 9.0 lb/ft
3,004	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
200	Linear Feet	630-C1001	Square Post Inner Sleeve
103	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
307	Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
24	Each	630-F006	Delineators, Guard Rail, White
14	Each	630-F007	Delineators, Guard Rail, Yellow
54	Each	630-F010	Delineators, Post Mounted, Double White
18	Each	630-F011	Delineators, Post Mounted, Double Yellow
20	Each	630-F012	Delineators, Post Mounted, Single White
12	Each	630-F013	Delineators, Post Mounted, Single Yellow

26	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	630-I003	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
1	Lump Sum	630-I015	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
37	Each	635-A059	Traffic Signal Head, Type 1
2	Each	635-A061	Traffic Signal Head, Type 2
10	Each	635-A065	Traffic Signal Head, Type 2 FYA
6	Each	635-A070	Traffic Signal Head, Type 3
4	Each	635-A073	Traffic Signal Head, Type 4
1	Each	638-A003	Flashing Assembly, Be Prepared to Stop When Flashing
2	Each	638-A006	Flasher Assembly, Prepare To Stop
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
6	Each	682-E002	Underground Junction Box
6	Each	685-C001	Temporary Lighting Assemblies
3	Each	685-D001	Service Pole
1	Lump Sum	699-A001	Roadway Construction Stakes
2,031	Ton	815-A007	Loose Riprap, Size 300
2,710	Square Yard	815-E001	Geotextile under Riprap
812	Ton	815-F002	Sediment Control Stone
36,560	Linear Feet	907-234-A001	Temporary Silt Fence
400	Linear Feet	907-234-C001	Super Silt Fence
51	Each	907-234-D001	Inlet Siltation Guard
39	Each	907-234-E001	Reset Inlet Siltation Guard
130	Linear Feet	907-234-F001	Turbidity Barrier
360	Linear Feet	907-253-A001	Coir Fiber Baffle
22,657	Ton	907-403-A001	12.5-mm, HT, Asphalt Pavement
1,964	Ton	907-403-A002	12.5-mm, MT, Asphalt Pavement
4,515	Ton	907-403-A003	12.5-mm, ST, Asphalt Pavement
1,316	Ton	907-403-A005	19-mm, MT, Asphalt Pavement
23,632	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
5,450	Ton	907-403-A013	9.5-mm, HT, Asphalt Pavement

2,605 Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
1,832 Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
9,367 Ton	907-403-B001	12.5-mm, HT, Asphalt Pavement, Leveling
88 Ton	907-403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
1,602 Ton	907-403-B003	12.5-mm, ST, Asphalt Pavement, Leveling
95 Ton	907-403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
24 Mile	907-403-S001	Joint Sealant
12,578 Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
18,670 Ton	907-405-A002	Stone Matrix Asphalt, 12.5 mm Mixture
35,491 Gallon	907-407-A001	Asphalt for Tack Coat
5,592 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1,098 Square Yard	907-416-A001	High Friction Surface Treatment
40 Linear Feet	907-501-F001	Concrete Lug Anchors
94 Square Yard	907-502-A001	Reinforced Cement Concrete Bridge End Pavement
500 Each	907-512-A001	Holes
200 Pounds	907-512-B001	Cement Pressure Grout Slurry, Type 5
1 Mile	907-512-C001	Preliminary Testing
100 Each	907-512-D001	Stability Testing, Lane Joint
100 Each	907-512-E001	Stability Testing, Lane Crack
111 Cubic Yard	907-601-A001	Class "B" Structural Concrete
164 Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
1,452 Square Feet	907-616-C002	Colored and Imprinted Concrete Median and Island Pavement, 12-inch Thickness
1 Lump Sum	907-618-A001	Maintenance of Traffic
5,027 Hours	907-618-M2001	Work Zone Law Enforcement
24 Each	907-619-E3001	Changeable Message Sign
643 Linear Feet	907-626-A009	6" Thermoplastic Traffic Stripe, Skip White
12 Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
5,681 Linear Feet	907-626-B005	6" Thermoplastic Traffic Stripe, Continuous White
6 Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
5 Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow

4,212	Linear Feet	907-626-E006	6" Thermoplastic Traffic Stripe, Continuous Yellow
99,056	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
32,988	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
5,341	Square Feet	907-626-H009	Thermoplastic Legend, White
5,759	Linear Feet	907-626-H010	Thermoplastic Legend, White
1,094	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
4,138	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1,960	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
5	Each	907-632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
6	Each	907-632-J001	Power Service Pedestal
3	Each	907-634-A104	Traffic Signal Equipment Pole, Type II, 22' Shaft, 25' Arm
1	Each	907-634-A106	Traffic Signal Equipment Pole, Type II, 22' Shaft, 35' Arm
1	Each	907-634-A107	Traffic Signal Equipment Pole, Type II, 22' Shaft, 40' Arm
1	Each	907-634-A108	Traffic Signal Equipment Pole, Type II, 22' Shaft, 45' Arm
1	Each	907-634-A110	Traffic Signal Equipment Pole, Type II, 22' Shaft, 55' Arm
1	Each	907-634-A111	Traffic Signal Equipment Pole, Type II, 22' Shaft, 60' Arm
1	Each	907-634-A116	Traffic Signal Equipment Pole, Type II, 22' Shaft, 85' Arm
2	Each	907-634-A117	Traffic Signal Equipment Pole, Type II, 22' Shaft, 90' Arm
2	Each	907-634-A118	Traffic Signal Equipment Pole, Type II, 22' Shaft, 95' Arm
1	Each	907-634-A137	Traffic Signal Equipment Pole, Type II, 40' Shaft, 100' Arm
2	Each	907-634-A151	Traffic Signal Equipment Pole, Type II, 40' Shaft, 90' Arm
2	Each	907-634-A152	Traffic Signal Equipment Pole, Type II, 40' Shaft, 95' Arm
72	Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
1	Each	907-634-E004	Camera Pole with Foundation, 80' Pole
1	Each	907-634-K001	Camera Lowering Device
1,390	Linear Feet	907-636-B013	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 4 Conductor
5,420	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
1,550	Linear Feet	907-636-B025	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 6, 3 Conductor
765	Linear Feet	907-636-B027	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2 Conductor

330	Linear Feet	907-636-B036	Electric Cable, Underground in Conduit, THHN, AWG #1, 4 Conductor
220	Linear Feet	907-636-B056	Electric Cable, Underground in Conduit, THHN, AWG #8, 3 Conductor
16	Each	907-637-A002	Pullbox Enclosure, Type 2
9	Each	907-637-A003	Pullbox Enclosure, Type 3
13	Each	907-637-A004	Pullbox Enclosure, Type 4
6	Each	907-637-A005	Pullbox Enclosure, Type 5
725	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
135	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
1,530	Linear Feet	907-637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
2,540	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
17,001	Linear Feet	907-637-H001	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
275	Linear Feet	907-637-H002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2"
28	Each	907-643-A004	Video Vehicle Detection Sensor, Type 1A
8,515	Linear Feet	907-643-B001	Video Vehicle Detection Cable
5	Each	907-643-C002	Video Vehicle Detection Processor, Type 1
8	Each	907-650-A002	On Street Video Equipment, Fixed Type
6	Each	907-650-A003	On Street Video Equipment, PTZ Type
5	Each	907-650-A004	On Street Video Equipment, PTZ Type, Signal Monitoring
121	Square Feet	907-653-B001	Street Name Sign
1	Lump Sum	907-659-A001	Traffic Management Center Modifications
1	Each	907-660-A002	Equipment Cabinet, Type B
1	Each	907-660-A003	Equipment Cabinet, Type C
16,742	Linear Feet	907-661-A004	Fiber Optic Cable, 72 SM
311	Linear Feet	907-661-B002	Fiber Optic Drop Cable, 12 SM
6	Each	907-663-A002	Network Switch, Type B
1,590	Linear Feet	907-663-D001	Category 6 Cable, Installed in Conduit
1	Lump Sum	907-681-A1001	Wire Testing
720	Hours	907-906001	Trainees
ALTERNATE GROUP AA NUMBER 1			
71,110	Ton	304-F001	3/4" and Down Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

71,110 Ton	304-F002	Size 610 Crushed Stone Base
------------	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

71,110 Ton	304-F003	Size 825B Crushed Stone Base
------------	----------	------------------------------

CALL No. 06

OGFC lift approximately 7.3 miles on I-55 from Church Road to Heindl Road, Bridge Repair on I-55 over Church Road (Bridge Nos. 112.3A , 112.3B) & Fog Seal approximately 7.2 miles on I-55 from Hiendl Road to the Yazoo County Line, known as Federal Aid Project Nos. IM-0055-02(291) / 110067301, NHPP-0055-02(287) / 110043301 & IM-0055-02(292) / 110068301 in Madison County.

PROJECT COMPLETION: 129 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

9 Acre	201-D002	Random Clearing
1,440 Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
76 Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
147 Square Yard	202-B063	Removal of Concrete Paved Ditch
6,390 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
363 Linear Feet	202-B169	Removal of Joint Material
7,590 Linear Feet	202-B240	Removal of Traffic Stripe
620 Linear Feet	202-B276	Removal of Debris from Drainage Channel
334 Cubic Yard	203-G001	Excess Excavation, FM, AH
2,840 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
3 Cubic Yard	221-A001	Concrete Paved Ditch
541 Ton	304-D002	Granular Material, Crushed Stone
318,050 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
101 Linear Feet	503-C010	Saw Cut, Full Depth
4,765 Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
40 Each	606-C001	Guard Rail, Cable Anchor Type 1, Metal Post
14 Each	606-D003	Guard Rail, Bridge End Section, Special Design
14 Each	606-D005	Guard Rail, Bridge End Section, Type A
4 Each	606-D018	Guard Rail, Bridge End Section, Type G, Modified
4 Each	606-D023	Guard Rail, Bridge End Section, Type I, Metal Post
28 Each	606-E005	Guard Rail, Terminal End Section, Flared
12 Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
63 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
320 Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint

63	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
320	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
60	Mile	619-A3001	Temporary Traffic Stripe, Skip White
320	Linear Feet	619-A3004	Temporary Traffic Stripe, Skip White, Paint
61,964	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
120	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
351	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
141	Each	619-F3001	Delineators, Guard Rail, White
110	Each	619-F3002	Delineators, Guard Rail, Yellow
126	Linear Feet	619-G4001	Barricades, Type III, Double Faced
72	Linear Feet	619-G4005	Barricades, Type III, Single Faced
21	Each	619-G5001	Free Standing Plastic Drums
23	Each	619-G7001	Warning Lights, Type "B"
4	Each	619-G8001	Warning Lights, Type "C"
1	Lump Sum	620-A001	Mobilization
24	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
20	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
12,156	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
23,513	Gallon	907-402-B001	Bituminous Tack Coat
538	Ton	907-403-A013	9.5-mm, HT, Asphalt Pavement
100	Ton	907-403-B001	12.5-mm, HT, Asphalt Pavement, Leveling
8,400	Linear Feet	907-403-S002	Joint Sealant
1,713	Ton	907-405-A002	Stone Matrix Asphalt, 12.5 mm Mixture
6,856	Gallon	907-407-A001	Asphalt for Tack Coat
55,382	Gallon	907-418-A001	Emulsified Asphalt for Micro-Surfacing
3,724	Ton	907-418-B001	Aggregate for Micro-Surfacing
6,200	Pounds	907-420-A001	Undersealing
19,858	Gallon	907-428-C001	Bituminous-Based Fog Seal with Rejuvenator
16,261	Gallon	907-428-D001	Bio-Based Fog Seal with Rejuvenator
1	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures

1	Lump Sum	907-618-A001	Maintenance of Traffic
1,000	Hours	907-618-M2001	Work Zone Law Enforcement
2	Each	907-619-E3001	Changeable Message Sign
320	Linear Feet	907-626-A009	6" Thermoplastic Traffic Stripe, Skip White
30	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
320	Linear Feet	907-626-B005	6" Thermoplastic Traffic Stripe, Continuous White
32	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
32	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
320	Linear Feet	907-626-E006	6" Thermoplastic Traffic Stripe, Continuous Yellow
30,982	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
614	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
6,783	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
14	Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted

Bridge Items

366	Ton	815-A002	Loose Riprap, Size 100
300	Ton	815-A006	Loose Riprap, Size 200
950	Square Yard	815-E001	Geotextile under Riprap
6,000	Pounds	907-420-A001	Undersealing
3	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
4,298	Linear Feet	907-808-A002	Joint Repair
2,159	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
4,298	Linear Feet	907-823-B001	Saw Cut, Type I
48	Square Feet	907-824-A003	General Epoxy Repair
8	Each	907-824-C001	Cap Cleaning
60	Each	907-824-D002	Bearing Replacements, Prestressed Concrete Girder
96	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck
1	Lump Sum	907-824-PP004	Bridge Repair, Slope Reshaping, Per Plans
20	Cubic Yard	907-828-A001	Hybrid Polymer Concrete Overlay

Mill & Overlay approximately 2.5 miles of US 49 from SR 1 to the Isle of Capri Parkway, known as Federal Aid Project No. STBG-0057-01(008) / 110222301 in Coahoma County.

PROJECT COMPLETION: APRIL 30, 2027

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,875 Ton	304-B004	Granular Material, Class 5, Group D
56 Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
14,469 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
2 Mile	423-A001	Rumble Strips, Ground In Ground in 12"
5 Mile	423-A001	Rumble Strips, Ground In Ground in 6"
1 Square Feet	618-B001	Additional Construction Signs
10 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
2 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
5 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
14,882 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
240 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
360 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
2,950 Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
4,263 Gallon	907-407-A001	Asphalt for Tack Coat
3,768 Linear Feet	907-413-A001	Joint Sealer Material, Mastic Patching Material
22,568 Linear Feet	907-413-D001	Cleaning and Filling Joints and Cracks
14,992 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
140 Gallon	907-428-A001	Bituminous Fog Seal
1 Lump Sum	907-618-A001	Maintenance of Traffic
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips
5 Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
3 Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
1 Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
6,687 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White

754	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
240	Square Feet	907-626-H009	Thermoplastic Legend, White
97	Linear Feet	907-626-H010	Thermoplastic Legend, White
56	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
203	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
362	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers

Bridge Items

261	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck
6	Cubic Yard	907-824-PP007	Bridge Repair, High Early Strength Concrete

CALL No. 08

Bridge Repair on SR 532 over Stream (Bridge No. 13.5), known as Federal Aid Project No. STBG-0209-00(007) / 110227301 in Covington County.

PROJECT COMPLETION: 39 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

3,479	Square Feet	802-A001	Permanent Steel Sheet Piling
113	Ton	815-A007	Loose Riprap, Size 300
55	Square Yard	815-E001	Geotextile under Riprap
3,000	Pounds	907-420-B001	Deep Injection Undersealing
1	Lump Sum	907-824-PP004	Bridge Repair, Installation of Timber Lagging

Roadway Items

84	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
300	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
50	Ton	304-D002	Granular Material, Crushed Stone
250	Linear Feet	503-C010	Saw Cut, Full Depth
50	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D019	Guard Rail, Bridge End Section, Type H
4	Each	606-E001	Guard Rail, Terminal End Section
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
16	Each	630-F006	Delineators, Guard Rail, White
1	Lump Sum	907-618-A001	Maintenance of Traffic
4	Each	907-619-E3001	Changeable Message Sign

CALL No. 09

Bridge Repair on SR 433 over Mound Creek (Bridge No. 11.6), known as Federal Aid Project No. STBG-0510-00(012) / 110184301 in Yazoo County.

PROJECT COMPLETION: 46 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
32	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign

Bridge Items

5	Square Feet	907-824-A003	General Epoxy Repair
240	Square Feet	907-824-B003	FRP Wrap, Bi-directional
48	Linear Feet	907-824-E001	Epoxy Injection
1	Lump Sum	907-824-PP004	Bridge Repair, Bank Reshaping, Per Plans
1	Lump Sum	907-824-PP004	Bridge Repair, Removal of Concrete Debris

CALL No. 10

Safety Improvements & Pavement Markings approximately 30.3 miles of MS 309 from Byhalia to MS 4 and on MS 349 from MS 701 to the Union County Line, known as Federal Aid Project No. HRRR-0914-00(042) / 110212301 in Marshall County.

PROJECT COMPLETION: 62 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

30	Each	202-B213	Removal of Sign
143	Each	202-B215	Removal of Sign Including Post & Footing
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
186	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
173	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
754	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
2,160	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
83	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Lump Sum	907-618-A001	Maintenance of Traffic
7	Mile	907-626-A003	Thermoplastic Audible Traffic Stripe, Centerline Skip - Passing Zone
22	Mile	907-626-A004	Thermoplastic Audible Traffic Stripe, Centerline Skip - No-Passing Zone
57	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
8	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
49	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
16,150	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
9,750	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
5,840	Linear Feet	907-626-H010	Thermoplastic Legend, White
1,208	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
3,685	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
7,371	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers

CALL No. 11

Bridge Removal on SR 373 (Bridge Nos. 9.9 & 10.3), known as Federal Aid Project No. STBG-2708-00(002) / 109707301,302 in Lowndes and Monroe County.

PROJECT COMPLETION: 81 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2 Each	202-B023	Removal of Bridge
4,334 Square Yard	202-B188	Removal of Pavement, All Types and Depths
6,320 Square Yard	203-I002	Site Grading
3 Acre	225-A001	Grassing
3,300 Linear Feet	237-A002	Wattles, 20"
16 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
128 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24 Linear Feet	619-G4001	Barricades, Type III, Double Faced
48 Linear Feet	619-G4007	Barricades, Type III, Single Faced, Permanent, Red/White
6 Each	619-G7001	Warning Lights, Type "B"
1 Lump Sum	620-A001	Mobilization
80 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
75 Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
3,300 Linear Feet	907-234-A001	Temporary Silt Fence
1 Lump Sum	907-618-A001	Maintenance of Traffic
2 Each	907-619-E3001	Changeable Message Sign

CALL No. 12

Installation of Audible Thermoplastic Traffic Markings & Thermoplastic Pavement Markings on US 51 for approximately 12.7 miles from the Tate County Line to Hernando, approximately 18.8 miles from Batesville to the Tate County Line, and approximately 9.7 miles from the Panola County Line to Senatobia & Coldwater to the Desoto County Line, known as Federal Aid Project Nos. HRRR-7889-00(007) / 110211301, HRRR-7889-00(007) / 110211302 & HRRR-7889-00(007) / 110211303 in Desoto, Panola & Tate Counties.

PROJECT COMPLETION: 73 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

406	Each	202-B213	Removal of Sign
350	Each	202-B215	Removal of Sign Including Post & Footing
3	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
1,753	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
787	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
1,651	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
15	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
5,235	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
185	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Lump Sum	907-618-A001	Maintenance of Traffic
15	Mile	907-626-A003	Thermoplastic Audible Traffic Stripe, Centerline Skip - Passing Zone
19	Mile	907-626-A004	Thermoplastic Audible Traffic Stripe, Centerline Skip - No-Passing Zone
2	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
88	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
31	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
40	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
48,653	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
85,920	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4,655	Square Feet	907-626-H009	Thermoplastic Legend, White
15,616	Linear Feet	907-626-H010	Thermoplastic Legend, White
4,756	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
658	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
5,948	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

5,120 Each

907-627-M001 One-Way Clear Reflective High Performance Raised Markers

CALL No. 13

Bridge Repair on SR 348 over Kings Creek (Bridge No. 0.9), known as State Project No. SP-9647-00(003) / 110120301 in Union County.

PROJECT COMPLETION: 50 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

25	Linear Feet	202-B136	Removal of Guard Rail
800	Linear Feet	202-B240	Removal of Traffic Stripe
1	Each	606-D009	Guard Rail, Bridge End Section, Type C
720	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
200	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
200	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
144	Linear Feet	619-A6008	Temporary Traffic Stripe, Legend, Type 1 or 2 Tape
38	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
184	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
80	Linear Feet	619-F1001	Concrete Median Barrier, Precast
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
6	Each	619-G7001	Warning Lights, Type "B"
2	Each	619-J1002	Impact Attenuator, 45 MPH
2	Each	619-J2002	Impact Attenuator, 45 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
1	Each	630-F006	Delineators, Guard Rail, White
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-H2001	Traffic Signal, Portable, Type 1
400	Linear Feet	907-626-B005	6" Thermoplastic Traffic Stripe, Continuous White
200	Linear Feet	907-626-D006	6" Thermoplastic Traffic Stripe, Skip Yellow
200	Linear Feet	907-626-E006	6" Thermoplastic Traffic Stripe, Continuous Yellow
3	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Bridge Items

3	Square Feet	907-824-A003	General Epoxy Repair
3	Linear Feet	907-824-PP008	Bridge Repair, New Construction of End Wall Railing

3	Linear Feet	907-824-PP008	Bridge Repair, Removal of End Wall Railing
---	-------------	---------------	--

36	Linear Feet	907-824-PP008	Bridge Repair, Steel Bridge Railing
----	-------------	---------------	-------------------------------------

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR