

## SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

|              |          |       |                  |              |          |       |                  |
|--------------|----------|-------|------------------|--------------|----------|-------|------------------|
| ADDENDUM NO. | <u>1</u> | DATED | <u>9/16/2026</u> | ADDENDUM NO. | <u>4</u> | DATED | <u>9/23/2026</u> |
| ADDENDUM NO. | <u>2</u> | DATED | <u>9/18/2026</u> | ADDENDUM NO. | <u>5</u> | DATED | <u>9/24/2026</u> |
| ADDENDUM NO. | <u>3</u> | DATED | <u>9/21/2016</u> | ADDENDUM NO. |          | DATED |                  |

Number

Description

- 1 Revised Header on SP 907-405-2; Revised Bid Items; Revised or Added Plan Sheet Nos. Detail 104101302: RVP-1, 23, 25, 8001-8003; Detail 104101305: Cover Sheet, RVP-1, 20-23, 28 & 54; Detail 108281301: 8001 & 8005; Amendment EBSx Download Required.
- 2 Revised Table of Contents; Added NTB No. 8301; Amendment EBSx Download Required.
- 3 Postponed til September 29, 2026; Amendment EBSx Download Required.
- 4 Revised Table of Contents; Revised Advertisement; Added NTB No. 8300; Amendment EBSx Download Required.
- 5 Revised Table of Contents; Added NTB No. 8437; Revised Bid Items; Amendment EBSx Download Required.

TOTAL ADDENDA: 5

(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE \_\_\_\_\_

Contractor

BY \_\_\_\_\_

Signature

TITLE \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY, STATE, ZIP \_\_\_\_\_

PHONE \_\_\_\_\_

FAX \_\_\_\_\_

E-MAIL \_\_\_\_\_

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of \_\_\_\_\_ and the names, titles and business addresses of the executives are as follows:

President

Address

Secretary

Address

Treasurer

Address

The following is my (our) itemized proposal.

STBG-0056-01(076)/ 104101302000, STBG-0056-01(127)/ 104101305000 & NHPP-0056-01(105)/ 108281301000  
Rankin County(ies)

Revised 01/26/2016

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**  
**TABLE OF CONTENTS**

**PROJECT: STBG-0056-01(076)/104101302 - Rankin**  
**STBG-0056-01(127)/104101305 - Rankin**  
**NHPP-0056-01(105)/108281301 - Rankin**

Section 901 - Advertisement

Section 904 - Notice to Bidders

|       |                                                                         |
|-------|-------------------------------------------------------------------------|
| #1    | Governing Specification, w/ Supplement                                  |
| #2    | Status of ROW, w/ Attachments                                           |
| #3    | Final Cleanup                                                           |
| #22   | Exposure to Severe Sulfate Areas Below Ground Level                     |
| #296  | Reduced Speed Limit Signs                                               |
| #445  | Mississippi Agent or Qualified Nonresident Agent                        |
| #516  | Errata and Modifications to the 2017 Standard Specifications            |
| #757  | Additional Erosion Control Requirements                                 |
| #1225 | Early Notice to Proceed                                                 |
| #1226 | Material Storage Under Bridges                                          |
| #1241 | Fuel and Material Adjustments                                           |
| #1434 | Erosion Control Plan                                                    |
| #1963 | Guardrail Pads                                                          |
| #2172 | App for Storm Water Reports                                             |
| #2206 | MASH Compliant Devices                                                  |
| #2273 | Mississippi Special Fuel Tax Law                                        |
| #2812 | Traffic Signal and ITS Components                                       |
| #2895 | Exploratory Joint Cleanout                                              |
| #2954 | Reflective Sheeting for Signs                                           |
| #3676 | Asphalt Gyratory Compactor Internal Angle Calibration                   |
| #3875 | General ITS Requirements                                                |
| #3963 | Super Silt Fence                                                        |
| #4113 | Unique Entity ID Requirement For Federal Funded Projects                |
| #4638 | Storm Water Discharge Associated with Construction Activity (> 5 Acres) |
| #4699 | Right-of-Way Plat                                                       |
| #4702 | App for Traffic Control Report                                          |
| #5086 | Detail of Square Tube Sign Posts                                        |
| #5551 | Federal Bridge Formula                                                  |
| #5570 | Special Provisions Related to Concrete                                  |
| #7304 | Erosion Control Contract Compliance                                     |
| #8191 | Obligation Date                                                         |
| #8291 | Contract Time                                                           |
| #8292 | Specialty Items                                                         |
| #8293 | Permit for the Placement of Fill Material in Federally Regulated Waters |
| #8294 | Additional Construction Requirements                                    |
| #8295 | Temporary Construction Signs                                            |
| #8296 | Underground Utilities                                                   |
| #8297 | A+C Bidding                                                             |
| #8298 | Milestone                                                               |
| #8299 | Liquidated Damages                                                      |

**PROJECT: STBG-0056-01(076)/104101302 - Rankin**  
**STBG-0056-01(127)/104101305 - Rankin**  
**NHPP-0056-01(105)/108281301 - Rankin**

|       |                                                                  |
|-------|------------------------------------------------------------------|
| #8300 | Lane Closure Restrictions                                        |
| #8301 | Substitution for Jacked or Bored Concrete Pipe                   |
| #8437 | Pay Item Correction                                              |
| 906   | Required Federal Contract Provisions -- FHWA 1273, w/Supplements |

Section 907 - Special Provisions

|            |                                                           |
|------------|-----------------------------------------------------------|
| 907-101-1  | Definitions and Terms                                     |
| 907-102-2  | Bidding Requirements and Conditions                       |
| 907-104-2  | Minor Alterations to the Contract                         |
| 907-105-3  | Control of Work                                           |
| 907-106-5  | Control of Materials                                      |
| 907-107-2  | Contractor's Erosion Control Plan                         |
| 907-108-4  | Subletting of Contract                                    |
| 907-108-6  | Default and Termination of Contract                       |
| 907-109-5  | Measurement and Payment                                   |
| 907-234-1  | Silt Fence                                                |
| 907-253-1  | Coir Fiber Baffle                                         |
| 907-401-4  | Asphalt Pavements - General                               |
| 907-403-4  | Asphalt Pavements                                         |
| 907-405-2  | Stone Matrix Asphalt                                      |
| 907-407-1  | Tack Coat                                                 |
| 907-413-2  | Cleaning and Sealing Joints and Cracks                    |
| 907-416-5  | High Friction Surface Treatment                           |
| 907-501-1  | Concrete Pavement                                         |
| 907-502-1  | Concrete Bridge End Pavement                              |
| 907-512-1  | Pressure Grouting Concrete Pavement                       |
| 907-601-1  | Structural Concrete                                       |
| 907-605-1  | Underdrains                                               |
| 907-616-1  | Colored and Imprinted Concrete Median and Island Pavement |
| 907-618-11 | Work Zone Law Enforcement                                 |
| 907-618-12 | Traffic Control Management                                |
| 907-619-5  | Traffic Control for Construction Zones                    |
| 907-626-12 | Thermoplastic Traffic Markings                            |
| 907-627-1  | Raised Pavement Markings                                  |
| 907-631-1  | Traffic Signal Systems - General, w/Supplement            |
| 907-632-1  | Traffic Signal Cabinet Assemblies                         |
| 907-634-4  | Traffic Signal and ITS Equipment Poles                    |
| 907-636-3  | Electrical Cable                                          |
| 907-637-3  | Traffic Signal Conduit and Pull Boxes                     |
| 907-643-5  | Video Vehicle Detection                                   |
| 907-650-5  | On-Street Video Equipment                                 |
| 907-653-1  | Traffic and Street Name Signs                             |
| 907-659-5  | Traffic Management Center (TMC) Modifications             |
| 907-660-1  | ITS Equipment Cabinets                                    |
| 907-661-6  | Fiber Optic Cable (OSP), w/ Supplement                    |
| 907-663-6  | Networking Equipment                                      |

**PROJECT: STBG-0056-01(076)/104101302 - Rankin**  
**STBG-0056-01(127)/104101305 - Rankin**  
**NHPP-0056-01(105)/108281301 - Rankin**

|            |                                                  |
|------------|--------------------------------------------------|
| 907-681-1  | Wire and Conduit Testing                         |
| 907-700-3  | Materials and Tests w/Attachment                 |
| 907-701-4  | Hydraulic Cement, w/ Supplement                  |
| 907-702-4  | Bituminous Materials                             |
| 907-703-2  | Gradation                                        |
| 907-705-1  | Stone Riprap                                     |
| 907-707-3  | Joint Materials                                  |
| 907-708-4  | Concrete Pipe                                    |
| 907-711-2  | Plain Steel Wire                                 |
| 907-712-1  | Fence and Guardrail                              |
| 907-713-1  | Waterproofing Admixture                          |
| 907-714-4  | Miscellaneous Materials                          |
| 907-718-1  | Timber and Dimension Lumber                      |
| 907-720-4  | Pavement Marking Materials                       |
| 907-721-4  | Materials for Signing                            |
| 907-722-1  | Materials for Traffic Signal Installation        |
| 907-799-1  | Hydraulic Cement Concrete Mixtures, w/Supplement |
| 907-803-5  | Test Piles, w/ Supplement                        |
| 907-803-6  | Deep Foundations                                 |
| 907-804-13 | Concrete Bridges and Structures w/ Supplement    |
| 907-808-1  | Joint Repair                                     |
| 907-823-8  | Preformed Joint Seal                             |

906-9 Training Special Provisions

Section 905 - Proposal, Proposal Bid Items, Combination Bid Proposal

Certification of Performance - Prior Federal-Aid Contracts

Certification Regarding Non-Collusion, Debarment and Suspension

SAM.GOV Registration and Unique Entity ID

Section 902 - Contract Form

Section 903 - Contract Bond Forms

Pile and Driving Equipment Data Form

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET  
OF SECTION 905 AS ADDENDA)

09/24/2026 02:10 PM

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**

**SECTION 904 - NOTICE TO BIDDERS NO. 8437**

**CODE: (SP)**

**DATE: 9/24/2026**

**SUBJECT: Pay Item Correction**

**PROJECT: STBG-0056-01(076) / 104101302 – Rankin County**  
**STBG-0056-01(127) / 104101305 – Rankin County**  
**NHPP-0056-01(105) / 108281301 – Rankin County**

Bidders are hereby advised of the following pay item changes:

Pay Item No. **304-D002, Granular Material, Crushed Stone**, will be used in lieu of Pay Item No. 304-B003, Granular Material, Class 5, Group C. Any reference to Pay Item No. 304-B003 in the Contract Plans is understood to mean Pay Item No. 304-D002, Granular Material, Crushed Stone.

The Bid Sheets are correct.

Add 2 Lanes on SR 25 from Grants Ferry to SR 471, Ramp Improvements & Roundabouts on MS 471 at the SR 25 Interchange Ramps and Spillway Road, & Bridge Preservation (Bridge No. 12.7) on SR 25 over Plummer Slough, known as Federal Aid Project Nos. STBG-0056-01(076) / 104101302, STBG-0056-01(127) / 104101305 & NHPP-0056-01(105) / 108281301 in Rankin County.

| Line No.             | Item Code | Adj Code | Quantity | Units       | Description [Fixed Unit Price]                                  |
|----------------------|-----------|----------|----------|-------------|-----------------------------------------------------------------|
| <b>Roadway Items</b> |           |          |          |             |                                                                 |
| 0010                 | 201-B001  |          | 14       | Acre        | Clearing and Grubbing                                           |
| 0020                 | 201-D001  |          | 12       | Station     | Random Clearing                                                 |
| 0030                 | 202-A001  |          | 1        | Lump Sum    | Removal of Obstructions                                         |
| 0040                 | 202-B006  |          | 19,047   | Square Yard | Removal of Asphalt Paved Shoulders, All Depths                  |
| 0050                 | 202-B007  |          | 19,834   | Square Yard | Removal of Asphalt Pavement, All Depths                         |
| 0060                 | 202-B029  |          | 12       | Square Yard | Removal of Bridge End Pavement                                  |
| 0070                 | 202-B045  |          | 188      | Square Yard | Removal of Cement Treated Base, All Depths                      |
| 0080                 | 202-B052  |          | 70       | Square Yard | Removal of Concrete Driveways, All Depths                       |
| 0090                 | 202-B059  |          | 3,287    | Square Yard | Removal of Concrete Median & Island Pavement, All Depths        |
| 0100                 | 202-B063  |          | 6,146    | Square Yard | Removal of Concrete Paved Ditch                                 |
| 0110                 | 202-B073  |          | 535      | Square Yard | Removal of Concrete Pavement, All Depths                        |
| 0120                 | 202-B088  |          | 10,115   | Linear Feet | Removal of Curb & Gutter, All Types                             |
| 0130                 | 202-B129  |          | 20       | Each        | Removal of Flared End Section, All Sizes                        |
| 0140                 | 202-B158  |          | 704      | Linear Feet | Removal of Guard Rail, Including Rails, Posts and Terminal Ends |
| 0150                 | 202-B165  |          | 26       | Each        | Removal of Inlets, All Sizes                                    |
| 0160                 | 202-B170  |          | 1        | Each        | Removal of Junction Box                                         |
| 0170                 | 202-B191  |          | 1,552    | Linear Feet | Removal of Pipe, 8" And Above                                   |
| 0180                 | 202-B204  |          | 140      | Linear Feet | Removal of Retaining Wall                                       |
| 0190                 | 202-B215  |          | 15       | Each        | Removal of Sign Including Post & Footing                        |
| 0200                 | 202-B239  |          | 16       | Each        | Removal of Traffic Signal                                       |
| 0210                 | 202-B240  |          | 8,000    | Linear Feet | Removal of Traffic Stripe                                       |
| 0220                 | 203-A001  | (E)      | 90,330   | Cubic Yard  | Unclassified Excavation, FM, AH                                 |
| 0230                 | 203-EX008 | (E)      | 15,455   | Cubic Yard  | Borrow Excavation, AH, FME, Class B15                           |
| 0240                 | 203-G001  | (E)      | 25,517   | Cubic Yard  | Excess Excavation, FM, AH                                       |
| 0250                 | 206-A001  | (S)      | 3,933    | Cubic Yard  | Structure Excavation                                            |
| 0260                 | 206-B001  | (E)      | 127      | Cubic Yard  | Select Material for Undercuts, Contractor Furnished, FM         |
| 0270                 | 209-A005  |          | 194,328  | Square Yard | Geotextile Stabilization, Type V, Non-Woven                     |
| 0280                 | 211-B001  | (E)      | 13,000   | Cubic Yard  | Topsoil for Slope Treatment, Contractor Furnished               |
| 0290                 | 213-C001  |          | 33       | Ton         | Superphosphate                                                  |
| 0300                 | 216-A001  |          | 8,456    | Square Yard | Solid Sodding                                                   |
| 0310                 | 217-A001  |          | 12,053   | Square Yard | Ditch Liner                                                     |

| Line No. | Item Code | Adj Code | Quantity | Units           | Description [Fixed Unit Price]                                          |
|----------|-----------|----------|----------|-----------------|-------------------------------------------------------------------------|
| 0320     | 219-A001  |          | 170      | Thousand Gallon | Watering [\$20.00]                                                      |
| 0330     | 220-A001  |          | 66       | Acre            | Insect Pest Control [\$30.00]                                           |
| 0340     | 221-A001  | (S)      | 2,140    | Cubic Yard      | Concrete Paved Ditch                                                    |
| 0350     | 223-A001  |          | 192      | Acre            | Mowing [\$70.00]                                                        |
| 0360     | 225-A001  |          | 65       | Acre            | Grassing                                                                |
| 0370     | 225-B001  |          | 33       | Ton             | Agricultural Limestone                                                  |
| 0380     | 225-C001  |          | 133      | Ton             | Mulch, Vegetative Mulch                                                 |
| 0390     | 226-A001  |          | 65       | Acre            | Temporary Grassing                                                      |
| 0400     | 227-A001  |          | 1        | Acre            | Hydroseeding                                                            |
| 0410     | 229-A001  |          | 1,259    | Square Yard     | Erosion Mat                                                             |
| 0420     | 236-A008  |          | 2        | Each            | Silt Basin, Type D                                                      |
| 0430     | 237-A001  |          | 4,096    | Linear Feet     | Wattles, 12"                                                            |
| 0440     | 237-A002  |          | 9,144    | Linear Feet     | Wattles, 20"                                                            |
| 0450     | 239-A001  |          | 1,000    | Linear Feet     | Temporary Slope Drains                                                  |
| 0460     | 245-A001  |          | 6,384    | Linear Feet     | Silt Dike                                                               |
| 0470     | 246-A001  |          | 5,952    | Linear Feet     | Sandbags                                                                |
| 0480     | 246-B002  |          | 6,384    | Linear Feet     | Rockbags                                                                |
| 0490     | 249-A001  |          | 1,537    | Ton             | Riprap for Erosion Control                                              |
| 0500     | 249-B001  |          | 150      | Cubic Yard      | Remove and Reset Riprap                                                 |
| 0520     | 304-D002  | (GT)     | 32,594   | Ton             | Granular Material, Crushed Stone                                        |
| 0530     | 305-B001  | (GT)     | 150      | Ton             | Size I Stabilizer Aggregate, Coarse                                     |
| 0540     | 406-D001  |          | 74,246   | Square Yard     | Fine Milling of Bituminous Pavement, All Depths                         |
| 0550     | 406-E002  |          | 160      | Square Yard     | Fine Milling of Concrete Pavement, All Depths                           |
| 0560     | 413-B001  |          | 40,000   | Linear Feet     | Cleaning and Sealing Joints                                             |
| 0570     | 413-C002  |          | 8        | Mile            | Cleaning and Sealing Cracks                                             |
| 0580     | 423-A001  |          | 1        | Mile            | Rumble Strips, Ground In                                                |
| 0590     | 501-D001  |          | 42       | Linear Feet     | Expansion Joints, With Dowels                                           |
| 0600     | 501-I001  |          | 24       | Linear Feet     | Joint Filler, Wooden Board                                              |
| 0610     | 503-A001  | (C)      | 191      | Square Yard     | 8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish |
| 0620     | 503-A002  | (C)      | 485      | Square Yard     | 8" and Variable Jointed Concrete Pavement                               |
| 0630     | 503-B001  |          | 306      | Linear Feet     | Saw Cut, Longitudinal Joints                                            |
| 0640     | 503-C004  |          | 197      | Linear Feet     | Saw Cut, 3-inch                                                         |

| Line No. | Item Code | Adj Code | Quantity | Units       | Description [Fixed Unit Price]                          |
|----------|-----------|----------|----------|-------------|---------------------------------------------------------|
| 0650     | 503-C010  |          | 38,267   | Linear Feet | Saw Cut, Full Depth                                     |
| 0660     | 503-D001  |          | 94       | Cubic Yard  | Concrete for Base Repair                                |
| 0670     | 503-E002  |          | 86       | Each        | Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted |
| 0680     | 602-A001  | (S)      | 31,078   | Pounds      | Reinforcing Steel                                       |
| 0690     | 603-CA011 | (S)      | 2,942    | Linear Feet | 18" Reinforced Concrete Pipe, Class III                 |
| 0700     | 603-CA022 | (S)      | 208      | Linear Feet | 18" Reinforced Concrete Pipe, Class V, Jacked or Bored  |
| 0710     | 603-CA026 | (S)      | 512      | Linear Feet | 24" Reinforced Concrete Pipe, Class III                 |
| 0720     | 603-CA040 | (S)      | 24       | Linear Feet | 30" Reinforced Concrete Pipe, Class III                 |
| 0730     | 603-CA053 | (S)      | 480      | Linear Feet | 30" Reinforced Concrete Pipe, Class V, Jacked or Bored  |
| 0740     | 603-CA055 | (S)      | 368      | Linear Feet | 36" Reinforced Concrete Pipe, Class III                 |
| 0750     | 603-CA065 | (S)      | 232      | Linear Feet | 36" Reinforced Concrete Pipe, Class V, Jacked or Bored  |
| 0760     | 603-CA076 | (S)      | 720      | Linear Feet | 48" Reinforced Concrete Pipe, Class III                 |
| 0770     | 603-CA087 | (S)      | 56       | Linear Feet | 54" Reinforced Concrete Pipe, Class III                 |
| 0780     | 603-CB003 | (S)      | 36       | Each        | 18" Reinforced Concrete End Section                     |
| 0790     | 603-CB004 | (S)      | 13       | Each        | 24" Reinforced Concrete End Section                     |
| 0800     | 603-CB005 | (S)      | 5        | Each        | 30" Reinforced Concrete End Section                     |
| 0810     | 603-CB006 | (S)      | 13       | Each        | 36" Reinforced Concrete End Section                     |
| 0820     | 603-CB008 | (S)      | 14       | Each        | 48" Reinforced Concrete End Section                     |
| 0830     | 603-CB009 | (S)      | 1        | Each        | 54" Reinforced Concrete End Section                     |
| 0840     | 603-CE013 | (S)      | 48       | Linear Feet | 36" x 23" Concrete Arch Pipe, Class A III               |
| 0850     | 603-CF004 | (S)      | 2        | Each        | 36" x 23" Concrete Arch Pipe End Section                |
| 0860     | 603-SB014 | (S)      | 3        | Each        | 18" Branch Connections, Stub into Concrete Box Culvert  |
| 0870     | 603-SB019 | (S)      | 1        | Each        | 18" Branch Connections, Stub into Existing Inlet        |
| 0880     | 604-A001  |          | 2,793    | Pounds      | Castings                                                |
| 0890     | 604-B001  |          | 7,300    | Pounds      | Gratings                                                |
| 0900     | 606-B001  |          | 475      | Linear Feet | Guard Rail, Class A, Type 1                             |
| 0910     | 606-B006  |          | 100      | Linear Feet | Guard Rail, Class A, Type 1, Double Faced               |
| 0920     | 606-C003  |          | 2        | Each        | Guard Rail, Cable Anchor, Type 1                        |
| 0930     | 606-D019  |          | 2        | Each        | Guard Rail, Bridge End Section, Type H                  |
| 0940     | 606-D022  |          | 2        | Each        | Guard Rail, Bridge End Section, Type I                  |
| 0950     | 606-E003  |          | 1        | Each        | Guard Rail, Terminal End Section, Double Faced          |
| 0960     | 606-E005  |          | 4        | Each        | Guard Rail, Terminal End Section, Flared                |
| 0970     | 606-E007  |          | 2        | Each        | Guard Rail, Terminal End Section, Non-Flared            |

| Line No. | Item Code | Adj Code | Quantity | Units       | Description [Fixed Unit Price]                                 |
|----------|-----------|----------|----------|-------------|----------------------------------------------------------------|
| 0980     | 609-B003  | (S)      | 972      | Linear Feet | Concrete Curb, Special Design , Rolled Face Curb               |
| 0990     | 609-C003  | (S)      | 640      | Linear Feet | Concrete Integral Curb, Type 3                                 |
| 1000     | 609-D001  | (S)      | 20       | Linear Feet | Combination Concrete Curb and Gutter Type 1                    |
| 1010     | 609-D004  | (S)      | 11,730   | Linear Feet | Combination Concrete Curb and Gutter Type 2 Modified           |
| 1020     | 609-D012  | (S)      | 11,355   | Linear Feet | Combination Concrete Curb and Gutter Type 3A Modified          |
| 1030     | 612-B001  |          | 150      | Cubic Yard  | Flowable Fill, Non-Excavatable                                 |
| 1040     | 614-B001  | (S)      | 70       | Square Yard | Concrete Driveway, With Reinforcement                          |
| 1050     | 616-A001  | (S)      | 420      | Square Yard | Concrete Median and/or Island Pavement, 10-inch                |
| 1060     | 616-A004  | (S)      | 4,460    | Square Yard | Concrete Median and/or Island Pavement, 4-inch                 |
| 1070     | 617-A001  |          | 20       | Each        | Right-of-Way Marker                                            |
| 1080     | 617-B001  |          | 8        | Each        | Permanent Easement Marker                                      |
| 1090     | 619-A1001 |          | 34       | Mile        | Temporary Traffic Stripe, Continuous White                     |
| 1100     | 619-A2001 |          | 25       | Mile        | Temporary Traffic Stripe, Continuous Yellow                    |
| 1110     | 619-A3001 |          | 38       | Mile        | Temporary Traffic Stripe, Skip White                           |
| 1120     | 619-A3002 |          | 1,103    | Linear Feet | Temporary Traffic Stripe, Skip White                           |
| 1130     | 619-A5001 |          | 321,495  | Linear Feet | Temporary Traffic Stripe, Detail                               |
| 1140     | 619-A6001 |          | 15,477   | Square Feet | Temporary Traffic Stripe, Legend                               |
| 1150     | 619-A6002 |          | 12,468   | Linear Feet | Temporary Traffic Stripe, Legend                               |
| 1160     | 619-C6001 |          | 9,583    | Each        | Red-Clear Reflective High Performance Raised Marker            |
| 1170     | 619-C7001 |          | 5,152    | Each        | Two-Way Yellow Reflective High Performance Raised Marker       |
| 1180     | 619-D1001 |          | 1,481    | Square Feet | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 1190     | 619-D2001 |          | 2,981    | Square Feet | Standard Roadside Construction Signs, 10 Square Feet or More   |
| 1200     | 619-E1001 |          | 9        | Each        | Flashing Arrow Panel, Type C                                   |
| 1210     | 619-F1001 |          | 27,290   | Linear Feet | Concrete Median Barrier, Precast                               |
| 1220     | 619-F2001 |          | 10,920   | Linear Feet | Remove and Reset Concrete Median Barrier, Precast              |
| 1230     | 619-G4001 |          | 1,468    | Linear Feet | Barricades, Type III, Double Faced                             |
| 1240     | 619-G4005 |          | 514      | Linear Feet | Barricades, Type III, Single Faced                             |
| 1250     | 619-G5001 |          | 2,072    | Each        | Free Standing Plastic Drums                                    |
| 1260     | 619-G7001 |          | 374      | Each        | Warning Lights, Type "B"                                       |
| 1270     | 619-H1001 |          | 1        | Lump Sum    | Traffic Signals                                                |
| 1280     | 619-J1002 |          | 9        | Each        | Impact Attenuator, 45 MPH                                      |
| 1290     | 619-J1003 |          | 26       | Each        | Impact Attenuator, 50 MPH                                      |

| Line No. | Item Code | Adj Code | Quantity | Units       | Description [Fixed Unit Price]                                                  |
|----------|-----------|----------|----------|-------------|---------------------------------------------------------------------------------|
| 1300     | 619-J2003 |          | 10       | Each        | Impact Attenuator, 50 MPH, Replacement Package                                  |
| 1310     | 620-A001  |          | 1        | Lump Sum    | Mobilization                                                                    |
| 1320     | 622-A004  |          | 1        | Each        | Engineer's Field Office Building, Type 3                                        |
| 1330     | 630-A001  |          | 118      | Square Feet | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness                       |
| 1340     | 630-A003  |          | 2,904    | Square Feet | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness                       |
| 1350     | 630-A005  |          | 412      | Square Feet | Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness                         |
| 1360     | 630-B002  |          | 395      | Square Feet | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted   |
| 1370     | 630-B003  |          | 301      | Square Feet | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted |
| 1380     | 630-C001  |          | 868      | Linear Feet | Square Tube Posts, 4.0 lb/ft                                                    |
| 1390     | 630-C004  |          | 347      | Linear Feet | Square Tube Posts, 9.0 lb/ft                                                    |
| 1400     | 630-C005  |          | 3,004    | Linear Feet | Square Tube Posts, 2.0 lb/ft                                                    |
| 1410     | 630-C1001 |          | 200      | Linear Feet | Square Post Inner Sleeve                                                        |
| 1420     | 630-D008  |          | 103      | Linear Feet | Structural Steel Beams, W6 x 9                                                  |
| 1430     | 630-E002  |          | 307      | Pounds      | Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles                           |
| 1440     | 630-F006  |          | 24       | Each        | Delineators, Guard Rail, White                                                  |
| 1450     | 630-F007  |          | 14       | Each        | Delineators, Guard Rail, Yellow                                                 |
| 1460     | 630-F010  |          | 54       | Each        | Delineators, Post Mounted, Double White                                         |
| 1470     | 630-F011  |          | 18       | Each        | Delineators, Post Mounted, Double Yellow                                        |
| 1480     | 630-F012  |          | 20       | Each        | Delineators, Post Mounted, Single White                                         |
| 1490     | 630-F013  |          | 12       | Each        | Delineators, Post Mounted, Single Yellow                                        |
| 1500     | 630-G005  |          | 26       | Each        | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted                             |
| 1510     | 630-I003  |          | 1        | Lump Sum    | Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed               |
| 1520     | 630-I015  |          | 1        | Lump Sum    | Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed               |
| 1530     | 635-A059  |          | 37       | Each        | Traffic Signal Head, Type 1                                                     |
| 1540     | 635-A061  |          | 2        | Each        | Traffic Signal Head, Type 2                                                     |
| 1550     | 635-A065  |          | 10       | Each        | Traffic Signal Head, Type 2 FYA                                                 |
| 1560     | 635-A070  |          | 6        | Each        | Traffic Signal Head, Type 3                                                     |
| 1570     | 635-A073  |          | 4        | Each        | Traffic Signal Head, Type 4                                                     |
| 1580     | 638-A003  |          | 1        | Each        | Flashing Assembly, Be Prepared to Stop When Flashing                            |
| 1590     | 638-A006  |          | 2        | Each        | Flasher Assembly, Prepare To Stop                                               |
| 1600     | 647-A001  |          | 1        | Lump Sum    | Removal of Existing Traffic Signal Equipment                                    |
| 1610     | 682-E002  |          | 6        | Each        | Underground Junction Box                                                        |

| Line No. | Item Code    | Adj Code | Quantity | Units       | Description [Fixed Unit Price]                           |
|----------|--------------|----------|----------|-------------|----------------------------------------------------------|
| 1620     | 685-C001     |          | 6        | Each        | Temporary Lighting Assemblies                            |
| 1630     | 685-D001     |          | 3        | Each        | Service Pole                                             |
| 1640     | 699-A001     |          | 1        | Lump Sum    | Roadway Construction Stakes                              |
| 1650     | 815-A007     | (S)      | 2,031    | Ton         | Loose Riprap, Size 300                                   |
| 1660     | 815-E001     | (S)      | 2,710    | Square Yard | Geotextile under Riprap                                  |
| 1670     | 815-F002     | (S)      | 812      | Ton         | Sediment Control Stone                                   |
| 1680     | 907-234-A001 |          | 36,560   | Linear Feet | Temporary Silt Fence                                     |
| 1690     | 907-234-C001 |          | 400      | Linear Feet | Super Silt Fence                                         |
| 1700     | 907-234-D001 |          | 51       | Each        | Inlet Siltation Guard                                    |
| 1710     | 907-234-E001 |          | 39       | Each        | Reset Inlet Siltation Guard                              |
| 1720     | 907-234-F001 |          | 130      | Linear Feet | Turbidity Barrier                                        |
| 1730     | 907-253-A001 |          | 360      | Linear Feet | Coir Fiber Baffle                                        |
| 1740     | 907-403-A001 | (BA1)    | 22,657   | Ton         | 12.5-mm, HT, Asphalt Pavement                            |
| 1750     | 907-403-A002 | (BA1)    | 1,964    | Ton         | 12.5-mm, MT, Asphalt Pavement                            |
| 1760     | 907-403-A003 | (BA1)    | 4,515    | Ton         | 12.5-mm, ST, Asphalt Pavement                            |
| 1770     | 907-403-A005 | (BA1)    | 1,316    | Ton         | 19-mm, MT, Asphalt Pavement                              |
| 1780     | 907-403-A006 | (BA1)    | 23,632   | Ton         | 19-mm, ST, Asphalt Pavement                              |
| 1790     | 907-403-A013 | (BA1)    | 5,450    | Ton         | 9.5-mm, HT, Asphalt Pavement                             |
| 1800     | 907-403-A014 | (BA1)    | 2,605    | Ton         | 9.5-mm, MT, Asphalt Pavement                             |
| 1810     | 907-403-A015 | (BA1)    | 1,832    | Ton         | 9.5-mm, ST, Asphalt Pavement                             |
| 1820     | 907-403-B001 | (BA1)    | 9,367    | Ton         | 12.5-mm, HT, Asphalt Pavement, Leveling                  |
| 1830     | 907-403-B002 | (BA1)    | 88       | Ton         | 12.5-mm, MT, Asphalt Pavement, Leveling                  |
| 1840     | 907-403-B003 | (BA1)    | 1,602    | Ton         | 12.5-mm, ST, Asphalt Pavement, Leveling                  |
| 1850     | 907-403-C003 | (BA1)    | 95       | Ton         | 19-mm, ST, Asphalt Pavement, Trench Widening             |
| 1860     | 907-403-S001 |          | 24       | Mile        | Joint Sealant                                            |
| 1870     | 907-405-A001 | (BA1)    | 12,578   | Ton         | Stone Matrix Asphalt, 9.5 mm Mixture                     |
| 1880     | 907-405-A002 | (BA1)    | 18,670   | Ton         | Stone Matrix Asphalt, 12.5 mm Mixture                    |
| 1890     | 907-407-A001 | (A2)     | 35,491   | Gallon      | Asphalt for Tack Coat                                    |
| 1900     | 907-413-E001 |          | 5,592    | Linear Feet | Sawing and Sealing Transverse Joints in Asphalt Pavement |
| 1910     | 907-416-A001 |          | 1,098    | Square Yard | High Friction Surface Treatment                          |
| 1920     | 907-501-F001 |          | 40       | Linear Feet | Concrete Lug Anchors                                     |
| 1930     | 907-502-A001 | (C)      | 94       | Square Yard | Reinforced Cement Concrete Bridge End Pavement           |
| 1940     | 907-512-A001 |          | 500      | Each        | Holes                                                    |

| Line No. | Item Code     | Adj Code | Quantity | Units       | Description [Fixed Unit Price]                                               |
|----------|---------------|----------|----------|-------------|------------------------------------------------------------------------------|
| 1950     | 907-512-B001  |          | 200      | Pounds      | Cement Pressure Grout Slurry, Type 5                                         |
| 1960     | 907-512-C001  |          | 1        | Mile        | Preliminary Testing                                                          |
| 1970     | 907-512-D001  |          | 100      | Each        | Stability Testing, Lane Joint                                                |
| 1980     | 907-512-E001  |          | 100      | Each        | Stability Testing, Lane Crack                                                |
| 1990     | 907-601-A001  | (S)      | 111      | Cubic Yard  | Class "B" Structural Concrete                                                |
| 2000     | 907-601-B001  | (S)      | 164      | Cubic Yard  | Class "B" Structural Concrete, Minor Structures                              |
| 2010     | 907-616-C002  | (S)      | 1,452    | Square Feet | Colored and Imprinted Concrete Median and Island Pavement, 12-inch Thickness |
| 2020     | 907-618-A001  |          | 1        | Lump Sum    | Maintenance of Traffic                                                       |
| 2030     | 907-618-M2001 |          | 5,027    | Hours       | Work Zone Law Enforcement [\$60.00]                                          |
| 2040     | 907-619-E3001 |          | 21       | Each        | Changeable Message Sign                                                      |
| 2050     | 907-626-A009  |          | 643      | Linear Feet | 6" Thermoplastic Traffic Stripe, Skip White                                  |
| 2060     | 907-626-A010  |          | 12       | Mile        | 6" Thermoplastic Traffic Stripe, Skip White                                  |
| 2070     | 907-626-B005  |          | 5,681    | Linear Feet | 6" Thermoplastic Traffic Stripe, Continuous White                            |
| 2080     | 907-626-B006  |          | 6        | Mile        | 6" Thermoplastic Traffic Stripe, Continuous White                            |
| 2090     | 907-626-E005  |          | 5        | Mile        | 6" Thermoplastic Traffic Stripe, Continuous Yellow                           |
| 2100     | 907-626-E006  |          | 4,212    | Linear Feet | 6" Thermoplastic Traffic Stripe, Continuous Yellow                           |
| 2110     | 907-626-G004  |          | 99,056   | Linear Feet | Thermoplastic Detail Stripe, White                                           |
| 2120     | 907-626-G005  |          | 32,988   | Linear Feet | Thermoplastic Detail Stripe, Yellow                                          |
| 2130     | 907-626-H009  |          | 5,341    | Square Feet | Thermoplastic Legend, White                                                  |
| 2140     | 907-626-H010  |          | 5,759    | Linear Feet | Thermoplastic Legend, White                                                  |
| 2150     | 907-627-J001  |          | 1,094    | Each        | Two-Way Clear Reflective High Performance Raised Markers                     |
| 2160     | 907-627-K001  |          | 4,138    | Each        | Red-Clear Reflective High Performance Raised Markers                         |
| 2170     | 907-627-L001  |          | 1,960    | Each        | Two-Way Yellow Reflective High Performance Raised Markers                    |
| 2180     | 907-632-A007  |          | 5        | Each        | Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller    |
| 2190     | 907-632-J001  |          | 6        | Each        | Power Service Pedestal                                                       |
| 2200     | 907-634-A104  |          | 3        | Each        | Traffic Signal Equipment Pole, Type II, 22' Shaft, 25' Arm                   |
| 2210     | 907-634-A106  |          | 1        | Each        | Traffic Signal Equipment Pole, Type II, 22' Shaft, 35' Arm                   |
| 2220     | 907-634-A107  |          | 1        | Each        | Traffic Signal Equipment Pole, Type II, 22' Shaft, 40' Arm                   |
| 2230     | 907-634-A108  |          | 1        | Each        | Traffic Signal Equipment Pole, Type II, 22' Shaft, 45' Arm                   |
| 2240     | 907-634-A110  |          | 1        | Each        | Traffic Signal Equipment Pole, Type II, 22' Shaft, 55' Arm                   |
| 2250     | 907-634-A111  |          | 1        | Each        | Traffic Signal Equipment Pole, Type II, 22' Shaft, 60' Arm                   |
| 2260     | 907-634-A116  |          | 1        | Each        | Traffic Signal Equipment Pole, Type II, 22' Shaft, 85' Arm                   |

| Line No. | Item Code    | Adj Code | Quantity | Units       | Description [Fixed Unit Price]                                         |
|----------|--------------|----------|----------|-------------|------------------------------------------------------------------------|
| 2270     | 907-634-A117 |          | 2        | Each        | Traffic Signal Equipment Pole, Type II, 22' Shaft, 90' Arm             |
| 2280     | 907-634-A118 |          | 2        | Each        | Traffic Signal Equipment Pole, Type II, 22' Shaft, 95' Arm             |
| 2290     | 907-634-A137 |          | 1        | Each        | Traffic Signal Equipment Pole, Type II, 40' Shaft, 100' Arm            |
| 2300     | 907-634-A151 |          | 2        | Each        | Traffic Signal Equipment Pole, Type II, 40' Shaft, 90' Arm             |
| 2310     | 907-634-A152 |          | 2        | Each        | Traffic Signal Equipment Pole, Type II, 40' Shaft, 95' Arm             |
| 2320     | 907-634-C001 |          | 72       | Cubic Yard  | Pole Foundations, Class "B" Concrete                                   |
| 2330     | 907-634-E004 |          | 1        | Each        | Camera Pole with Foundation, 80' Pole                                  |
| 2340     | 907-634-K001 |          | 1        | Each        | Camera Lowering Device                                                 |
| 2350     | 907-636-B013 |          | 1,390    | Linear Feet | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 4 Conductor |
| 2360     | 907-636-B016 |          | 5,420    | Linear Feet | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor |
| 2370     | 907-636-B025 |          | 1,550    | Linear Feet | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 6, 3 Conductor  |
| 2380     | 907-636-B027 |          | 765      | Linear Feet | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2 Conductor  |
| 2390     | 907-636-B036 |          | 330      | Linear Feet | Electric Cable, Underground in Conduit, THHN, AWG #1, 4 Conductor      |
| 2400     | 907-636-B056 |          | 220      | Linear Feet | Electric Cable, Underground in Conduit, THHN, AWG #8, 3 Conductor      |
| 2410     | 907-637-A002 |          | 16       | Each        | Pullbox Enclosure, Type 2                                              |
| 2420     | 907-637-A003 |          | 9        | Each        | Pullbox Enclosure, Type 3                                              |
| 2430     | 907-637-A004 |          | 13       | Each        | Pullbox Enclosure, Type 4                                              |
| 2440     | 907-637-A005 |          | 6        | Each        | Pullbox Enclosure, Type 5                                              |
| 2450     | 907-637-C028 |          | 725      | Linear Feet | Traffic Signal Conduit, Underground, Type 4, 2"                        |
| 2460     | 907-637-C030 |          | 135      | Linear Feet | Traffic Signal Conduit, Underground, Type 4, 3"                        |
| 2470     | 907-637-D002 |          | 1,530    | Linear Feet | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2" |
| 2480     | 907-637-D003 |          | 2,540    | Linear Feet | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3" |
| 2490     | 907-637-H001 |          | 17,001   | Linear Feet | Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"          |
| 2500     | 907-637-H002 |          | 275      | Linear Feet | Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2"              |
| 2510     | 907-643-A004 |          | 28       | Each        | Video Vehicle Detection Sensor, Type 1A                                |
| 2520     | 907-643-B001 |          | 8,515    | Linear Feet | Video Vehicle Detection Cable                                          |
| 2530     | 907-643-C002 |          | 5        | Each        | Video Vehicle Detection Processor, Type 1                              |
| 2540     | 907-650-A002 |          | 8        | Each        | On Street Video Equipment, Fixed Type                                  |
| 2550     | 907-650-A003 |          | 6        | Each        | On Street Video Equipment, PTZ Type                                    |
| 2560     | 907-650-A004 |          | 5        | Each        | On Street Video Equipment, PTZ Type, Signal Monitoring                 |
| 2570     | 907-653-B001 |          | 121      | Square Feet | Street Name Sign                                                       |

| Line No.                           | Item Code     | Adj Code | Quantity | Units       | Description [Fixed Unit Price]                      |
|------------------------------------|---------------|----------|----------|-------------|-----------------------------------------------------|
| 2580                               | 907-659-A001  |          | 1        | Lump Sum    | Traffic Management Center Modifications             |
| 2590                               | 907-660-A002  |          | 1        | Each        | Equipment Cabinet, Type B                           |
| 2600                               | 907-660-A003  |          | 1        | Each        | Equipment Cabinet, Type C                           |
| 2610                               | 907-661-A004  |          | 16,742   | Linear Feet | Fiber Optic Cable, 72 SM                            |
| 2620                               | 907-661-B002  |          | 311      | Linear Feet | Fiber Optic Drop Cable, 12 SM                       |
| 2630                               | 907-663-A002  |          | 6        | Each        | Network Switch, Type B                              |
| 2640                               | 907-663-D001  |          | 1,590    | Linear Feet | Category 6 Cable, Installed in Conduit              |
| 2650                               | 907-681-A1001 |          | 1        | Lump Sum    | Wire Testing                                        |
| 2660                               | 907-906001    |          | 720      | Hours       | Trainees [\$5.00]                                   |
| <b>ALTERNATE GROUP AA NUMBER 1</b> |               |          |          |             |                                                     |
| 2670                               | 304-F001      | (GT)     | 71,110   | Ton         | 3/4" and Down Crushed Stone Base                    |
| <b>ALTERNATE GROUP AA NUMBER 2</b> |               |          |          |             |                                                     |
| 2680                               | 304-F002      | (GT)     | 71,110   | Ton         | Size 610 Crushed Stone Base                         |
| <b>ALTERNATE GROUP AA NUMBER 3</b> |               |          |          |             |                                                     |
| 2690                               | 304-F003      | (GT)     | 71,110   | Ton         | Size 825B Crushed Stone Base                        |
| <b>Bridge Items</b>                |               |          |          |             |                                                     |
| 2700                               | 202-B026      |          | 85       | Square Yard | Removal of Bridge Deck                              |
| 2710                               | 202-B037      |          | 300      | Linear Feet | Removal of Bridge Railing                           |
| 2720                               | 202-B275      |          | 10       | Square Yard | Removal of Part of End Bent Cap, Curb, and Wingwall |
| 2730                               | 203-F001      | (E)      | 1,720    | Cubic Yard  | Channel Excavation, FM                              |
| 2740                               | 304-D004      | (GT)     | 150      | Ton         | Granular Material, Size 57                          |
| 2750                               | 803-D007      | (S)      | 750      | Linear Feet | HP 14 x 89 Steel Piling                             |
| 2760                               | 804-C065      | (S)      | 159      | Linear Feet | 40' Prestressed Concrete Beam, Type I+2             |
| 2770                               | 804-C104      | (S)      | 140      | Linear Feet | 70' Prestressed Concrete Beam, Type III             |
| 2780                               | 805-A001      | (S)      | 63,512   | Pounds      | Reinforcement                                       |
| 2790                               | 813-A004      | (S)      | 303      | Linear Feet | Concrete Railing, 36"                               |
| 2800                               | 815-A007      | (S)      | 9,004    | Ton         | Loose Riprap, Size 300                              |
| 2810                               | 815-A009      | (S)      | 1,380    | Ton         | Loose Riprap, Size 500                              |
| 2820                               | 815-E001      | (S)      | 6,796    | Square Yard | Geotextile under Riprap                             |
| 2830                               | 907-803-I003  | (S)      | 2        | Each        | PDA Test Pile, HP Steel Pile                        |
| 2840                               | 907-803-J001  | (S)      | 2        | Each        | Pile Restrike                                       |
| 2850                               | 907-804-A002  | (S)      | 35       | Cubic Yard  | Bridge Concrete, Class AA                           |
| 2860                               | 907-804-A004  | (S)      | 71       | Cubic Yard  | Bridge Concrete, Class BD                           |

| Line No. | Item Code     | Adj Code | Quantity | Units       | Description [Fixed Unit Price]                                                          |
|----------|---------------|----------|----------|-------------|-----------------------------------------------------------------------------------------|
| 2870     | 907-804-B001  | (S)      | 235      | Cubic Yard  | Box Bridge Concrete, Class B                                                            |
| 2880     | 907-808-A002  | (S)      | 302      | Linear Feet | Joint Repair                                                                            |
| 2890     | 907-823-A001  |          | 217      | Linear Feet | Preformed Joint Seal, Type I                                                            |
| 2900     | 907-823-B001  |          | 302      | Linear Feet | Saw Cut, Type I                                                                         |
| 2910     | 907-824-PP004 |          | 1        | Lump Sum    | Bridge Repair, Dewatering and Water Diversion Measurements                              |
| 2920     | 907-824-PP006 |          | 1        | Each        | Bridge Repair, Removal of Existing Headwall, Apron, Wing Walls, and a Portion of Barrel |