

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO.	<u>1</u>	DATED	<u>10/8/2026</u>	ADDENDUM NO.	_____	DATED	_____
ADDENDUM NO.	_____	DATED	_____	ADDENDUM NO.	_____	DATED	_____
ADDENDUM NO.	_____	DATED	_____	ADDENDUM NO.	_____	DATED	_____

Number

Description

1 Revised Bid Items; Amendment EBSx Download Required.

TOTAL ADDENDA: 1

(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

Contractor

BY _____

Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

President

Address

Secretary

Address

Treasurer

Address

The following is my (our) itemized proposal.

STP-0055-02(271)/ 108168301000 & STP-0055-02(275)/ 108168302000

Madison County(ies)

Revised 01/26/2016

Add 2 Lanes to I-55 from SR 463 to Gluckstadt Road, & Mill & Overlay approximately 0.77 miles on I-55 from Gluckstadt Road north, known as Federal Aid Project Nos. STP-0055-02(271) / 108168301 & STP-0055-02(275) / 108168302 in Madison County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
Roadway Items					
0010	201-B001		30	Acre	Clearing and Grubbing
0020	201-D001		16	Station	Random Clearing
0030	202-B007		2,580	Square Yard	Removal of Asphalt Pavement, All Depths
0040	202-B017		4	Each	Removal of Box Bridge
0050	202-B019		39	Linear Feet	Removal of Box Culvert
0060	202-B059		471	Square Yard	Removal of Concrete Median & Island Pavement, All Depths
0070	202-B060		40	Linear Feet	Removal of Concrete Median Barrier
0080	202-B061		11,500	Linear Feet	Removal of Concrete Median Barrier, Precast
0090	202-B063		121	Square Yard	Removal of Concrete Paved Ditch
0100	202-B069		34,294	Square Yard	Removal of Concrete Pavement w/ Variable Depth Overlay
0110	202-B089		721	Linear Feet	Removal of Curb &/or Curb and Gutter, All Types
0120	202-B096		802	Linear Feet	Removal of Debris and Sand From Box Culvert, 10-foot and Greater Width
0130	202-B114		100	Linear Feet	Removal of Debris and Sand From Pipe, All Sizes
0140	202-B126		40,623	Linear Feet	Removal of Fence, All Types
0150	202-B150		4,679	Linear Feet	Removal of Guard Rail Including Post, Blockouts & Hardware
0160	202-B160		2	Each	Removal of High Mast Lighting Assembly
0170	202-B162		3	Each	Removal of Impact Attenuator
0180	202-B165		8	Each	Removal of Inlets, All Sizes
0190	202-B177		13	Each	Removal of Low Mast Lighting Assembly
0200	202-B191		538	Linear Feet	Removal of Pipe, 8" And Above
0210	202-B220		1	Each	Removal of Sign, Overhead Mounted Including Panels, Trust, and Footings
0220	202-B225		55,594	Square Yard	Removal of Soil Cement Shoulders with Asphalt Overlay
0230	202-B226		34,294	Square Yard	Removal of Soil Cement Treated Base, All Depths
0240	202-B226		14,175	Square Yard	Removal of Soil Cement Treated Base, All Depths - Milling
0250	202-B240		6,000	Linear Feet	Removal of Traffic Stripe
0260	202-B273		145	Linear Feet	Removal of Debris and Sand From Box Culvert, 6-foot to Less than 10-foot Width
0270	202-B276		690	Linear Feet	Removal of Debris from Drainage Channel
0280	203-EX021	(E)	583,811	Cubic Yard	Borrow Excavation, AH, FME, Class B9-6
0290	203-F001	(E)	15,151	Cubic Yard	Channel Excavation, FM
0300	203-G001	(E)	498,248	Cubic Yard	Excess Excavation, FM, AH
0310	206-A001	(S)	2,935	Cubic Yard	Structure Excavation

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0320	206-B001	(E)	96	Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM
0330	209-A005		279,624	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0340	211-B001	(E)	29,750	Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished
0350	213-C001		56	Ton	Superphosphate
0360	216-A001		2,873	Square Yard	Solid Sodding
0370	217-A001		2,209	Square Yard	Ditch Liner
0380	219-A001		59	Thousand Gallon	Watering [\$20.00]
0390	220-A001		56	Acre	Insect Pest Control [\$30.00]
0400	221-A001	(S)	3,548	Cubic Yard	Concrete Paved Ditch
0410	223-A001		851	Acre	Mowing [\$70.00]
0420	224-A001		7,370	Square Yard	Soil Reinforcing Mat
0430	225-A001		111	Acre	Grassing
0440	225-B001		56	Ton	Agricultural Limestone
0450	225-C001		222	Ton	Mulch, Vegetative Mulch
0460	226-A001		111	Acre	Temporary Grassing
0470	236-A008		8	Each	Silt Basin, Type D
0480	237-A002		4,500	Linear Feet	Wattles, 20"
0490	239-A001		2,000	Linear Feet	Temporary Slope Drains
0500	245-A001		2,000	Linear Feet	Silt Dike
0510	246-B002		4,000	Linear Feet	Rockbags
0520	249-A001		8,000	Ton	Riprap for Erosion Control
0530	304-D002	(GT)	18,150	Ton	Granular Material, Crushed Stone
0540	307-B003	(M)	118,950	Square Yard	6" Soil-Lime-Water Mixing, Class B
0550	307-D001		1,606	Ton	Lime
0560	307-S001	(A3)	29,738	Gallon	Bituminous Curing Seal
0570	308-A001		1,071	Ton	Cement
0580	308-B003	(M)	118,950	Square Yard	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
0590	308-S001	(A3)	29,738	Gallon	Bituminous Curing Seal
0600	406-D001		302,705	Square Yard	Fine Milling of Bituminous Pavement, All Depths
0610	423-A001		17	Mile	Rumble Strips, Ground In
0620	501-K001		222	Square Yard	Transverse Grooving
0630	503-C010		40,670	Linear Feet	Saw Cut, Full Depth
0640	602-A001	(S)	48,821	Pounds	Reinforcing Steel

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0650	603-ALT003	(S)	72	Linear Feet	18" Type A Alternate Pipe
0660	603-CA011	(S)	1,032	Linear Feet	18" Reinforced Concrete Pipe, Class III
0670	603-CA022	(S)	2,024	Linear Feet	18" Reinforced Concrete Pipe, Class V, Jacked or Bored
0680	603-CA026	(S)	824	Linear Feet	24" Reinforced Concrete Pipe, Class III
0690	603-CA038	(S)	632	Linear Feet	24" Reinforced Concrete Pipe, Class V, Jacked or Bored
0700	603-CA040	(S)	8	Linear Feet	30" Reinforced Concrete Pipe, Class III
0710	603-CA055	(S)	96	Linear Feet	36" Reinforced Concrete Pipe, Class III
0720	603-CA065	(S)	224	Linear Feet	36" Reinforced Concrete Pipe, Class V, Jacked or Bored
0730	603-CA066	(S)	16	Linear Feet	42" Reinforced Concrete Pipe, Class III
0740	603-CB003	(S)	28	Each	18" Reinforced Concrete End Section
0750	603-CB004	(S)	20	Each	24" Reinforced Concrete End Section
0760	603-CB005	(S)	1	Each	30" Reinforced Concrete End Section
0770	603-CB006	(S)	4	Each	36" Reinforced Concrete End Section
0780	603-CB007	(S)	2	Each	42" Reinforced Concrete End Section
0790	603-CE008	(S)	104	Linear Feet	29" x 18" Concrete Arch Pipe, Class A III
0800	603-CE018	(S)	88	Linear Feet	44" x 27" Concrete Arch Pipe, Class A III
0810	603-CE034	(S)	40	Linear Feet	65" x 40" Concrete Arch Pipe, Class A III
0820	603-CF003	(S)	2	Each	29" x 18" Concrete Arch Pipe End Section
0830	603-CF005	(S)	2	Each	44" x 27" Concrete Arch Pipe End Section
0840	603-CF008	(S)	2	Each	65" x 40" Concrete Arch Pipe End Section
0850	603-SB012	(S)	4	Each	18" Branch Connections, Stub into Box Culvert
0860	603-SB028	(S)	2	Each	24" Branch Connections, Stub into Box Culvert
0870	604-A001		79	Pounds	Castings
0880	604-B001		10,897	Pounds	Gratings
0890	605-AA001	(S)	424	Square Yard	Geotextile for Subsurface Drainage, Type III
0900	605-O002	(S)	762	Linear Feet	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
0910	605-P002	(S)	190	Linear Feet	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
0920	605-W001	(GY)	29	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
0930	606-B001		550	Linear Feet	Guard Rail, Class A, Type 1
0940	606-B006		313	Linear Feet	Guard Rail, Class A, Type 1, Double Faced
0950	606-C003		1	Each	Guard Rail, Cable Anchor, Type 1
0960	606-D022		4	Each	Guard Rail, Bridge End Section, Type I
0970	606-E001		5	Each	Guard Rail, Terminal End Section

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0980	607-B018		40,947	Linear Feet	60" Type I Chain Link Fence, Class II
0990	607-E001		600	Linear Feet	Barbed Wire Fence, Single Strand
1000	607-G127		12	Each	Gate, 3' x 60" Chain Link
1010	607-P1003		8	Each	Line Post, 14' x 2 1/2" Galvanized Steel
1020	607-P1008		3,834	Each	Line Post, 7' x 1 1/2" Galvanized Steel
1030	607-P2004		247	Each	Brace Post, 7 1/2' x 2" Galvanized Steel
1040	607-P2022		8	Each	Brace Post, 5' x 2 1/2" Galvanized Steel
1050	607-P3004		24	Each	Gate Post, 8' x 2 1/2" Galvanized Steel
1060	608-A001	(S)	870	Square Yard	Concrete Sidewalk, Without Reinforcement
1070	609-C001	(S)	173	Linear Feet	Concrete Integral Curb, Type 1
1080	609-D004	(S)	1,785	Linear Feet	Combination Concrete Curb and Gutter Type 2 Modified
1090	609-D007	(S)	3,101	Linear Feet	Combination Concrete Curb and Gutter Type 3 Modified
1100	612-B001		22	Cubic Yard	Flowable Fill, Non-Excavatable
1110	615-A004	(S)	287	Linear Feet	Concrete Bridge End Barrier, 43.5"
1120	615-A007	(S)	256	Linear Feet	Concrete Pier Protection Barrier, 54"
1130	615-A023	(S)	34,372	Linear Feet	Concrete Type IV Modified, 42" Height, Cast-in-Place Median Barrier
1140	616-A001	(S)	155	Square Yard	Concrete Median and/or Island Pavement, 10-inch
1150	616-A004	(S)	1,127	Square Yard	Concrete Median and/or Island Pavement, 4-inch
1160	616-B001	(S)	776	Square Yard	Bituminous Median and/or Island Pavement
1170	617-A001		3	Each	Right-of-Way Marker
1180	619-A1001		84	Mile	Temporary Traffic Stripe, Continuous White
1190	619-A2001		81	Mile	Temporary Traffic Stripe, Continuous Yellow
1200	619-A3001		96	Mile	Temporary Traffic Stripe, Skip White
1210	619-A5001		142,991	Linear Feet	Temporary Traffic Stripe, Detail
1220	619-A6001		3,431	Square Feet	Temporary Traffic Stripe, Legend
1230	619-A6002		2,568	Linear Feet	Temporary Traffic Stripe, Legend
1240	619-C6001		20,347	Each	Red-Clear Reflective High Performance Raised Marker
1250	619-C8001		2,075	Each	One-Way Clear Reflective High Performance Raised Marker
1260	619-C9001		2,099	Each	One-Way Yellow Reflective High Performance Raised Marker
1270	619-D1001		95	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
1280	619-D2001		2,060	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
1290	619-F1001		9,920	Linear Feet	Concrete Median Barrier, Precast
1300	619-F2001		85,000	Linear Feet	Remove and Reset Concrete Median Barrier, Precast

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1310	619-G4005		228	Linear Feet	Barricades, Type III, Single Faced
1320	619-G5001		1,151	Each	Free Standing Plastic Drums
1330	619-G7001		22	Each	Warning Lights, Type "B"
1340	619-J1004		6	Each	Impact Attenuator, 60 MPH
1350	619-J2004		6	Each	Impact Attenuator, 60 MPH, Replacement Package
1360	619-J3001		20	Each	Remove and Reset Impact Attenuator
1370	620-A001		1	Lump Sum	Mobilization
1380	622-A004		1	Each	Engineer's Field Office Building, Type 3
1390	629-A005		1	Each	Vehicular Impact Attenuator, 70 MPH
1400	630-A001		178	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1410	630-A003		469	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
1420	630-A005		349	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
1430	630-B002		378	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
1440	630-B003		7,776	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
1450	630-C001		559	Linear Feet	Square Tube Posts, 4.0 lb/ft
1460	630-C004		136	Linear Feet	Square Tube Posts, 9.0 lb/ft
1470	630-C005		944	Linear Feet	Square Tube Posts, 2.0 lb/ft
1480	630-C1001		64	Linear Feet	Square Post Inner Sleeve
1490	630-D006		51	Linear Feet	Structural Steel Beams, W6 x 12
1500	630-D008		136	Linear Feet	Structural Steel Beams, W6 x 9
1510	630-E001		63	Pounds	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
1520	630-E002		132	Pounds	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
1530	630-F006		28	Each	Delineators, Guard Rail, White
1540	630-F007		10	Each	Delineators, Guard Rail, Yellow
1550	630-F010		152	Each	Delineators, Post Mounted, Double White
1560	630-F011		54	Each	Delineators, Post Mounted, Double Yellow
1570	630-F012		61	Each	Delineators, Post Mounted, Single White
1580	630-F013		14	Each	Delineators, Post Mounted, Single Yellow
1590	630-G004		4	Each	Type 3 Object Markers, OM-3R or OM-3L
1600	630-I003		1	Lump Sum	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
1610	630-I004		1	Lump Sum	Metal Overhead Sign Supports, Assembly No. 10, Contractor Designed
1620	630-I005		1	Lump Sum	Metal Overhead Sign Supports, Assembly No. 11, Contractor Designed

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1630	630-I006		1	Lump Sum	Metal Overhead Sign Supports, Assembly No. 12, Contractor Designed
1640	630-I007		1	Lump Sum	Metal Overhead Sign Supports, Assembly No. 13, Contractor Designed
1650	630-I008		1	Lump Sum	Metal Overhead Sign Supports, Assembly No. 14, Contractor Designed
1660	630-I009		1	Lump Sum	Metal Overhead Sign Supports, Assembly No. 15, Contractor Designed
1670	630-I010		1	Lump Sum	Metal Overhead Sign Supports, Assembly No. 16, Contractor Designed
1680	630-I015		1	Lump Sum	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
1690	630-I020		1	Lump Sum	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed
1700	630-I022		1	Lump Sum	Metal Overhead Sign Supports, Assembly No. 4, Contractor Designed
1710	630-I024		1	Lump Sum	Metal Overhead Sign Supports, Assembly No. 5, Contractor Designed
1720	630-I025		1	Lump Sum	Metal Overhead Sign Supports, Assembly No. 6, Contractor Designed
1730	630-I026		1	Lump Sum	Metal Overhead Sign Supports, Assembly No. 7, Contractor Designed
1740	630-I027		1	Lump Sum	Metal Overhead Sign Supports, Assembly No. 8, Contractor Designed
1750	630-I028		1	Lump Sum	Metal Overhead Sign Supports, Assembly No. 9, Contractor Designed
1760	635-A059		12	Each	Traffic Signal Head, Type 1
1770	635-A065		2	Each	Traffic Signal Head, Type 2 FYA
1780	635-A070		2	Each	Traffic Signal Head, Type 3
1790	635-A073		1	Each	Traffic Signal Head, Type 4
1800	635-A076		2	Each	Traffic Signal Head, Type 6
1810	647-A001		1	Lump Sum	Removal of Existing Traffic Signal Equipment
1820	682-A005		4,378	Linear Feet	Underground Branch Circuit, AWG 1/0, 3 Conductor
1830	682-A007		2,642	Linear Feet	Underground Branch Circuit, AWG 1/0, 5 Conductor
1840	682-A018		8,904	Linear Feet	Underground Branch Circuit, AWG 2, 3 Conductor
1850	682-A034		3,180	Linear Feet	Underground Branch Circuit, AWG 6, 3 Conductor
1860	682-A039		1,680	Linear Feet	Underground Branch Circuit, AWG 8, 3 Conductor
1870	682-B005		90	Linear Feet	Underground Branch Circuit, Jacked or Bored, AWG 1/0, 3 Conductor
1880	682-B007		90	Linear Feet	Underground Branch Circuit, Jacked or Bored, AWG 1/0, 5 Conductor
1890	682-B016		620	Linear Feet	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
1900	682-B025		870	Linear Feet	Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor
1910	682-B032		490	Linear Feet	Underground Branch Circuit, Jacked or Bored, AWG 6, 3

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
					Conductor
1920	682-B037		340	Linear Feet	Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
1930	682-C006		200	Linear Feet	Structure Mounted Branch Circuit, AWG 1/0, 5 Conductor
1940	682-C009		480	Linear Feet	Structure Mounted Branch Circuit, AWG 10, 3 Conductor
1950	682-C015		150	Linear Feet	Structure Mounted Branch Circuit, AWG 2, 3 Conductor
1960	682-D002		10	Each	Structure Mounted Pull Box
1970	682-D003		38	Each	Underground Pull Box
1980	682-E001		3	Each	Structure Mounted Junction Box
1990	682-E003		21	Each	Underground Junction Box With Concrete Pad
2000	682-F002		3	Each	Secondary Power Controllers
2010	683-A002		32	Each	Lighting Assembly, High Mast, LED, Type 120-4-A
2020	683-A124		4	Each	Lighting Assembly, High Mast, LED, Type 120-8-S
2030	683-A137		1	Each	Lighting Assembly, High Mast, LED, Type 120-8-A
2040	683-A138		1	Each	Lighting Assembly, High Mast, LED, Type 120-6-A
2050	683-B212		11	Each	Lighting Assembly, Low Mast, LED, Type 40-1-8-110
2060	683-B213		1	Each	Lighting Assembly, Low Mast, LED, Type 40-2-8-110
2070	683-C010		8	Each	Lighting Assembly, Underpass, Type UP
2080	683-D001		1	Each	Portable Electric Power Units
2090	684-A003		12	Cubic Yard	Pole Foundation, 24" Diameter
2100	684-A006		271	Cubic Yard	Pole Foundation, 42" Diameter
2110	684-B003		8	Linear Feet	Slip Casing, 24" Diameter
2120	684-B006		20	Linear Feet	Slip Casing, 42" Diameter
2130	699-A001		1	Lump Sum	Roadway Construction Stakes
2140	815-A002	(S)	1,250	Ton	Loose Riprap, Size 100
2150	815-A007	(S)	7,050	Ton	Loose Riprap, Size 300
2160	815-E001	(S)	8,681	Square Yard	Geotextile under Riprap
2170	815-F002	(S)	3,000	Ton	Sediment Control Stone
2180	907-234-A001		17,000	Linear Feet	Temporary Silt Fence
2190	907-234-C001		2,575	Linear Feet	Super Silt Fence
2200	907-234-D001		15	Each	Inlet Siltation Guard
2210	907-234-E001		15	Each	Reset Inlet Siltation Guard
2220	907-248-A001		1	Lump Sum	Temporary Site Drainage
2230	907-253-A001		1,021	Linear Feet	Coir Fiber Baffle

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
2240	907-402-A002	(BA1)	11,193	Ton	Open Graded Friction Course, 9.5-mm Mixture
2250	907-402-B001	(A3)	39,202	Gallon	Bituminous Tack Coat
2260	907-403-A001	(BA1)	29,040	Ton	12.5-mm, HT, Asphalt Pavement
2270	907-403-A004	(BA1)	35,680	Ton	19-mm, HT, Asphalt Pavement
2280	907-403-A006	(BA1)	35,456	Ton	19-mm, ST, Asphalt Pavement
2290	907-403-A013	(BA1)	4,667	Ton	9.5-mm, HT, Asphalt Pavement
2300	907-403-A015	(BA1)	608	Ton	9.5-mm, ST, Asphalt Pavement
2310	907-403-B001	(BA1)	42,798	Ton	12.5-mm, HT, Asphalt Pavement, Leveling
2320	907-403-B010	(BA1)	5,921	Ton	9.5-mm, HT, Asphalt Pavement, Leveling
2330	907-403-S001		34	Mile	Joint Sealant
2340	907-405-A001	(BA1)	44,502	Ton	Stone Matrix Asphalt, 9.5 mm Mixture
2350	907-405-A002	(BA1)	20,101	Ton	Stone Matrix Asphalt, 12.5 mm Mixture
2360	907-407-A001	(A2)	116,816	Gallon	Asphalt for Tack Coat
2370	907-413-E001		576	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement
2380	907-501-F001		640	Linear Feet	Concrete Lug Anchors
2390	907-502-A001	(C)	1,693	Square Yard	Reinforced Cement Concrete Bridge End Pavement
2400	907-601-A001	(S)	302	Cubic Yard	Class "B" Structural Concrete
2410	907-601-B001	(S)	88	Cubic Yard	Class "B" Structural Concrete, Minor Structures
2420	907-608-C001		120	Square Feet	Detectable Warning Panels
2430	907-618-A001		1	Lump Sum	Maintenance of Traffic
2440	907-618-M1001		1	Lump Sum	Service Patrol
2450	907-618-M2001		4,640	Hours	Work Zone Law Enforcement [\$60.00]
2460	907-619-E3001		2	Each	Changeable Message Sign
2470	907-619-M1002		24	Each	Smart Work Zone, Portable Queue Trailer
2480	907-619-M1003		10	Each	Smart Work Zone, Portable Camera Trailer
2490	907-619-M1004		12	Each	Smart Work Zone, Portable Message Board Trailer
2500	907-619-M2001		58	Each	Smart Work Zone, Portable Queue Trailer, Operational Month
2510	907-619-M2002		58	Each	Smart Work Zone, Portable Camera Trailer, Operational Month
2520	907-619-M2003		58	Each	Smart Work Zone, Portable Message Board Trailer, Operational Month
2530	907-619-M2004		58	Each	Smart Work Zone, Portable Bluetooth Detection System, Additional Device, Operational Month
2540	907-619-M3002		58	Each	Smart Work Zone, System Monitoring, Operational Month
2550	907-626-A010		21	Mile	6" Thermoplastic Traffic Stripe, Skip White
2560	907-626-B006		14	Mile	6" Thermoplastic Traffic Stripe, Continuous White

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
2570	907-626-E005		13	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow
2580	907-626-G004		37,665	Linear Feet	Thermoplastic Detail Stripe, White
2590	907-626-G005		1,966	Linear Feet	Thermoplastic Detail Stripe, Yellow
2600	907-626-H009		1,096	Square Feet	Thermoplastic Legend, White
2610	907-626-H010		1,284	Linear Feet	Thermoplastic Legend, White
2620	907-627-K001		4,973	Each	Red-Clear Reflective High Performance Raised Markers
2630	907-632-A007		2	Each	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
2640	907-632-D001		2	Each	Solid State Traffic Actuated Controller, Type 1
2650	907-632-G001		2	Each	Malfunction Management Unit
2660	907-632-J001		6	Each	Power Service Pedestal
2670	907-634-A047		1	Each	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 55' Arm
2680	907-634-A083		1	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
2690	907-634-A374		1	Each	Traffic Signal Equipment Pole, Type III, 17' Shaft, 35' & 40' Arms
2700	907-634-A397		1	Each	Traffic Signal Equipment Pole, Type III, 17' Shaft, 50' & 50' Arms
2710	907-634-A545		1	Each	Traffic Signal Equipment Pole, Type VI, 8' Shaft
2720	907-634-C001		16	Cubic Yard	Pole Foundations, Class "B" Concrete
2730	907-634-E001		4	Each	Camera Pole with Foundation, 50' Pole
2740	907-636-B003		190	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor
2750	907-636-B014		425	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
2760	907-636-B016		915	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
2770	907-636-B025		225	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 6, 3 Conductor
2780	907-636-B043		40	Linear Feet	Electric Cable, Underground in Conduit, THHN, AWG #2, 4 Conductor
2790	907-636-B053		1,120	Linear Feet	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
2800	907-636-D001		40	Linear Feet	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 10, 2 Conductor
2810	907-636-D006		20	Linear Feet	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 5 Conductor
2820	907-636-D008		380	Linear Feet	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
2830	907-636-D022		40	Linear Feet	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 6, 3 Conductor
2840	907-637-A002		17	Each	Pullbox Enclosure, Type 2
2850	907-637-A003		2	Each	Pullbox Enclosure, Type 3
2860	907-637-A004		16	Each	Pullbox Enclosure, Type 4

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
2870	907-637-A005		11	Each	Pullbox Enclosure, Type 5
2880	907-637-C028		160	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 2"
2890	907-637-C030		105	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 3"
2900	907-637-D003		670	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
2910	907-637-H001		160	Linear Feet	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
2920	907-637-H002		445	Linear Feet	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2"
2930	907-637-I001		23,495	Linear Feet	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2 @ 2"
2940	907-637-I002		760	Linear Feet	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2"
2950	907-640-B001		440	Linear Feet	Shielded Cable, AWG #14, 2 Conductor
2960	907-641-A002		6	Each	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
2970	907-641-B002		8	Each	Signal Advanced Radar Vehicle Detection Sensor, Type 2
2980	907-641-C002		2	Each	ITS Radar Vehicle Detection Sensor
2990	907-641-D001		2,505	Linear Feet	Radar Vehicle Detection Cable
3000	907-641-F002		4	Each	Signal Radar Vehicle Detection Processor, Type 2
3010	907-641-G002		2	Each	ITS Radar Vehicle Detection Processor, Type 2
3020	907-645-B001		2	Each	Accessible Pedestrian Detection Assembly
3030	907-650-A002		12	Each	On Street Video Equipment, Fixed Type
3040	907-650-A003		6	Each	On Street Video Equipment, PTZ Type
3050	907-650-A004		5	Each	On Street Video Equipment, PTZ Type, Signal Monitoring
3060	907-653-A001		27	Square Feet	Traffic Sign
3070	907-656-A001		1	Each	Dynamic Message Sign, Type 1
3080	907-659-A001		1	Lump Sum	Traffic Management Center Modifications
3090	907-660-A002		5	Each	Equipment Cabinet, Type B
3100	907-660-A003		1	Each	Equipment Cabinet, Type C
3110	907-661-A004		20,470	Linear Feet	Fiber Optic Cable, 72 SM
3120	907-661-B002		3,805	Linear Feet	Fiber Optic Drop Cable, 12 SM
3130	907-663-A001		10	Each	Network Switch, Type A
3140	907-663-A002		1	Each	Network Switch, Type B
3150	907-663-A003		1	Each	Network Switch, Type C
3160	907-663-A005		2	Each	Network Switch, Type E
3170	907-666-A001		3	Each	Bluetooth Detection System, Type A
3180	907-682-A1011		440	Linear Feet	Branch Circuit Wire, AWG #2, 3 Conductor

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
3190	907-682-A1019		830	Linear Feet	Branch Circuit Wire, AWG #4, 3 Conductor
3200	907-906001		1,040	Hours	Trainees [\$5.00]
ALTERNATE GROUP AA NUMBER 1					
3210	304-F001	(GT)	117,600	Ton	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2					
3220	304-F002	(GT)	117,600	Ton	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3					
3230	304-F003	(GT)	117,600	Ton	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1					
3240	605-W002	(GY)	800	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
ALTERNATE GROUP BB NUMBER 2					
3250	605-W003	(GY)	800	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
Bridge Items					
3260	501-K001		5,588	Square Yard	Transverse Grooving
3270	605-AA001	(S)	2,476	Square Yard	Geotextile for Subsurface Drainage, Type III
3280	605-T002	(S)	3,262	Linear Feet	6" Perforated Pipe for Underdrains
3290	605-X002	(GY)	258	Cubic Yard	Filter Material for Filter Beds, Type A
3300	605-X003	(GY)	613	Cubic Yard	Filter Material for Filter Beds, Type B
3310	605-Y002	(GY)	1,059	Cubic Yard	Impervious Material, Type D
3320	803-C002	(S)	8,295	Linear Feet	14" x 14" Prestressed Concrete Piling
3330	803-D002	(S)	4,816	Linear Feet	HP 12 x 53 Steel Piling
3340	803-D006	(S)	7,608	Linear Feet	HP 14 x 73 Steel Piling
3350	803-D007	(S)	17,688	Linear Feet	HP 14 x 89 Steel Piling
3360	803-P015	(S)	5,425	Linear Feet	24" Steel Pipe Piling, Wall Thickness 0.625"
3370	804-C188	(S)	1,272	Linear Feet	80' Prestressed Concrete Beam, Type FIB-36
3380	804-C195	(S)	1,352	Linear Feet	85' Prestressed Concrete Beam, Type FIB-36
3390	804-C208	(S)	1,904	Linear Feet	60' Prestressed Concrete Beam, Type FIB-36
3400	804-C274	(S)	1,264	Linear Feet	40' Prestressed Concrete Beam, Type FIB-36
3410	805-A001	(S)	1,081,334	Pounds	Reinforcement
3420	805-C001	(S)	22,208	Pounds	Reinforcement, Corrosion Resistant
3430	813-A003	(S)	1,480	Linear Feet	Concrete Railing, 42"
3440	815-A007	(S)	6,937	Ton	Loose Riprap, Size 300
3450	815-E001	(S)	6,383	Square Yard	Geotextile under Riprap

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
3460	907-803-I002	(S)	2	Each	PDA Test Pile, Concrete Pile
3470	907-803-I003	(S)	23	Each	PDA Test Pile, HP Steel Pile
3480	907-803-I004	(S)	2	Each	PDA Test Pile, Steel Pipe Pile
3490	907-803-J001	(S)	27	Each	Pile Restrike
3500	907-804-A001	(S)	1,668	Cubic Yard	Bridge Concrete, Class BDx
3510	907-804-A002	(S)	882	Cubic Yard	Bridge Concrete, Class AA
3520	907-804-A003	(S)	4,726	Cubic Yard	Bridge Concrete, Class B
3530	907-823-A001		642	Linear Feet	Preformed Joint Seal, Type I