SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO.	1	DATED	10/20/2026	ADDENDUM NO.		DATED	
ADDENDUM NO	2	DATED	10/22/2026	ADDENDUM NO.		DATED	
ADDENDUM NO		DATED		ADDENDUM NO.		DATED	

Number	Description
1	Revised NTB No. 8390; Revised Bid Items; Revised Progress Schedule; Revised or Added Plan Sheet Nos. RVP-1,13-16, 8001 & 8002; Amendment EBSx Download Required.
2	Revised NTB No. 8389; Revised Bid Items; Amendment EBSx Download Required.

TOTAL ADDENDA: 2
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

_____
Contractor

BY _____
Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____
President Address

_____
Secretary Address

_____
Treasurer Address

The following is my (our) itemized proposal.

IM-0020-01(286)/ 109482301000 & NHPP-0020-01(284)/ 109684301000

Warren County(ies)

Revised 01/26/2016

For Informational Purposes Only

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 8389 **CODE: (SP)**

DATE: **10/22/2026**

SUBJECT: **Pay Item Corrections**

PROJECT: **IM-0020-01(286) / 109482301 & NHPP-0020-01(284) / 109684301 – Warren County**

Bidders are hereby advised of the following pay item corrections on the above captioned project.

1. ~~Pay item number 907-414-A001, Scrub Seal, as shown in the summary of quantities on the bid plans, is in error. The referenced pay item has been removed from the bid items. Any reference to pay item number 907-414-A001, Scrub Seal, is understood to be ignored.~~

2. Pay item number 304-B004, Granular Material, Class 5, Group D, has been changed to pay item number 304-D002, Granular Material, Crushed Stone in the bid items. Any reference in the plans or other contract documents to pay item number 304-B004, Granular Material, Class 5, Group D, is understood to mean pay item number 304-D002, Granular Material, Crushed Stone.

Mill & Overlay approximately 5.8 miles of I-20 from the Mississippi River Bridge to 0.65 miles east of the MS 27/US 61 Overpass and Bridge Repair over Old Hwy 27 & KCS RR (Bridge Nos. 4.5A & 4.5B), known as Federal Aid Project Nos. IM-0020-01(286) / 109482301 & NHPP-0020-01(284) / 109684301 in Warren County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
			Roadway Items		
0010	201-B001		15	Acre	Clearing and Grubbing
0020	201-D001		785	Station	Random Clearing
0030	202-B007		18,648	Square Yard	Removal of Asphalt Pavement, All Depths
0040	202-B029		123	Square Yard	Removal of Bridge End Pavement
0050	202-B039		4,113	Linear Feet	Removal of Cable Barrier
0060	202-B040		8	Each	Removal of Cable Barrier Terminal Section
0070	202-B063		2,895	Square Yard	Removal of Concrete Paved Ditch
0080	202-B069		1,190	Square Yard	Removal of Concrete Pavement w/ Variable Depth Overlay
0090	202-B087		860	Square Yard	Removal of Continuously Reinforced Concrete Pavement, All Depths
0100	202-B088		60	Linear Feet	Removal of Curb & Gutter, All Types
0110	202-B129		5	Each	Removal of Flared End Section, All Sizes
0120	202-B135		184	Each	Removal of Guard Post
0130	202-B158		22,938	Linear Feet	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
0140	202-B162		5	Each	Removal of Impact Attenuator
0150	202-B165		1	Each	Removal of Inlets, All Sizes
0160	202-B172		77	Square Feet	Removal of Legend, All Types
0170	202-B191		607	Linear Feet	Removal of Pipe, 8" And Above
0180	202-B208		146	Square Yard	Removal of Riprap
0190	202-B215		6	Each	Removal of Sign Including Post & Footing
0200	202-B241		25	Mile	Removal of Traffic Stripe
0210	202-B251		1,175	Linear Feet	Removal of Underground Electric Wire , AWG 6, 3 Conductor
0220	203-A001	(E)	11,220	Cubic Yard	Unclassified Excavation, FM, AH
0230	203-EX020	(E)	20,712	Cubic Yard	Borrow Excavation, AH, FME, Class B9
0240	203-G001	(E)	24,752	Cubic Yard	Excess Excavation, FM, AH
0250	203-I002		1,600	Square Yard	Site Grading
0260	206-A001	(S)	291	Cubic Yard	Structure Excavation
0270	206-B001	(E)	8	Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM
0280	209-A005		33,072	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0290	211-B001	(E)	5,274	Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished
0300	213-C001		10	Ton	Superphosphate
0310	216-A001		1,591	Square Yard	Solid Sodding

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0320	219-A001		25	Thousand Gallon	Watering [$20.00]
0330	220-A001		16	Acre	Insect Pest Control [$30.00]
0340	221-A001	(S)	280	Cubic Yard	Concrete Paved Ditch
0342	221-A002	(S)	298	Cubic Yard	Concrete Paved Ditch, Cable Rail Vegetation Pad
0350	223-A001		34	Acre	Mowing [$70.00]
0360	225-A001		19	Acre	Grassing
0370	225-B001		47	Ton	Agricultural Limestone
0380	225-C001		37	Ton	Mulch, Vegetative Mulch
0390	226-A001		19	Acre	Temporary Grassing
0400	237-A002		1,455	Linear Feet	Wattles, 20"
0410	245-A001		1,020	Linear Feet	Silt Dike
0412	304-D002	(GT)	5,400	Ton	Granular Material, Crushed Stone
0420	246-B001		2,272	Each	Rockbags
0430	249-A001		685	Ton	Riprap for Erosion Control
0440	249-B001		260	Cubic Yard	Remove and Reset Riprap
0460	406-D003		36,160	Ton	Fine Milling of Bituminous Pavement, All Depths
0470	406-E002		4,550	Square Yard	Fine Milling of Concrete Pavement, All Depths
0480	413-B001		3,318	Linear Feet	Cleaning and Sealing Joints
0490	413-D002		271	Linear Feet	Cleaning and Filling Joints
0500	423-A001		23	Mile	Rumble Strips, Ground In
0510	501-D001		56	Linear Feet	Expansion Joints, With Dowels
0520	501-K001		124	Square Yard	Transverse Grooving
0530	503-B001		1,112	Linear Feet	Saw Cut, Longitudinal Joints
0540	503-C004		2,704	Linear Feet	Saw Cut, 3-inch
0550	503-C010		29,066	Linear Feet	Saw Cut, Full Depth
0560	503-D001		341	Cubic Yard	Concrete for Base Repair
0570	503-E002		1,542	Each	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
0580	602-A001	(S)	5,963	Pounds	Reinforcing Steel
0590	603-CA011	(S)	364	Linear Feet	18" Reinforced Concrete Pipe, Class III
0600	603-CA013	(S)	160	Linear Feet	18" Reinforced Concrete Pipe, Class IV
0610	603-CA026	(S)	88	Linear Feet	24" Reinforced Concrete Pipe, Class III
0620	603-CB003	(S)	5	Each	18" Reinforced Concrete End Section
0630	603-CB004	(S)	2	Each	24" Reinforced Concrete End Section

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0640	603-CE002	(S)	584	Linear Feet	22" x 13" Concrete Arch Pipe, Class A III
0650	603-PE003	(S)	33	Linear Feet	18" Corrugated Polyethylene Pipe
0660	604-A001		79	Pounds	Castings
0670	606-B001		18,550	Linear Feet	Guard Rail, Class A, Type 1
0680	606-C003		18	Each	Guard Rail, Cable Anchor, Type 1
0690	606-D001		28	Each	Guard Rail, Bridge End Section
0700	606-D022		31	Each	Guard Rail, Bridge End Section, Type I
0710	606-E005		66	Each	Guard Rail, Terminal End Section, Flared
0720	606-E007		11	Each	Guard Rail, Terminal End Section, Non-Flared
0730	609-B001	(S)	20	Linear Feet	Concrete Curb, Doweled
0740	609-D012	(S)	40	Linear Feet	Combination Concrete Curb and Gutter Type 3A Modified
0750	610-A001		9,340	Linear Feet	Cable Barrier
0760	610-B001		16	Each	Cable Barrier Terminal Section
0770	612-B001		34	Cubic Yard	Flowable Fill, Non-Excavatable
0780	615-A005	(S)	592	Linear Feet	Concrete Pier Protection Barrier, 32"
0790	615-A006	(S)	1,299	Linear Feet	Concrete Pier Protection Barrier, 42"
0800	615-A007	(S)	487	Linear Feet	Concrete Pier Protection Barrier, 54"
0810	615-B001	(S)	760	Linear Feet	Precast Concrete Median Barrier (Permanent)
0820	616-A004	(S)	67	Square Yard	Concrete Median and/or Island Pavement, 4-inch
0830	619-A1001		72	Mile	Temporary Traffic Stripe, Continuous White
0840	619-A2001		75	Mile	Temporary Traffic Stripe, Continuous Yellow
0850	619-A3001		34	Mile	Temporary Traffic Stripe, Skip White
0860	619-A4001		1,900	Linear Feet	Temporary Traffic Stripe, Skip Yellow
0870	619-A5001		147,768	Linear Feet	Temporary Traffic Stripe, Detail
0880	619-A6001		6,804	Square Feet	Temporary Traffic Stripe, Legend
0890	619-A6002		1,538	Linear Feet	Temporary Traffic Stripe, Legend
0900	619-C6001		1,658	Each	Red-Clear Reflective High Performance Raised Marker
0910	619-C7001		1,387	Each	Two-Way Yellow Reflective High Performance Raised Marker
0920	619-C8001		116	Each	One-Way Clear Reflective High Performance Raised Marker
0930	619-D1001		503	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0940	619-D2001		1,819	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0950	619-F1001		1,708	Linear Feet	Concrete Median Barrier, Precast
0960	619-F1002		740	Linear Feet	Portable Median Barrier

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0970	619-F2001		590	Linear Feet	Remove and Reset Concrete Median Barrier, Precast
0980	619-G4001		12	Linear Feet	Barricades, Type III, Double Faced
0990	619-G4005		348	Linear Feet	Barricades, Type III, Single Faced
1000	619-G5001		91	Each	Free Standing Plastic Drums
1010	619-G7001		37	Each	Warning Lights, Type "B"
1020	619-G8001		216	Each	Warning Lights, Type "C"
1030	619-H1001		1	Lump Sum	Traffic Signals
1040	619-J1003		3	Each	Impact Attenuator, 50 MPH
1050	619-L001		295	Linear Feet	Glare Paddles
1060	620-A001		1	Lump Sum	Mobilization
1070	629-A001		2	Each	Vehicular Impact Attenuator, 40 MPH
1080	629-A004		6	Each	Vehicular Impact Attenuator, 60 MPH
1090	629-B001		1	Each	Median Barrier End Section
1100	630-A003		51	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
1110	630-B002		978	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
1120	630-D003		59	Linear Feet	Structural Steel Beams, W10 x 22
1130	630-D008		38	Linear Feet	Structural Steel Beams, W6 x 9
1140	630-D010		201	Linear Feet	Structural Steel Beams, W8 x 21
1150	630-E001		119	Pounds	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
1160	630-E002		36	Pounds	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
1170	630-E003		283	Pounds	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
1180	630-E004		60	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
1190	630-F006		443	Each	Delineators, Guard Rail, White
1200	630-F007		304	Each	Delineators, Guard Rail, Yellow
1210	630-K003		60	Linear Feet	Welded & Seamless Steel Pipe Posts, 4"
1220	647-A001		1	Lump Sum	Removal of Existing Traffic Signal Equipment
1230	682-A028		15	Linear Feet	Underground Branch Circuit, AWG 4, 3 Conductor
1240	682-A034		1,220	Linear Feet	Underground Branch Circuit, AWG 6, 3 Conductor
1250	682-E002		6	Each	Underground Junction Box
1260	682-E003		3	Each	Underground Junction Box With Concrete Pad
1270	684-A004		9	Cubic Yard	Pole Foundation, 30" Diameter
1280	684-A007		24	Cubic Yard	Pole Foundation, 48" Diameter
1290	686-A001		2	Each	Relocation of Existing Lighting Assemblies (High Mast, Type 100-5-S)

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1300	686-A001		2	Each	Relocation of Existing Lighting Assemblies (Low Mast, Type 50-1-8-250)
1310	686-A001		1	Each	Relocation of Existing Lighting Assemblies (Low Mast, Type 50-1-8-400)
1320	699-A001		1	Lump Sum	Roadway Construction Stakes
1330	815-A007	(S)	482	Ton	Loose Riprap, Size 300
1340	815-E001	(S)	1,144	Square Yard	Geotextile under Riprap
1350	815-F002	(S)	20	Ton	Sediment Control Stone
1360	907-234-A001		20,950	Linear Feet	Temporary Silt Fence
1370	907-234-D001		4	Each	Inlet Siltation Guard
1380	907-403-A001	(BA1)	3,638	Ton	12.5-mm, HT, Asphalt Pavement
1390	907-403-A003	(BA1)	652	Ton	12.5-mm, ST, Asphalt Pavement
1400	907-403-A004	(BA1)	4,204	Ton	19-mm, HT, Asphalt Pavement
1410	907-403-A006	(BA1)	1,800	Ton	19-mm, ST, Asphalt Pavement
1420	907-403-A013	(BA1)	11,518	Ton	9.5-mm, HT, Asphalt Pavement
1430	907-403-A015	(BA1)	7,914	Ton	9.5-mm, ST, Asphalt Pavement
1440	907-403-S001		25	Mile	Joint Sealant
1450	907-405-A001	(BA1)	18,055	Ton	Stone Matrix Asphalt, 9.5 mm Mixture
1460	907-405-A002	(BA1)	918	Ton	Stone Matrix Asphalt, 12.5 mm Mixture
1470	907-407-A001	(A2)	37,955	Gallon	Asphalt for Tack Coat
1480	907-413-E001		1,895	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement
1490	907-502-A001	(C)	124	Square Yard	Reinforced Cement Concrete Bridge End Pavement
1500	907-503-A001	(C)	1,287	Square Yard	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
1510	907-503-A002	(C)	763	Square Yard	8" and Variable Jointed Concrete Pavement
1520	907-601-A001	(S)	18	Cubic Yard	Class "B" Structural Concrete
1530	907-601-B001	(S)	24	Cubic Yard	Class "B" Structural Concrete, Minor Structures
1540	907-609-F002		450	Linear Feet	Prefabricated Curb
1550	907-618-A001		1	Lump Sum	Maintenance of Traffic
1560	907-619-E3001		7	Each	Changeable Message Sign
1570	907-626-A010		17	Mile	6" Thermoplastic Traffic Stripe, Skip White
1580	907-626-B006		35	Mile	6" Thermoplastic Traffic Stripe, Continuous White
1590	907-626-D006		950	Linear Feet	6" Thermoplastic Traffic Stripe, Skip Yellow
1600	907-626-E005		36	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow
1610	907-626-G004		58,002	Linear Feet	Thermoplastic Detail Stripe, White

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1620	907-626-G005		15,901	Linear Feet	Thermoplastic Detail Stripe, Yellow
1630	907-626-H009		3,442	Square Feet	Thermoplastic Legend, White
1640	907-626-H010		769	Linear Feet	Thermoplastic Legend, White
1650	907-627-J001		158	Each	Two-Way Clear Reflective High Performance Raised Markers
1660	907-627-K001		1,560	Each	Red-Clear Reflective High Performance Raised Markers
1670	907-627-L001		1,217	Each	Two-Way Yellow Reflective High Performance Raised Markers
1680	907-632-D001		5	Each	Solid State Traffic Actuated Controller, Type 1
1690	907-634-B001		1	Each	Traffic Signal Equipment Pole Shaft Extension, 10'
1700	907-634-F002		1	Each	Detector Pole with Foundation, 35' Pole
1710	907-634-F003		1	Each	Detector Pole with Foundation, 50' Pole
1720	907-643-A005		5	Each	Video Vehicle Detection Sensor, Type 1B
1730	907-643-B001		636	Linear Feet	Video Vehicle Detection Cable
1740	907-643-C002		5	Each	Video Vehicle Detection Processor, Type 1
1750	907-650-A002		1	Each	On Street Video Equipment, Fixed Type
1760	907-650-A004		6	Each	On Street Video Equipment, PTZ Type, Signal Monitoring
1770	907-659-A001		1	Lump Sum	Traffic Management Center Modifications
1780	907-660-B001		7	Each	Cabinet Modifications
1790	907-662-C001		2	Each	Radio Interconnect, Signal Control Repeater
1800	907-662-D002		10	Each	Radio Interconnect, Broadband, Short Range
1810	907-663-A001		6	Each	Network Switch, Type A
1820	907-899-A001		1	Lump Sum	Railway-Highway Provisions
			ALTERNATE GROUP AA NUMBER 1		
1830	304-F001	(GT)	28,173	Ton	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2		
1840	304-F002	(GT)	28,173	Ton	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 3		
1850	304-F003	(GT)	28,173	Ton	Size 825B Crushed Stone Base
			Bridge Items		
1860	304-D004	(GT)	150	Ton	Granular Material, Size 57
1870	805-A001	(S)	745	Pounds	Reinforcement
1880	813-A002	(S)	94	Linear Feet	Concrete Railing, 32"
1890	907-420-B001		2,500	Pounds	Deep Injection Undersealing
1900	907-808-A002	(S)	1,435	Linear Feet	Joint Repair
1910	907-822-B009		82	Linear Feet	3 3/4" Reinforced Elastomeric Molded Rubber Expansion Joint

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1920	907-822-B012		70	Linear Feet	4 1/2" Reinforced Elastomeric Molded Rubber Expansion Joint
1930	907-822-B013		84	Linear Feet	5" Reinforced Elastomeric Molded Rubber Expansion Joint
1940	907-823-A001		355	Linear Feet	Preformed Joint Seal, Type I
1950	907-823-A003		124	Linear Feet	Preformed Joint Seal, Type III
1960	907-823-B001		295	Linear Feet	Saw Cut, Type I
1970	907-823-B003		247	Linear Feet	Saw Cut, Type III
1980	907-824-A003		253	Square Feet	General Epoxy Repair
1990	907-824-C001		11	Each	Cap Cleaning
2000	907-824-D001		40	Each	Bearing Replacements
2008	907-824-PP003		474	Square Feet	Bridge Repair, Removal of Bridge Deck, Per Plans
2010	907-824-PP008		488	Linear Feet	Bridge Repair, Class 2, Spray Finish
2020	907-824-PP008		94	Linear Feet	Bridge Repair, Remove Bridge Railing
2030	907-824-PP008		73	Linear Feet	Bridge Repair, Remove End Bent Endwall
2040	907-824-PP008		73	Linear Feet	Bridge Repair, Replace End Bent Endwall
2050	907-828-A001	(S)	39	Cubic Yard	Hybrid Polymer Concrete Overlay