

Proposal & Plan Sales Will Begin on October 5, 2026



MISSISSIPPI DEPARTMENT OF
TRANSPORTATION

Notice to Contractors

Letting Date For October - October 27, 2026

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR OCTOBER - Tuesday, October 27, 2026

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](https://shop.mdot.ms.gov)

PROPOSAL AND PLAN SALES WILL BEGIN ON OCTOBER 5, 2026

Proposals must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, October 27, 2026; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR OCTOBER

	CALL	CONTRACT	COUNTY
*	01	IM-0006-01(106)/109258301	MARSHALL
	02	STBG-0013-02(034)/100881301 & BR-0013-02(029)/106971301	SIMPSON
	03	NHPP-0015-01(150)/109492301	FRANKLIN
	04	IM-0020-01(286)/109482301 & NHPP-0020-01(284)/109684301	WARREN
	05	STP-0055-02(271)/108168301 & STP-0055-02(275)/108168302	MADISON
	06	IM-0055-03(098)/109256301 & IM-0055-03(101)/109256301 & IM-0055-03(104)/110082301 & IM-0055-03(103)/110083301 & IM-0055-03(102)/110084301	GRENADA, MONTGOMERY, CARROLL, GRENADA
	07	IM-0059-01(128)/108588301	PEARL RIVER
*	08	IM-0059-01(145)/110076301 & IM-0059-01(144)/110077301 & IM-0059-01(143)/110078301	FORREST, LAMAR
*	09	IM-0059-02(116)/109253301 & IM-0059-02(123)/110070301	CLARKE, JASPER
*	10	IM-0059-03(107)/110080301 & IM-0059-03(106)/110081301	LAUDERDALE
*	11	STBG-0244-00(005)/108999301	PIKE
	12	STBG-0642-00(028)/110041301	ATTALA

*	13	HRRR-0862-00(022)/110209301 & HRRR-0862-00(022)/110209302	ITAWAMBA, LEE
*	14	HRRR-1336-58(003)/110210301	PONTOTOC
*	15	HRRR-1989-00(015)/110208301	ALCORN
	16	HSIP-7314-00(040)/109131301	HINDS

CALL No. 01

Mill & Overlay approximately 17 miles of I-22 beginning 1 mile west of the Landfill Road Exit and going east to the Benton County Line, known as Federal Aid Project No. IM-0006-01(106) / 109258301 in Marshall County.

PROJECT COMPLETION: 223 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

893	Station	201-D001	Random Clearing
5,119	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
20	Square Yard	202-B063	Removal of Concrete Paved Ditch
328	Each	202-B117	Removal of Delineator, All Types
1	Each	202-B129	Removal of Flared End Section, All Sizes
6,852	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
244	Each	202-B213	Removal of Sign
77	Each	202-B215	Removal of Sign Including Post & Footing
17,190	Linear Feet	202-B240	Removal of Traffic Stripe
135	Cubic Yard	203-EX041	Borrow Excavation, AH, LVM, Class B9-6
65	Cubic Yard	203-G002	Excess Excavation, LVM, AH
99	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
282	Square Yard	216-A001	Solid Sodding
6	Thousand Gallon	219-A001	Watering
300	Linear Feet	237-A002	Wattles, 20"
964	Ton	304-B004	Granular Material, Class 5, Group D for Guardrail Pads
14,100	Ton	304-B004	Granular Material, Class 5, Group D for Shoulders
827,136	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
451	Square Yard	406-E002	Fine Milling of Concrete Pavement, All Depths
70	Mile	423-A001	Rumble Strips, Ground In
7,831	Linear Feet	503-C010	Saw Cut, Full Depth
1	Each	603-CB003	18" Reinforced Concrete End Section
6,938	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
9	Each	606-C001	Guard Rail, Cable Anchor Type 1, Metal Post

28	Each	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post
8	Each	606-D023	Guard Rail, Bridge End Section, Type I, Metal Post
36	Each	606-E005	Guard Rail, Terminal End Section, Flared
9	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Square Feet	618-B001	Additional Construction Signs
74	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
75	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
67	Mile	619-A3001	Temporary Traffic Stripe, Skip White
120,120	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
391	Each	619-F3001	Delineators, Guard Rail, White
1	Lump Sum	620-A001	Mobilization
565	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
942	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
403	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
870	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
36	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
80	Ton	815-A002	Loose Riprap, Size 100
200	Linear Feet	907-234-A001	Temporary Silt Fence
25,400	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
47,700	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
82,714	Gallon	907-407-A001	Asphalt for Tack Coat
2	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	907-618-A001	Maintenance of Traffic
34	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
37	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
38	Mile	907-626-F005	6" Thermoplastic Edge Stripe, Continuous Yellow
44,319	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
15,742	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,830	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,129	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers

2,392 Each

907-627-L001 Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 02

Bridge Replacement on SR 28 between the Copiah County Line & Pinola (Bridge Nos. 72.7 & 73.6) & over Tanyard Creek (Bridge No. 77.6), known as Federal Aid Project Nos. STBG-0013-02(034) / 100881301 & BR-0013-02(029) / 106971301 in Simpson County.

PROJECT COMPLETION: 322 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

13 Acre	201-B001	Clearing and Grubbing
1 Lump Sum	202-A001	Removal of Obstructions
457 Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
8,075 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1 Each	202-B017	Removal of Box Bridge
2 Each	202-B023	Removal of Bridge
1,085 Linear Feet	202-B136	Removal of Guard Rail
108 Linear Feet	202-B191	Removal of Pipe, 8" And Above
333 Square Yard	202-B208	Removal of Riprap
15 Each	202-B215	Removal of Sign Including Post & Footing
500 Linear Feet	202-B240	Removal of Traffic Stripe
10,239 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
26,843 Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
2,116 Cubic Yard	203-F001	Channel Excavation, FM
11,001 Cubic Yard	203-G001	Excess Excavation, FM, AH
583 Cubic Yard	206-A001	Structure Excavation
47 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
15,109 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
3,280 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
6 Ton	213-C001	Superphosphate
575 Square Yard	216-A001	Solid Sodding
693 Square Yard	217-A001	Ditch Liner
12 Thousand Gallon	219-A001	Watering
11 Acre	220-A001	Insect Pest Control
58 Cubic Yard	221-A001	Concrete Paved Ditch

26 Acre	223-A001	Mowing
13 Acre	225-A001	Grassing
6 Ton	225-B001	Agricultural Limestone
25 Ton	225-C001	Mulch, Vegetative Mulch
13 Acre	226-A001	Temporary Grassing
2 Each	236-A008	Silt Basin, Type D
930 Linear Feet	237-A002	Wattles, 20"
1,000 Linear Feet	239-A001	Temporary Slope Drains
350 Linear Feet	245-A001	Silt Dike
550 Each	246-B001	Rockbags
605 Ton	249-A001	Riprap for Erosion Control
327 Cubic Yard	249-B001	Remove and Reset Riprap
1,850 Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
3,193 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
3 Mile	423-A001	Rumble Strips, Ground In
149 Linear Feet	501-D001	Expansion Joints, With Dowels
71 Square Yard	501-K001	Transverse Grooving
6,965 Pounds	602-A001	Reinforcing Steel
144 Linear Feet	603-ALT003	18" Type A Alternate Pipe
320 Linear Feet	603-ALT006	24" Type A Alternate Pipe
48 Linear Feet	603-ALT011	36" Type A Alternate Pipe
72 Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
40 Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
200 Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
72 Linear Feet	603-CA119	72" Reinforced Concrete Pipe, Class III
3 Each	603-CB003	18" Reinforced Concrete End Section
1 Each	603-CB004	24" Reinforced Concrete End Section
3 Each	603-CB006	36" Reinforced Concrete End Section
2 Each	603-CB012	72" Reinforced Concrete End Section
127 Pounds	604-B001	Gratings

143	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
251	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
160	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
10	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
475	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-D022	Guard Rail, Bridge End Section, Type I
12	Each	606-E005	Guard Rail, Terminal End Section, Flared
418	Linear Feet	607-D004	Barbed Wire Fence, 5 Strands, Galvanized Steel
1	Each	607-G089	Gate, 12' x 52" Galvanized Metal
26	Each	607-P1007	Line Post, 7' Tee Post Steel
13	Each	607-P2009	Brace Post, 8' x 6" Timber
8	Each	607-P2019	Brace Post, 12' x 6" Timber
14	Each	607-Z001	Concrete Anchors
10	Cubic Yard	612-A001	Flowable Fill, Excavatable
120	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
44	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-D001	Construction and Removal of Detour
4,662	Linear Feet	618-E001	Detour Bridge Piling
1	Lump Sum	618-F001	Detour Bridge PDA Test Pile
12,577	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
2,200	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
216	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
6	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
198	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,742	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
12	Each	619-F3001	Delineators, Guard Rail, White
132	Linear Feet	619-G4001	Barricades, Type III, Double Faced
30	Linear Feet	619-G4003	Barricades, Type III, Double Faced, Permanent, Red/White
528	Linear Feet	619-G4005	Barricades, Type III, Single Faced

150	Each	619-G5001	Free Standing Plastic Drums
37	Each	619-G7001	Warning Lights, Type "B"
2	Each	619-J1002	Impact Attenuator, 45 MPH
1	Each	619-J2002	Impact Attenuator, 45 MPH, Replacement Package
100	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
4	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
99	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
23	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
186	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
54	Each	630-F006	Delineators, Guard Rail, White
12	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
6,807	Ton	815-A007	Loose Riprap, Size 300
6,404	Square Yard	815-E001	Geotextile under Riprap
394	Ton	815-F002	Sediment Control Stone
6,600	Linear Feet	907-234-A001	Temporary Silt Fence
1,051	Linear Feet	907-234-C001	Super Silt Fence
100	Linear Feet	907-234-F001	Turbidity Barrier
450	Pounds	907-250-A001	Polyacrylamide (PAM)
105	Linear Feet	907-253-A001	Coir Fiber Baffle
554	Ton	907-403-A002	12.5-mm, MT, Asphalt Pavement
313	Ton	907-403-A003	12.5-mm, ST, Asphalt Pavement
1,471	Ton	907-403-A005	19-mm, MT, Asphalt Pavement
473	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
829	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
497	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
2,417	Gallon	907-407-A001	Asphalt for Tack Coat
222	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement

490	Square Yard	907-502-A001	Reinforced Cement Concrete Bridge End Pavement
45	Cubic Yard	907-601-A001	Class "B" Structural Concrete
9	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	907-618-A001	Maintenance of Traffic
72	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
6	Each	907-619-E3001	Changeable Message Sign
6	Each	907-619-H2003	Traffic Signal, Portable, Type 2B
11,441	Linear Feet	907-626-C013	6" Thermoplastic Edge Stripe, Continuous White
1,118	Linear Feet	907-626-D006	6" Thermoplastic Traffic Stripe, Skip Yellow
10,559	Linear Feet	907-626-E006	6" Thermoplastic Traffic Stripe, Continuous Yellow
438	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
318	Linear Feet	907-626-H010	Thermoplastic Legend, White
88	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
178	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers , Temporary
142	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
720	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

6,363	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

6,363	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

6,363	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

187	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
-----	------------	----------	--

ALTERNATE GROUP BB NUMBER 2

187	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
-----	------------	----------	--

Bridge Items

3,864	Square Yard	501-K001	Transverse Grooving
2,325	Linear Feet	803-D006	HP 14 x 73 Steel Piling
720	Linear Feet	803-K010	Drilled Shaft, 72" Diameter
1	Each	803-L006	Test Shaft, 72" Diameter

121	Linear Feet	803-M009	Trial Shaft, 72" Diameter
60	Linear Feet	803-N001	Exploration
306	Linear Feet	803-O011	Permanent Casing, 72" Diameter
2,040	Linear Feet	803-P001	24" Steel Pipe Piling, Wall Thickness 0.500"
1,465	Linear Feet	803-P003	30" Steel Pipe Piling, Wall Thickness 0.500"
398	Linear Feet	804-C188	80' Prestressed Concrete Beam, Type FIB-36
995	Linear Feet	804-C192	100' Prestressed Concrete Beam, Type FIB-36
717	Linear Feet	804-C193	120' Prestressed Concrete Beam, Type FIB-45
1,045	Linear Feet	804-C236	105' Prestressed Concrete Beam, Type FIB-45
401,301	Pounds	805-A001	Reinforcement
2,632	Pounds	805-C001	Reinforcement, Corrosion Resistant
2,173	Linear Feet	813-A004	Concrete Railing, 36"
4,462	Ton	815-A007	Loose Riprap, Size 300
3,538	Square Yard	815-E001	Geotextile under Riprap
1	Each	907-803-I003	PDA Test Pile, HP Steel Pile
4	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
5	Each	907-803-J001	Pile Restrike
1,287	Cubic Yard	907-804-A001	Bridge Concrete, Class BDx
410	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
12	Cubic Yard	907-804-A002	Bridge Concrete, Class AA 6 ksi closure between beam ends
1	Lump Sum	907-804-PP004	Post Tensioning System
1,028	Linear Feet	907-804-PP010	103' Post-Tensioned Concrete Beam, Per Plans
700	Linear Feet	907-804-PP011	70' Post-Tensioned Concrete Beam, Per Plans
580	Linear Feet	907-804-PP012	116' Post-Tensioned Concrete Beam, Per Plans
76	Linear Feet	907-822-B003	3" Reinforced Elastomeric Molded Rubber Expansion Joint
232	Linear Feet	907-823-A001	Preformed Joint Seal, Type I

CALL No. 03

Slide Improvement on US 84 from west of Fire Tower Road to east of Providence Road, known as Federal Aid Project No. NHPP-0015-01(150)/109492301 in Franklin County.

PROJECT COMPLETION: 211 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1 Acre	201-B001	Clearing and Grubbing
27,252 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
70 Linear Feet	202-B019	Removal of Box Culvert
12 Each	202-B057	Removal of Concrete Junction Box, Manhole and Inlet, All Sizes
590 Square Yard	202-B063	Removal of Concrete Paved Ditch
6 Each	202-B129	Removal of Flared End Section, All Sizes
492 Linear Feet	202-B191	Removal of Pipe, 8" And Above
9,124 Linear Feet	202-B240	Removal of Traffic Stripe
46,800 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
27,700 Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
118,520 Cubic Yard	203-G001	Excess Excavation, FM, AH
569 Cubic Yard	206-A001	Structure Excavation
54 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
44,000 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
7,390 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
6 Ton	213-C001	Superphosphate
489 Square Yard	216-A001	Solid Sodding
1,096 Square Yard	217-A001	Ditch Liner
9 Thousand Gallon	219-A001	Watering
11 Acre	220-A001	Insect Pest Control
72 Cubic Yard	221-A001	Concrete Paved Ditch
2,131 Square Yard	224-A001	Soil Reinforcing Mat
11 Acre	225-A001	Grassing
6 Ton	225-B001	Agricultural Limestone
22 Ton	225-C001	Mulch, Vegetative Mulch

11 Acre	226-A001 Temporary Grassing
1,000 Linear Feet	237-A002 Wattles, 20"
50 Linear Feet	245-A001 Silt Dike
64 Ton	249-A001 Riprap for Erosion Control
8,900 Cubic Yard	304-A008 Granular Material, LVM, Class 6, Group D
46,004 Square Yard	406-D001 Fine Milling of Bituminous Pavement, All Depths
8 Mile	423-A001 Rumble Strips, Ground In
402 Linear Feet	503-C010 Saw Cut, Full Depth
19,452 Pounds	602-A001 Reinforcing Steel
457 Linear Feet	603-ALT003 18" Type A Alternate Pipe
466 Linear Feet	603-CA011 18" Reinforced Concrete Pipe, Class III
176 Linear Feet	603-CA026 24" Reinforced Concrete Pipe, Class III
8 Each	603-CB003 18" Reinforced Concrete End Section
3 Each	603-CB004 24" Reinforced Concrete End Section
1,750 Pounds	604-B001 Gratings
385 Linear Feet	606-B001 Guard Rail, Class A, Type 1
1 Each	606-C003 Guard Rail, Cable Anchor, Type 1
1 Each	606-E001 Guard Rail, Terminal End Section
1,042 Linear Feet	609-D001 Combination Concrete Curb and Gutter Type 1
341 Square Yard	616-A001 Concrete Median and/or Island Pavement, 10-inch
341 Square Yard	616-A004 Concrete Median and/or Island Pavement, 4-inch
20,242 Linear Feet	619-A1002 Temporary Traffic Stripe, Continuous White
16,860 Linear Feet	619-A2002 Temporary Traffic Stripe, Continuous Yellow
4,247 Linear Feet	619-A5001 Temporary Traffic Stripe, Detail
246 Linear Feet	619-A6002 Temporary Traffic Stripe, Legend
843 Each	619-C7001 Two-Way Yellow Reflective High Performance Raised Marker
196 Square Feet	619-D1001 Standard Roadside Construction Signs, Less than 10 Square Feet
1,785 Square Feet	619-D2001 Standard Roadside Construction Signs, 10 Square Feet or More
2 Each	619-E1001 Flashing Arrow Panel, Type C
432 Linear Feet	619-G4005 Barricades, Type III, Single Faced

238	Each	619-G5001	Free Standing Plastic Drums
44	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
16	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type II
1	Lump Sum	699-A001	Roadway Construction Stakes
65	Ton	815-A007	Loose Riprap, Size 300
70	Square Yard	815-E001	Geotextile under Riprap
10,775	Linear Feet	907-234-A001	Temporary Silt Fence
3,650	Ton	907-403-A002	12.5-mm, MT, Asphalt Pavement
3,850	Ton	907-403-A005	19-mm, MT, Asphalt Pavement
4,550	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
6,050	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
8,258	Gallon	907-407-A001	Asphalt for Tack Coat
82	Cubic Yard	907-601-A001	Class "B" Structural Concrete
20	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	907-618-A001	Maintenance of Traffic
21,050	Linear Feet	907-626-A009	6" Thermoplastic Traffic Stripe, Skip White
20,250	Linear Feet	907-626-B005	6" Thermoplastic Traffic Stripe, Continuous White
19,901	Linear Feet	907-626-E006	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,349	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,827	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
244	Square Feet	907-626-H009	Thermoplastic Legend, White
643	Linear Feet	907-626-H010	Thermoplastic Legend, White
420	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
10	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2	Each	907-630-O001	Remove and Reset Sign Assembly
ALTERNATE GROUP AA NUMBER 1			
23,000	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
23,000	Ton	304-F002	Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

23,000 Ton

304-F003 Size 825B Crushed Stone Base

CALL No. 04

Mill & Overlay approximately 5.8 miles of I-20 from the Mississippi River Bridge to 0.65 miles east of the MS 27/US 61 Overpass and Bridge Repair over Old Hwy 27 & KCS RR (Bridge Nos. 4.5A & 4.5B), known as Federal Aid Project Nos. IM-0020-01(286) / 109482301 & NHPP-0020-01(284) / 109684301 in Warren County.

PROJECT COMPLETION: 416 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

15 Acre	201-B001	Clearing and Grubbing
785 Station	201-D001	Random Clearing
18,648 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
123 Square Yard	202-B029	Removal of Bridge End Pavement
4,113 Linear Feet	202-B039	Removal of Cable Barrier
8 Each	202-B040	Removal of Cable Barrier Terminal Section
2,895 Square Yard	202-B063	Removal of Concrete Paved Ditch
1,190 Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
860 Square Yard	202-B087	Removal of Continuously Reinforced Concrete Pavement, All Depths
60 Linear Feet	202-B088	Removal of Curb & Gutter, All Types
5 Each	202-B129	Removal of Flared End Section, All Sizes
184 Each	202-B135	Removal of Guard Post
22,938 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
5 Each	202-B162	Removal of Impact Attenuator
1 Each	202-B165	Removal of Inlets, All Sizes
77 Square Feet	202-B172	Removal of Legend, All Types
607 Linear Feet	202-B191	Removal of Pipe, 8" And Above
146 Square Yard	202-B208	Removal of Riprap
6 Each	202-B215	Removal of Sign Including Post & Footing
25 Mile	202-B241	Removal of Traffic Stripe
1,175 Linear Feet	202-B251	Removal of Underground Electric Wire , AWG 6, 3 Conductor
11,220 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
20,712 Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
24,752 Cubic Yard	203-G001	Excess Excavation, FM, AH

1,600	Square Yard	203-I002	Site Grading
291	Cubic Yard	206-A001	Structure Excavation
8	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
33,072	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
5,274	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
10	Ton	213-C001	Superphosphate
1,591	Square Yard	216-A001	Solid Sodding
25	Thousand Gallon	219-A001	Watering
16	Acre	220-A001	Insect Pest Control
578	Cubic Yard	221-A001	Concrete Paved Ditch
34	Acre	223-A001	Mowing
19	Acre	225-A001	Grassing
47	Ton	225-B001	Agricultural Limestone
37	Ton	225-C001	Mulch, Vegetative Mulch
19	Acre	226-A001	Temporary Grassing
1,455	Linear Feet	237-A002	Wattles, 20"
1,020	Linear Feet	245-A001	Silt Dike
2,272	Each	246-B001	Rockbags
685	Ton	249-A001	Riprap for Erosion Control
260	Cubic Yard	249-B001	Remove and Reset Riprap
5,400	Ton	304-B004	Granular Material, Class 5, Group D
36,160	Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
4,550	Square Yard	406-E002	Fine Milling of Concrete Pavement, All Depths
3,318	Linear Feet	413-B001	Cleaning and Sealing Joints
271	Linear Feet	413-D002	Cleaning and Filling Joints
23	Mile	423-A001	Rumble Strips, Ground In
56	Linear Feet	501-D001	Expansion Joints, With Dowels
124	Square Yard	501-K001	Transverse Grooving
1,112	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
2,704	Linear Feet	503-C004	Saw Cut, 3-inch

29,066	Linear Feet	503-C010	Saw Cut, Full Depth
341	Cubic Yard	503-D001	Concrete for Base Repair
1,542	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
5,963	Pounds	602-A001	Reinforcing Steel
364	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
160	Linear Feet	603-CA013	18" Reinforced Concrete Pipe, Class IV
88	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
5	Each	603-CB003	18" Reinforced Concrete End Section
2	Each	603-CB004	24" Reinforced Concrete End Section
584	Linear Feet	603-CE002	22" x 13" Concrete Arch Pipe, Class A III
33	Linear Feet	603-PE003	18" Corrugated Polyethylene Pipe
79	Pounds	604-A001	Castings
18,550	Linear Feet	606-B001	Guard Rail, Class A, Type 1
18	Each	606-C003	Guard Rail, Cable Anchor, Type 1
28	Each	606-D001	Guard Rail, Bridge End Section
31	Each	606-D022	Guard Rail, Bridge End Section, Type I
66	Each	606-E005	Guard Rail, Terminal End Section, Flared
11	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
20	Linear Feet	609-B001	Concrete Curb, Doweled
40	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
9,340	Linear Feet	610-A001	Cable Barrier
16	Each	610-B001	Cable Barrier Terminal Section
34	Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
592	Linear Feet	615-A005	Concrete Pier Protection Barrier, 32"
1,299	Linear Feet	615-A006	Concrete Pier Protection Barrier, 42"
487	Linear Feet	615-A007	Concrete Pier Protection Barrier, 54"
760	Linear Feet	615-B001	Precast Concrete Median Barrier (Permanent)
67	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
72	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
75	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow

34	Mile	619-A3001	Temporary Traffic Stripe, Skip White
1,900	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
147,768	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
6,804	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,538	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1,658	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
1,387	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
116	Each	619-C8001	One-Way Clear Reflective High Performance Raised Marker
503	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,819	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,708	Linear Feet	619-F1001	Concrete Median Barrier, Precast
740	Linear Feet	619-F1002	Portable Median Barrier
590	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
12	Linear Feet	619-G4001	Barricades, Type III, Double Faced
348	Linear Feet	619-G4005	Barricades, Type III, Single Faced
91	Each	619-G5001	Free Standing Plastic Drums
37	Each	619-G7001	Warning Lights, Type "B"
216	Each	619-G8001	Warning Lights, Type "C"
1	Lump Sum	619-H1001	Traffic Signals
3	Each	619-J1003	Impact Attenuator, 50 MPH
295	Linear Feet	619-L001	Glare Paddles
1	Lump Sum	620-A001	Mobilization
2	Each	629-A001	Vehicular Impact Attenuator, 40 MPH
6	Each	629-A004	Vehicular Impact Attenuator, 60 MPH
1	Each	629-B001	Median Barrier End Section
51	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
978	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
59	Linear Feet	630-D003	Structural Steel Beams, W10 x 22
38	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
201	Linear Feet	630-D010	Structural Steel Beams, W8 x 21

119 Pounds	630-E001	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
36 Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
283 Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
60 Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
443 Each	630-F006	Delineators, Guard Rail, White
304 Each	630-F007	Delineators, Guard Rail, Yellow
60 Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1 Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
15 Linear Feet	682-A028	Underground Branch Circuit, AWG 4, 3 Conductor
1,220 Linear Feet	682-A034	Underground Branch Circuit, AWG 6, 3 Conductor
6 Each	682-E002	Underground Junction Box
3 Each	682-E003	Underground Junction Box With Concrete Pad
9 Cubic Yard	684-A004	Pole Foundation, 30" Diameter
24 Cubic Yard	684-A007	Pole Foundation, 48" Diameter
2 Each	686-A001	Relocation of Existing Lighting Assemblies (High Mast, Type 100-5-S)
2 Each	686-A001	Relocation of Existing Lighting Assemblies (Low Mast, Type 50-1-8-250)
1 Each	686-A001	Relocation of Existing Lighting Assemblies (Low Mast, Type 50-1-8-400)
1 Lump Sum	699-A001	Roadway Construction Stakes
482 Ton	815-A007	Loose Riprap, Size 300
1,144 Square Yard	815-E001	Geotextile under Riprap
20 Ton	815-F002	Sediment Control Stone
20,950 Linear Feet	907-234-A001	Temporary Silt Fence
4 Each	907-234-D001	Inlet Siltation Guard
3,638 Ton	907-403-A001	12.5-mm, HT, Asphalt Pavement
652 Ton	907-403-A003	12.5-mm, ST, Asphalt Pavement
4,204 Ton	907-403-A004	19-mm, HT, Asphalt Pavement
1,800 Ton	907-403-A006	19-mm, ST, Asphalt Pavement
11,518 Ton	907-403-A013	9.5-mm, HT, Asphalt Pavement
7,914 Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement

25 Mile	907-403-S001	Joint Sealant
18,055 Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
918 Ton	907-405-A002	Stone Matrix Asphalt, 12.5 mm Mixture
37,955 Gallon	907-407-A001	Asphalt for Tack Coat
1,895 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
124 Square Yard	907-502-A001	Reinforced Cement Concrete Bridge End Pavement
1,287 Square Yard	907-503-A001	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
763 Square Yard	907-503-A002	8" and Variable Jointed Concrete Pavement
18 Cubic Yard	907-601-A001	Class "B" Structural Concrete
24 Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
450 Linear Feet	907-609-F002	Prefabricated Curb
1 Lump Sum	907-618-A001	Maintenance of Traffic
7 Each	907-619-E3001	Changeable Message Sign
17 Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
35 Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
950 Linear Feet	907-626-D006	6" Thermoplastic Traffic Stripe, Skip Yellow
36 Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
58,002 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
15,901 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,442 Square Feet	907-626-H009	Thermoplastic Legend, White
769 Linear Feet	907-626-H010	Thermoplastic Legend, White
158 Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,560 Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1,217 Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
5 Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
1 Each	907-634-B001	Traffic Signal Equipment Pole Shaft Extension, 10'
1 Each	907-634-F002	Detector Pole with Foundation, 35' Pole
1 Each	907-634-F003	Detector Pole with Foundation, 50' Pole
5 Each	907-643-A005	Video Vehicle Detection Sensor, Type 1B
636 Linear Feet	907-643-B001	Video Vehicle Detection Cable

5 Each	907-643-C002	Video Vehicle Detection Processor, Type 1
1 Each	907-650-A002	On Street Video Equipment, Fixed Type
6 Each	907-650-A004	On Street Video Equipment, PTZ Type, Signal Monitoring
1 Lump Sum	907-659-A001	Traffic Management Center Modifications
7 Each	907-660-B001	Cabinet Modifications
2 Each	907-662-C001	Radio Interconnect, Signal Control Repeater
10 Each	907-662-D002	Radio Interconnect, Broadband, Short Range
6 Each	907-663-A001	Network Switch, Type A
1 Lump Sum	907-899-A001	Railway-Highway Provisions

ALTERNATE GROUP AA NUMBER 1

28,173 Ton	304-F001	3/4" and Down Crushed Stone Base
------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

28,173 Ton	304-F002	Size 610 Crushed Stone Base
------------	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

28,173 Ton	304-F003	Size 825B Crushed Stone Base
------------	----------	------------------------------

Bridge Items

150 Ton	304-D004	Granular Material, Size 57
745 Pounds	805-A001	Reinforcement
94 Linear Feet	813-A002	Concrete Railing, 32"
2,500 Pounds	907-420-B001	Deep Injection Undersealing
1,435 Linear Feet	907-808-A002	Joint Repair
82 Linear Feet	907-822-B009	3 3/4" Reinforced Elastomeric Molded Rubber Expansion Joint
70 Linear Feet	907-822-B012	4 1/2" Reinforced Elastomeric Molded Rubber Expansion Joint
84 Linear Feet	907-822-B013	5" Reinforced Elastomeric Molded Rubber Expansion Joint
355 Linear Feet	907-823-A001	Preformed Joint Seal, Type I
124 Linear Feet	907-823-A003	Preformed Joint Seal, Type III
295 Linear Feet	907-823-B001	Saw Cut, Type I
247 Linear Feet	907-823-B003	Saw Cut, Type III
253 Square Feet	907-824-A003	General Epoxy Repair
11 Each	907-824-C001	Cap Cleaning
40 Each	907-824-D001	Bearing Replacements

488	Linear Feet	907-824-PP008	Bridge Repair, Class 2, Spray Finish
94	Linear Feet	907-824-PP008	Bridge Repair, Remove Bridge Railing
73	Linear Feet	907-824-PP008	Bridge Repair, Remove End Bent Endwall
73	Linear Feet	907-824-PP008	Bridge Repair, Replace End Bent Endwall
39	Cubic Yard	907-828-A001	Hybrid Polymer Concrete Overlay

CALL No. 05

Add 2 Lanes to I-55 from SR 463 to Gluckstadt Road, & Mill & Overlay approximately 0.77 miles on I-55 from Gluckstadt Road north, known as Federal Aid Project Nos. STP-0055-02(271) / 108168301 & STP-0055-02(275) / 108168302 in Madison County.

PROJECT COMPLETION: Contractor Determined

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

30	Acre	201-B001	Clearing and Grubbing
16	Station	201-D001	Random Clearing
2,580	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
4	Each	202-B017	Removal of Box Bridge
39	Linear Feet	202-B019	Removal of Box Culvert
471	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
40	Linear Feet	202-B060	Removal of Concrete Median Barrier
11,500	Linear Feet	202-B061	Removal of Concrete Median Barrier, Precast
121	Square Yard	202-B063	Removal of Concrete Paved Ditch
34,294	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
721	Linear Feet	202-B089	Removal of Curb &/or Curb and Gutter, All Types
802	Linear Feet	202-B096	Removal of Debris and Sand From Box Culvert, 10-foot and Greater Width
100	Linear Feet	202-B114	Removal of Debris and Sand From Pipe, All Sizes
40,623	Linear Feet	202-B126	Removal of Fence, All Types
4,679	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
2	Each	202-B160	Removal of High Mast Lighting Assembly
3	Each	202-B162	Removal of Impact Attenuator
8	Each	202-B165	Removal of Inlets, All Sizes
13	Each	202-B177	Removal of Low Mast Lighting Assembly
538	Linear Feet	202-B191	Removal of Pipe, 8" And Above
1	Each	202-B220	Removal of Sign, Overhead Mounted Including Panels, Trust, and Footings
55,594	Square Yard	202-B225	Removal of Soil Cement Shoulders with Asphalt Overlay
34,294	Square Yard	202-B226	Removal of Soil Cement Treated Base, All Depths
14,175	Square Yard	202-B226	Removal of Soil Cement Treated Base, All Depths - Milling
6,000	Linear Feet	202-B240	Removal of Traffic Stripe

145	Linear Feet	202-B273	Removal of Debris and Sand From Box Culvert, 6-foot to Less than 10-foot Width
690	Linear Feet	202-B276	Removal of Debris from Drainage Channel
583,811	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
15,151	Cubic Yard	203-F001	Channel Excavation, FM
498,248	Cubic Yard	203-G001	Excess Excavation, FM, AH
2,935	Cubic Yard	206-A001	Structure Excavation
96	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
279,624	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
29,750	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
56	Ton	213-C001	Superphosphate
2,873	Square Yard	216-A001	Solid Sodding
2,209	Square Yard	217-A001	Ditch Liner
59	Thousand Gallon	219-A001	Watering
56	Acre	220-A001	Insect Pest Control
3,548	Cubic Yard	221-A001	Concrete Paved Ditch
851	Acre	223-A001	Mowing
7,370	Square Yard	224-A001	Soil Reinforcing Mat
111	Acre	225-A001	Grassing
56	Ton	225-B001	Agricultural Limestone
222	Ton	225-C001	Mulch, Vegetative Mulch
111	Acre	226-A001	Temporary Grassing
8	Each	236-A008	Silt Basin, Type D
4,500	Linear Feet	237-A002	Wattles, 20"
2,000	Linear Feet	239-A001	Temporary Slope Drains
2,000	Linear Feet	245-A001	Silt Dike
4,000	Linear Feet	246-B002	Rockbags
8,000	Ton	249-A001	Riprap for Erosion Control
18,150	Ton	304-D002	Granular Material, Crushed Stone
118,950	Square Yard	307-B003	6" Soil-Lime-Water Mixing, Class B
1,606	Ton	307-D001	Lime

29,738	Gallon	307-S001	Bituminous Curing Seal
1,071	Ton	308-A001	Cement
118,950	Square Yard	308-B003	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
29,738	Gallon	308-S001	Bituminous Curing Seal
302,705	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
17	Mile	423-A001	Rumble Strips, Ground In
222	Square Yard	501-K001	Transverse Grooving
40,670	Linear Feet	503-C010	Saw Cut, Full Depth
48,821	Pounds	602-A001	Reinforcing Steel
72	Linear Feet	603-ALT003	18" Type A Alternate Pipe
1,032	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
2,024	Linear Feet	603-CA022	18" Reinforced Concrete Pipe, Class V, Jacked or Bored
824	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
632	Linear Feet	603-CA038	24" Reinforced Concrete Pipe, Class V, Jacked or Bored
8	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
96	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
224	Linear Feet	603-CA065	36" Reinforced Concrete Pipe, Class V, Jacked or Bored
16	Linear Feet	603-CA066	42" Reinforced Concrete Pipe, Class III
28	Each	603-CB003	18" Reinforced Concrete End Section
20	Each	603-CB004	24" Reinforced Concrete End Section
1	Each	603-CB005	30" Reinforced Concrete End Section
4	Each	603-CB006	36" Reinforced Concrete End Section
2	Each	603-CB007	42" Reinforced Concrete End Section
104	Linear Feet	603-CE008	29" x 18" Concrete Arch Pipe, Class A III
88	Linear Feet	603-CE018	44" x 27" Concrete Arch Pipe, Class A III
40	Linear Feet	603-CE034	65" x 40" Concrete Arch Pipe, Class A III
2	Each	603-CF003	29" x 18" Concrete Arch Pipe End Section
2	Each	603-CF005	44" x 27" Concrete Arch Pipe End Section
2	Each	603-CF008	65" x 40" Concrete Arch Pipe End Section

4	Each	603-SB012	18" Branch Connections, Stub into Box Culvert
2	Each	603-SB028	24" Branch Connections, Stub into Box Culvert
79	Pounds	604-A001	Castings
10,897	Pounds	604-B001	Gratings
424	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
762	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
190	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
29	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
550	Linear Feet	606-B001	Guard Rail, Class A, Type 1
313	Linear Feet	606-B006	Guard Rail, Class A, Type 1, Double Faced
1	Each	606-C003	Guard Rail, Cable Anchor, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
5	Each	606-E001	Guard Rail, Terminal End Section
40,947	Linear Feet	607-B018	60" Type I Chain Link Fence, Class II
600	Linear Feet	607-E001	Barbed Wire Fence, Single Strand
12	Each	607-G127	Gate, 3' x 60" Chain Link
8	Each	607-P1003	Line Post, 14' x 2 1/2" Galvanized Steel
3,834	Each	607-P1008	Line Post, 7' x 1 1/2" Galvanized Steel
247	Each	607-P2004	Brace Post, 7 1/2' x 2" Galvanized Steel
8	Each	607-P2022	Brace Post, 5' x 2 1/2" Galvanized Steel
24	Each	607-P3004	Gate Post, 8' x 2 1/2" Galvanized Steel
870	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
173	Linear Feet	609-C001	Concrete Integral Curb, Type 1
1,785	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
3,101	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 3 Modified
22	Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
287	Linear Feet	615-A004	Concrete Bridge End Barrier, 43.5"
256	Linear Feet	615-A007	Concrete Pier Protection Barrier, 54"
34,372	Linear Feet	615-A023	Concrete Type IV Modified, 42" Height, Cast-in-Place Median Barrier
155	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch

1,127	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
776	Square Yard	616-B001	Bituminous Median and/or Island Pavement
3	Each	617-A001	Right-of-Way Marker
84	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
81	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
96	Mile	619-A3001	Temporary Traffic Stripe, Skip White
142,991	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,431	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
2,568	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
20,347	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
2,075	Each	619-C8001	One-Way Clear Reflective High Performance Raised Marker
2,099	Each	619-C9001	One-Way Yellow Reflective High Performance Raised Marker
95	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
2,060	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,000	Linear Feet	619-F1001	Concrete Median Barrier, Precast
84,948	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
228	Linear Feet	619-G4005	Barricades, Type III, Single Faced
847	Each	619-G5001	Free Standing Plastic Drums
22	Each	619-G7001	Warning Lights, Type "B"
4	Each	619-J1004	Impact Attenuator, 60 MPH
4	Each	619-J2004	Impact Attenuator, 60 MPH, Replacement Package
20	Each	619-J3001	Remove and Reset Impact Attenuator
1	Lump Sum	620-A001	Mobilization
1	Each	622-A004	Engineer's Field Office Building, Type 3
1	Each	629-A005	Vehicular Impact Attenuator, 70 MPH
178	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
469	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
349	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
378	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
7,776	Square Feet	630-B003	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted

559	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
136	Linear Feet	630-C004	Square Tube Posts, 9.0 lb/ft
944	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
64	Linear Feet	630-C1001	Square Post Inner Sleeve
51	Linear Feet	630-D006	Structural Steel Beams, W6 x 12
136	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
63	Pounds	630-E001	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
132	Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
28	Each	630-F006	Delineators, Guard Rail, White
10	Each	630-F007	Delineators, Guard Rail, Yellow
152	Each	630-F010	Delineators, Post Mounted, Double White
54	Each	630-F011	Delineators, Post Mounted, Double Yellow
61	Each	630-F012	Delineators, Post Mounted, Single White
14	Each	630-F013	Delineators, Post Mounted, Single Yellow
4	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Lump Sum	630-I003	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
1	Lump Sum	630-I004	Metal Overhead Sign Supports, Assembly No. 10, Contractor Designed
1	Lump Sum	630-I005	Metal Overhead Sign Supports, Assembly No. 11, Contractor Designed
1	Lump Sum	630-I006	Metal Overhead Sign Supports, Assembly No. 12, Contractor Designed
1	Lump Sum	630-I007	Metal Overhead Sign Supports, Assembly No. 13, Contractor Designed
1	Lump Sum	630-I008	Metal Overhead Sign Supports, Assembly No. 14, Contractor Designed
1	Lump Sum	630-I009	Metal Overhead Sign Supports, Assembly No. 15, Contractor Designed
1	Lump Sum	630-I010	Metal Overhead Sign Supports, Assembly No. 16, Contractor Designed
1	Lump Sum	630-I015	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
1	Lump Sum	630-I020	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed
1	Lump Sum	630-I022	Metal Overhead Sign Supports, Assembly No. 4, Contractor Designed
1	Lump Sum	630-I024	Metal Overhead Sign Supports, Assembly No. 5, Contractor Designed
1	Lump Sum	630-I025	Metal Overhead Sign Supports, Assembly No. 6, Contractor Designed
1	Lump Sum	630-I026	Metal Overhead Sign Supports, Assembly No. 7, Contractor Designed
1	Lump Sum	630-I027	Metal Overhead Sign Supports, Assembly No. 8, Contractor Designed

1	Lump Sum	630-I028	Metal Overhead Sign Supports, Assembly No. 9, Contractor Designed
12	Each	635-A059	Traffic Signal Head, Type 1
2	Each	635-A065	Traffic Signal Head, Type 2 FYA
2	Each	635-A070	Traffic Signal Head, Type 3
1	Each	635-A073	Traffic Signal Head, Type 4
2	Each	635-A076	Traffic Signal Head, Type 6
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
4,378	Linear Feet	682-A005	Underground Branch Circuit, AWG 1/0, 3 Conductor
2,642	Linear Feet	682-A007	Underground Branch Circuit, AWG 1/0, 5 Conductor
8,904	Linear Feet	682-A018	Underground Branch Circuit, AWG 2, 3 Conductor
3,180	Linear Feet	682-A034	Underground Branch Circuit, AWG 6, 3 Conductor
1,680	Linear Feet	682-A039	Underground Branch Circuit, AWG 8, 3 Conductor
90	Linear Feet	682-B005	Underground Branch Circuit, Jacked or Bored, AWG 1/0, 3 Conductor
90	Linear Feet	682-B007	Underground Branch Circuit, Jacked or Bored, AWG 1/0, 5 Conductor
620	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
870	Linear Feet	682-B025	Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor
490	Linear Feet	682-B032	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
340	Linear Feet	682-B037	Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
200	Linear Feet	682-C006	Structure Mounted Branch Circuit, AWG 1/0, 5 Conductor
480	Linear Feet	682-C009	Structure Mounted Branch Circuit, AWG 10, 3 Conductor
150	Linear Feet	682-C015	Structure Mounted Branch Circuit, AWG 2, 3 Conductor
10	Each	682-D002	Structure Mounted Pull Box
38	Each	682-D003	Underground Pull Box
3	Each	682-E001	Structure Mounted Junction Box
21	Each	682-E003	Underground Junction Box With Concrete Pad
3	Each	682-F002	Secondary Power Controllers
32	Each	683-A002	Lighting Assembly, High Mast, LED, Type 120-4-A
4	Each	683-A124	Lighting Assembly, High Mast, LED, Type 120-8-S
1	Each	683-A137	Lighting Assembly, High Mast, LED, Type 120-8-A

1	Each	683-A138	Lighting Assembly, High Mast, LED, Type 120-6-A
11	Each	683-B212	Lighting Assembly, Low Mast, LED, Type 40-1-8-110
1	Each	683-B213	Lighting Assembly, Low Mast, LED, Type 40-2-8-110
8	Each	683-C010	Lighting Assembly, Underpass, Type UP
1	Each	683-D001	Portable Electric Power Units
12	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
271	Cubic Yard	684-A006	Pole Foundation, 42" Diameter
8	Linear Feet	684-B003	Slip Casing, 24" Diameter
20	Linear Feet	684-B006	Slip Casing, 42" Diameter
1	Lump Sum	699-A001	Roadway Construction Stakes
1,250	Ton	815-A002	Loose Riprap, Size 100
7,050	Ton	815-A007	Loose Riprap, Size 300
8,681	Square Yard	815-E001	Geotextile under Riprap
3,000	Ton	815-F002	Sediment Control Stone
17,000	Linear Feet	907-234-A001	Temporary Silt Fence
2,575	Linear Feet	907-234-C001	Super Silt Fence
15	Each	907-234-D001	Inlet Siltation Guard
15	Each	907-234-E001	Reset Inlet Siltation Guard
1	Lump Sum	907-248-A001	Temporary Site Drainage
1,021	Linear Feet	907-253-A001	Coir Fiber Baffle
11,193	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
39,202	Gallon	907-402-B001	Bituminous Tack Coat
29,040	Ton	907-403-A001	12.5-mm, HT, Asphalt Pavement
35,680	Ton	907-403-A004	19-mm, HT, Asphalt Pavement
35,456	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
4,667	Ton	907-403-A013	9.5-mm, HT, Asphalt Pavement
608	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
42,798	Ton	907-403-B001	12.5-mm, HT, Asphalt Pavement, Leveling
5,921	Ton	907-403-B010	9.5-mm, HT, Asphalt Pavement, Leveling
34	Mile	907-403-S001	Joint Sealant

44,502	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
20,101	Ton	907-405-A002	Stone Matrix Asphalt, 12.5 mm Mixture
116,816	Gallon	907-407-A001	Asphalt for Tack Coat
576	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
640	Linear Feet	907-501-F001	Concrete Lug Anchors
1,693	Square Yard	907-502-A001	Reinforced Cement Concrete Bridge End Pavement
302	Cubic Yard	907-601-A001	Class "B" Structural Concrete
88	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
120	Square Feet	907-608-C001	Detectable Warning Panels
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Lump Sum	907-618-M1001	Service Patrol
4,640	Hours	907-618-M2001	Work Zone Law Enforcement
2	Each	907-619-E3001	Changeable Message Sign
24	Each	907-619-M1002	Smart Work Zone, Portable Queue Trailer
10	Each	907-619-M1003	Smart Work Zone, Portable Camera Trailer
12	Each	907-619-M1004	Smart Work Zone, Portable Message Board Trailer
58	Each	907-619-M2001	Smart Work Zone, Portable Queue Trailer, Operational Month
58	Each	907-619-M2002	Smart Work Zone, Portable Camera Trailer, Operational Month
58	Each	907-619-M2003	Smart Work Zone, Portable Message Board Trailer, Operational Month
58	Each	907-619-M2004	Smart Work Zone, Portable Bluetooth Detection System, Additional Device, Operational Month
58	Each	907-619-M3002	Smart Work Zone, System Monitoring, Operational Month
21	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
14	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
13	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
37,665	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,966	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,096	Square Feet	907-626-H009	Thermoplastic Legend, White
1,284	Linear Feet	907-626-H010	Thermoplastic Legend, White
4,973	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
2	Each	907-632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller

2 Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
2 Each	907-632-G001	Malfunction Management Unit
6 Each	907-632-J001	Power Service Pedestal
1 Each	907-634-A047	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 55' Arm
1 Each	907-634-A083	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
1 Each	907-634-A374	Traffic Signal Equipment Pole, Type III, 17' Shaft, 35' & 40' Arms
1 Each	907-634-A397	Traffic Signal Equipment Pole, Type III, 17' Shaft, 50' & 50' Arms
1 Each	907-634-A545	Traffic Signal Equipment Pole, Type VI, 8' Shaft
16 Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
4 Each	907-634-E001	Camera Pole with Foundation, 50' Pole
190 Linear Feet	907-636-B003	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor
425 Linear Feet	907-636-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
915 Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
225 Linear Feet	907-636-B025	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 6, 3 Conductor
40 Linear Feet	907-636-B043	Electric Cable, Underground in Conduit, THHN, AWG #2, 4 Conductor
1,120 Linear Feet	907-636-B053	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
40 Linear Feet	907-636-D001	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 10, 2 Conductor
20 Linear Feet	907-636-D006	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 5 Conductor
380 Linear Feet	907-636-D008	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
40 Linear Feet	907-636-D022	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 6, 3 Conductor
17 Each	907-637-A002	Pullbox Enclosure, Type 2
2 Each	907-637-A003	Pullbox Enclosure, Type 3
16 Each	907-637-A004	Pullbox Enclosure, Type 4
11 Each	907-637-A005	Pullbox Enclosure, Type 5
160 Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
105 Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
670 Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
160 Linear Feet	907-637-H001	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
445 Linear Feet	907-637-H002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2"
23,495 Linear Feet	907-637-I001	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2 @ 2"

760	Linear Feet	907-637-I002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2"
440	Linear Feet	907-640-B001	Shielded Cable, AWG #14, 2 Conductor
6	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
8	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
2	Each	907-641-C002	ITS Radar Vehicle Detection Sensor
2,505	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
4	Each	907-641-F002	Signal Radar Vehicle Detection Processor, Type 2
2	Each	907-641-G002	ITS Radar Vehicle Detection Processor, Type 2
2	Each	907-645-B001	Accessible Pedestrian Detection Assembly
12	Each	907-650-A002	On Street Video Equipment, Fixed Type
6	Each	907-650-A003	On Street Video Equipment, PTZ Type
5	Each	907-650-A004	On Street Video Equipment, PTZ Type, Signal Monitoring
27	Square Feet	907-653-A001	Traffic Sign
1	Each	907-656-A001	Dynamic Message Sign, Type 1
1	Lump Sum	907-659-A001	Traffic Management Center Modifications
5	Each	907-660-A002	Equipment Cabinet, Type B
1	Each	907-660-A003	Equipment Cabinet, Type C
20,470	Linear Feet	907-661-A004	Fiber Optic Cable, 72 SM
3,805	Linear Feet	907-661-B002	Fiber Optic Drop Cable, 12 SM
10	Each	907-663-A001	Network Switch, Type A
1	Each	907-663-A002	Network Switch, Type B
1	Each	907-663-A003	Network Switch, Type C
2	Each	907-663-A005	Network Switch, Type E
3	Each	907-666-A001	Bluetooth Detection System, Type A
440	Linear Feet	907-682-A1011	Branch Circuit Wire, AWG #2, 3 Conductor
830	Linear Feet	907-682-A1019	Branch Circuit Wire, AWG #4, 3 Conductor
1,040	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

117,600	Ton	304-F001	3/4" and Down Crushed Stone Base
---------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

117,600	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
117,600	Ton	304-F003	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1			
800	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
ALTERNATE GROUP BB NUMBER 2			
800	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
Bridge Items			
5,588	Square Yard	501-K001	Transverse Grooving
2,476	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
3,262	Linear Feet	605-T002	6" Perforated Pipe for Underdrains
258	Cubic Yard	605-X002	Filter Material for Filter Beds, Type A
613	Cubic Yard	605-X003	Filter Material for Filter Beds, Type B
1,059	Cubic Yard	605-Y002	Impervious Material, Type D
8,295	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
4,816	Linear Feet	803-D002	HP 12 x 53 Steel Piling
7,608	Linear Feet	803-D006	HP 14 x 73 Steel Piling
17,688	Linear Feet	803-D007	HP 14 x 89 Steel Piling
5,425	Linear Feet	803-P015	24" Steel Pipe Piling, Wall Thickness 0.625"
1,272	Linear Feet	804-C188	80' Prestressed Concrete Beam, Type FIB-36
1,352	Linear Feet	804-C195	85' Prestressed Concrete Beam, Type FIB-36
1,904	Linear Feet	804-C208	60' Prestressed Concrete Beam, Type FIB-36
1,264	Linear Feet	804-C274	40' Prestressed Concrete Beam, Type FIB-36
1,081,334	Pounds	805-A001	Reinforcement
22,208	Pounds	805-C001	Reinforcement, Corrosion Resistant
1,480	Linear Feet	813-A003	Concrete Railing, 42"
6,937	Ton	815-A007	Loose Riprap, Size 300
6,383	Square Yard	815-E001	Geotextile under Riprap
2	Each	907-803-I002	PDA Test Pile, Concrete Pile
23	Each	907-803-I003	PDA Test Pile, HP Steel Pile
2	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile

27	Each	907-803-J001	Pile Restrike
1,668	Cubic Yard	907-804-A001	Bridge Concrete, Class BDY
882	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
4,726	Cubic Yard	907-804-A003	Bridge Concrete, Class B
642	Linear Feet	907-823-A001	Preformed Joint Seal, Type I

CALL No. 06

Mill & Overlay approximately 7.4 miles of I-55 from the Carroll County Line to 0.5 miles south of MS 8, Lighting on I-55 at Paper Mill Road, Fog Seal approximately 8.3 miles of I-55 from 0.5 miles south of MS 8 to the Yalobusha County Line, Fog Seal approximately 6 miles of I-55 from 0.5 miles south of MS 35 to the Montgomery County Line & Fog Seal approximately 11.6 miles of I-55 from the Carroll County Line to 2.5 miles south of the Carroll County Line, known as Federal Aid Project Nos. IM-0055-03(098) / 109256301, IM-0055-03(101) / 1092563011, IM-0055-03(104) / 110082301, IM-0055-03(103) / 110083301 & IM-0055-03(102) / 110084301 in Grenada, Carroll & Montgomery Counties.

PROJECT COMPLETION: 218 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

909	Station	201-D001	Random Clearing
145	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
900	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,292	Square Yard	202-B008	Removal of Asphalt Pavement, All Depths, Including Soil Cement Base
10	Square Yard	202-B063	Removal of Concrete Paved Ditch
64	Each	202-B117	Removal of Delineator, All Types
2	Each	202-B122	Removal of Edge Drain Outlet
21,322	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
1	Each	202-B165	Removal of Inlets, All Sizes
16	Linear Feet	202-B191	Removal of Pipe, 8" And Above
18	Each	202-B213	Removal of Sign
32	Each	202-B215	Removal of Sign Including Post & Footing
960	Linear Feet	202-B240	Removal of Traffic Stripe
733	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
1,997	Cubic Yard	203-G001	Excess Excavation, FM, AH
9	Cubic Yard	206-A001	Structure Excavation
4,588	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
467	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1	Ton	213-C001	Superphosphate
1	Acre	220-A001	Insect Pest Control
2	Acre	223-A001	Mowing
1	Acre	225-A001	Grassing
1	Ton	225-B001	Agricultural Limestone

2 Ton	225-C001	Mulch, Vegetative Mulch
1 Acre	226-A001	Temporary Grassing
500 Linear Feet	237-A002	Wattles, 20"
500 Linear Feet	246-B002	Rockbags
250 Ton	249-A001	Riprap for Erosion Control
9,350 Ton	304-B004	Granular Material, Class 5, Group D
150 Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
356,930 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
30 Mile	423-A001	Rumble Strips, Ground In
2,679 Linear Feet	503-C010	Saw Cut, Full Depth
54 Pounds	602-A001	Reinforcing Steel
16 Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
250 Pounds	604-B001	Gratings
20 Linear Feet	605-H001	Edge Drain
18,825 Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
400 Linear Feet	606-B010	Guard Rail, Class A, Type 1, Thrie Beam
116 Linear Feet	606-B013	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
38 Each	606-C003	Guard Rail, Cable Anchor, Type 1
6 Each	606-D019	Guard Rail, Bridge End Section, Type H
4 Each	606-D022	Guard Rail, Bridge End Section, Type I
26 Each	606-E005	Guard Rail, Terminal End Section, Flared
18 Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
8 Cubic Yard	612-A001	Flowable Fill, Excavatable
5 Square Feet	618-B001	Additional Construction Signs
47 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
48 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
43 Mile	619-A3001	Temporary Traffic Stripe, Skip White
9,829 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
200 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Each	619-D3001	Remove and Reset Signs, All Sizes

1	Lump Sum	620-A001	Mobilization
100	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
253	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
169	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
495	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
328	Each	630-F006	Delineators, Guard Rail, White
186	Each	630-F007	Delineators, Guard Rail, Yellow
99	Each	630-F010	Delineators, Post Mounted, Double White
26	Each	630-F011	Delineators, Post Mounted, Double Yellow
78	Each	630-F012	Delineators, Post Mounted, Single White
12	Each	630-F013	Delineators, Post Mounted, Single Yellow
8	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1,734	Linear Feet	682-A018	Underground Branch Circuit, AWG 2, 3 Conductor
1,300	Linear Feet	682-A034	Underground Branch Circuit, AWG 6, 3 Conductor
6,408	Linear Feet	682-A039	Underground Branch Circuit, AWG 8, 3 Conductor
637	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
293	Linear Feet	682-B037	Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
11	Each	682-D003	Underground Pull Box
28	Each	682-D004	Underground Pull Box With Concrete Pad
1	Each	682-F001	Secondary Power Controller
2	Each	683-A124	Lighting Assembly, High Mast, LED, Type 120-8-S
1	Each	683-A137	Lighting Assembly, High Mast, LED, Type 120-8-A
3	Each	683-A138	Lighting Assembly, High Mast, LED, Type 120-6-A
24	Each	683-B216	Lighting Assembly, Low Mast, LED, Type 35-1-12-150
4	Each	683-B217	Lighting Assembly, Low Mast, LED, Type 35-1-6-150
1	Each	683-D001	Portable Electric Power Units
27	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
43	Cubic Yard	684-A006	Pole Foundation, 42" Diameter
8	Linear Feet	684-B003	Slip Casing, 24" Diameter

20	Linear Feet	684-B006	Slip Casing, 42" Diameter
1	Lump Sum	699-A001	Roadway Construction Stakes
3,000	Linear Feet	907-234-A001	Temporary Silt Fence
14,096	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
24,300	Gallon	907-402-B001	Bituminous Tack Coat
302	Ton	907-403-A001	12.5-mm, HT, Asphalt Pavement
377	Ton	907-403-A004	19-mm, HT, Asphalt Pavement
125	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
10,105	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
15	Mile	907-403-S001	Joint Sealant
21,197	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
36,264	Gallon	907-407-A001	Asphalt for Tack Coat
1,900	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
100,316	Gallon	907-428-D001	Bio-Based Fog Seal with Rejuvenator
2	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	907-618-A001	Maintenance of Traffic
15	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
16	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
16	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
7,245	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,584	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
48	Square Feet	907-626-H009	Thermoplastic Legend, White
200	Linear Feet	907-626-H010	Thermoplastic Legend, White
8,133	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
320	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

1,500	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

1,500	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

1,500 Ton

304-F003 Size 825B Crushed Stone Base

CALL No. 07

Mill & Overlay approximately 13.7 miles of I-59 from 0.5 miles north of the McNeil Exit to south of MS 26, known as Federal Aid Project No. IM-0059-01(128) / 108588301 in Pearl River County.

PROJECT COMPLETION: 146 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,257	Station	201-D001	Random Clearing
1	Lump Sum	202-A001	Removal of Obstructions
7,180	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
2,475	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
137	Square Yard	202-B067	Removal of Concrete Pavement Punchouts, 8" Depth
14,221	Linear Feet	202-B136	Removal of Guard Rail
4	Each	202-B213	Removal of Sign
4	Each	202-B214	Removal of Sign Footing
17,117	Linear Feet	202-B240	Removal of Traffic Stripe
651,606	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,245	Square Yard	406-E002	Fine Milling of Concrete Pavement, All Depths
7,196	Linear Feet	413-D002	Cleaning and Filling Joints
53	Mile	423-A001	Rumble Strips, Ground In
72	Linear Feet	501-D001	Expansion Joints, With Dowels
137	Square Yard	503-A001	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
100	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
16,297	Linear Feet	503-C010	Saw Cut, Full Depth
50	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
144	Each	503-F002	1" Smooth Dowel Bars, Drilled & Epoxied or Grouted
11,556	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
12	Each	606-C001	Guard Rail, Cable Anchor Type 1, Metal Post
4	Each	606-D005	Guard Rail, Bridge End Section, Type A
16	Each	606-D023	Guard Rail, Bridge End Section, Type I, Metal Post
12	Each	606-E005	Guard Rail, Terminal End Section, Flared
24	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared

128	Linear Feet	615-A005	Concrete Pier Protection Barrier, 32"
663	Linear Feet	615-A006	Concrete Pier Protection Barrier, 42"
500	Linear Feet	615-B001	Precast Concrete Median Barrier
1	Square Feet	618-B001	Additional Construction Signs
29	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
30	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
28	Mile	619-A3001	Temporary Traffic Stripe, Skip White
607	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
10,566	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
332	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
500	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
2	Each	619-J1005	Impact Attenuator, 70 MPH
2	Each	619-J3001	Remove and Reset Impact Attenuator
1	Lump Sum	620-A001	Mobilization
246	Each	630-F006	Delineators, Guard Rail, White
90	Each	630-F007	Delineators, Guard Rail, Yellow
22	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
21,601	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
32,729	Gallon	907-402-B001	Bituminous Tack Coat
90	Ton	907-403-A003	12.5-mm, ST, Asphalt Pavement
17,715	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
55	Mile	907-403-S001	Joint Sealant
36,722	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
31,527	Gallon	907-407-A001	Asphalt for Tack Coat
11	Cubic Yard	907-503-D001	Concrete for Base Repair
1	Lump Sum	907-618-A001	Maintenance of Traffic
2,000	Hours	907-618-M2001	Work Zone Law Enforcement
2	Each	907-619-E3001	Changeable Message Sign
27	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
29	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White

607	Linear Feet	907-626-D006	6" Thermoplastic Traffic Stripe, Skip Yellow
30	Mile	907-626-F005	6" Thermoplastic Edge Stripe, Continuous Yellow
9,818	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
748	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
332	Linear Feet	907-626-H010	Thermoplastic Legend, White
3,894	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
61	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,812	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers
1,812	Each	907-627-N001	One-Way Yellow Reflective High Performance Raised Markers
2	Each	907-630-O008	Remove and Reset Signs, Post Mounted

ALTERNATE GROUP AA NUMBER 1

1,006	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

1,006	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

1,006	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

1,592	Linear Feet	907-628-G003	6" High Performance Cold Plastic Traffic Stripe, Skip White
7,904	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
264	Linear Feet	907-628-I004	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
7,357	Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

1,592	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
7,904	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
264	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
7,357	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 08

Fog Seal approximately 5 miles of I-59 from the Forrest County Line to the Forrest County Line, Fog Seal approximately 2.8 miles of I-59 from the US 98 Bypass to the Lamar County Line, & Replace approximately 4.9 miles of OGFC on I-59 from the Lamar County Line to US 98 East, known as Federal Aid Project Nos. IM-0059-01(145) / 110076301, IM-0059-01(144) / 110077301 & IM-0059-01(143) / 110078301 in Lamar & Forrest Counties.

PROJECT COMPLETION: 86 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

519	Station	201-D001	Random Clearing
936	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
1,187	Linear Feet	202-B136	Removal of Guard Rail
164,528	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,404	Linear Feet	503-C010	Saw Cut, Full Depth
762	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
2	Each	606-C001	Guard Rail, Cable Anchor Type 1, Metal Post
1	Each	606-D019	Guard Rail, Bridge End Section, Type H
3	Each	606-D022	Guard Rail, Bridge End Section, Type I
6	Each	606-E005	Guard Rail, Terminal End Section, Flared
2	Square Feet	618-B001	Additional Construction Signs
20	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
20	Mile	619-A3001	Temporary Traffic Stripe, Skip White
1	Lump Sum	620-A001	Mobilization
14	Each	630-F006	Delineators, Guard Rail, White
23	Each	630-F007	Delineators, Guard Rail, Yellow
6	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
7,880	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
15,917	Gallon	907-402-B001	Bituminous Tack Coat
324	Ton	907-403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
402	Gallon	907-407-A001	Asphalt for Tack Coat
364	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
52,452	Gallon	907-428-D001	Bio-Based Fog Seal with Rejuvenator

1	Lump Sum	907-618-A001	Maintenance of Traffic
360	Hours	907-618-M2001	Work Zone Law Enforcement
2	Each	907-619-E3001	Changeable Message Sign
27	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
28	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
28	Mile	907-626-F005	6" Thermoplastic Edge Stripe, Continuous Yellow
15,278	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,781	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1,860	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers
1,821	Each	907-627-N001	One-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

132	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

132	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

132	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

CALL No. 09

Fog Seal approximately 6.2 miles of I-59 from 0.8 mile north of CR 39 to the Jasper/Clarke County Line & Replacing OGFC on approximately 6.45 miles of I-59 from the Jasper County north approximately 6.45 miles, known as Federal Aid Project Nos. IM-0059-02(123) / 110070301 & IM-0059-02(116) / 109253301 in Jasper & Clarke Counties.

PROJECT COMPLETION: 121 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

769	Station	201-D001	Random Clearing
5,069	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
54	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
70	Square Yard	202-B067	Removal of Concrete Pavement Punchouts, 8" Depth
7,500	Linear Feet	202-B136	Removal of Guard Rail
4,721	Linear Feet	202-B240	Removal of Traffic Stripe
214,707	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
48	Linear Feet	501-D001	Expansion Joints, With Dowels
24	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
11,082	Linear Feet	503-C010	Saw Cut, Full Depth
26	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
36	Each	503-F002	1" Smooth Dowel Bars, Drilled & Epoxied or Grouted
5,782	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
10	Each	606-C003	Guard Rail, Cable Anchor, Type 1
16	Each	606-D005	Guard Rail, Bridge End Section, Type A
2	Each	606-D022	Guard Rail, Bridge End Section, Type I
28	Each	606-E005	Guard Rail, Terminal End Section, Flared
2	Square Feet	618-B001	Additional Construction Signs
26	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
720	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
26	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
720	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
26	Mile	619-A3001	Temporary Traffic Stripe, Skip White
720	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White

4,768	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
760	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
154	Each	619-F3001	Delineators, Guard Rail, White
94	Each	619-F3002	Delineators, Guard Rail, Yellow
1	Lump Sum	620-A001	Mobilization
28	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
10,910	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
23,134	Gallon	907-402-B001	Bituminous Tack Coat
256	Ton	907-403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
152	Gallon	907-407-A001	Asphalt for Tack Coat
576	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
38,859	Gallon	907-428-D001	Bio-Based Fog Seal with Rejuvenator
70	Square Yard	907-501-A002	8" Reinforced Cement Concrete Pavement, Broom Finish
15	Cubic Yard	907-503-D001	Concrete for Base Repair
1	Lump Sum	907-618-A001	Maintenance of Traffic
360	Hours	907-618-M2001	Work Zone Law Enforcement
4	Each	907-619-E3001	Changeable Message Sign
26	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
27	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
27	Mile	907-626-F005	6" Thermoplastic Edge Stripe, Continuous Yellow
4,768	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
760	Linear Feet	907-626-H010	Thermoplastic Legend, White
4,256	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1,690	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers
1,690	Each	907-627-N001	One-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

845	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

845	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

304-F003 Size 825B Crushed Stone Base

ALTERNATE GROUP BB NUMBER 1

1,605	Linear Feet	907-628-G003	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,605	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,605	Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

1,605	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
1,605	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,605	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 10

OGFC Lift on I-59 from US 45 to approximately 0.248 miles north of the Russell Interchange & Fog Seal approximately 0.25 mile north of the Russell Interchange to Alabama State Line, known as Federal Aid Project Nos. IM-0059-03(107) / 110080301 & IM-0059-03(106) / 110081301 in Lauderdale County.

PROJECT COMPLETION: 116 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

454	Station	201-D001	Random Clearing
294	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
34	Square Yard	202-B045	Removal of Cement Treated Base, All Depths
100	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
25	Cubic Yard	203-G002	Excess Excavation, LVM, AH
142,477	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
100	Square Yard	503-A003	9" and Variable Reinforced Concrete Pavement, Broom Finish
75	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
1,729	Linear Feet	503-C010	Saw Cut, Full Depth
17	Cubic Yard	503-D001	Concrete for Base Repair
74	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
33	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
33	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
28	Mile	619-A3001	Temporary Traffic Stripe, Skip White
160	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,128	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
12	Linear Feet	619-G4001	Barricades, Type III, Double Faced
120	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
5,877	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
14,242	Gallon	907-402-B001	Bituminous Tack Coat
435	Ton	907-403-A013	9.5-mm, HT, Asphalt Pavement
131	Ton	907-403-B001	12.5-mm, HT, Asphalt Pavement, Leveling
4,850	Gallon	907-407-A001	Asphalt for Tack Coat

291	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
6,235	Gallon	907-428-C001	Bituminous-Based Fog Seal with Rejuvenator
38,121	Gallon	907-428-D001	Bio-Based Fog Seal with Rejuvenator
1	Lump Sum	907-618-A001	Maintenance of Traffic
1,206	Hours	907-618-M2001	Work Zone Law Enforcement
9	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
11	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
11	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
12,832	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
5,268	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers

CALL No. 11

Overlay approximately 7 miles of MS 48 from SR 24 to Magnolia Progress Road, known as Federal Aid Project No. STBG-0244-00(005) / 108999301 in Pike County.

PROJECT COMPLETION: 102 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

391	Station	201-D001	Random Clearing
241	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
554	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
636	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
3,050	Linear Feet	202-B240	Removal of Traffic Stripe
162	Cubic Yard	203-G002	Excess Excavation, LVM, AH
901	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2,226	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
32,944	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
15	Mile	423-A001	Rumble Strips, Ground In
583	Linear Feet	503-C010	Saw Cut, Full Depth
350	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-D019	Guard Rail, Bridge End Section, Type H
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
2	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Square Feet	618-B001	Additional Construction Signs
20	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
16	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A3001	Temporary Traffic Stripe, Skip White
3	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
21,245	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
288	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
4,048	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
42	Each	630-F006	Delineators, Guard Rail, White

18	Each	630-F007	Delineators, Guard Rail, Yellow
183	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
11,011	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
1,993	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
13,095	Gallon	907-407-A001	Asphalt for Tack Coat
68,616	Square Yard	907-414-A001	Scrub Seal
1	Lump Sum	907-618-A001	Maintenance of Traffic
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
14	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
1	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
13	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
75	Linear Feet	907-626-G003	Thermoplastic Detail Stripe, Blue-ADA
8,282	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
12,963	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2	Each	907-626-H001	Thermoplastic Legend, Blue-ADA Handicap Symbol
288	Square Feet	907-626-H009	Thermoplastic Legend, White
4,498	Linear Feet	907-626-H010	Thermoplastic Legend, White
608	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
93	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1,444	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
8	Each	907-627-P001	Two-Way Blue Reflective High Performance Raised Markers
1	Each	907-632-A001	Solid State Traffic Cabinet Assembly, Type I Cabinet, Type 1 Controller
1	Each	907-632-G001	Malfunction Management Unit
1	Each	907-643-A005	Video Vehicle Detection Sensor, Type 1B
65	Linear Feet	907-643-B001	Video Vehicle Detection Cable
1	Each	907-643-C002	Video Vehicle Detection Processor, Type 1
1	Each	907-650-A004	On Street Video Equipment, PTZ Type, Signal Monitoring
1	Lump Sum	907-659-A001	Traffic Management Center Modifications
1	Each	907-663-C002	SD-WAN Router

1	Lump Sum	907-899-A001	Railway-Highway Provisions
---	----------	--------------	----------------------------

ALTERNATE GROUP AA NUMBER 1

279	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

279	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

279	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

CALL No. 12

Bridge Repair on MS 19 over the Big Black River (Bridge No. 114.9), known as Federal Aid Project No. STBG-0642-00(028) / 110041301 in Attala County.

PROJECT COMPLETION: 90 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Square Feet	618-B001	Additional Construction Signs
411	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
411	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
411	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
411	Linear Feet	907-626-C013	6" Thermoplastic Edge Stripe, Continuous White
411	Linear Feet	907-626-D006	6" Thermoplastic Traffic Stripe, Skip Yellow
411	Linear Feet	907-626-F006	6" Thermoplastic Edge Stripe, Continuous Yellow
8	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Bridge Items

13	Square Yard	202-B026	Removal of Bridge Deck
2,210	Linear Feet	803-D005	HP 14 x 117 Steel Piling
1,234	Linear Feet	803-F003	14" Pre-Formed Pile Hole
706	Pounds	805-A001	Reinforcement
71,693	Pounds	810-A006	Structural Steel, A 709, Grade 50
1,086	Ton	815-A007	Loose Riprap, Size 300
810	Square Yard	815-E001	Geotextile under Riprap
1,000	Pounds	907-420-B001	Deep Injection Undersealing
1	Each	907-803-I003	PDA Test Pile, HP Steel Pile
1	Each	907-803-J001	Pile Restrike
3	Cubic Yard	907-804-A004	Bridge Concrete, Class BD
40	Square Feet	907-824-A003	General Epoxy Repair
4	Each	907-824-C001	Cap Cleaning

CALL No. 13

Installation of Audible Stripe, Raised Pavement Markers and Sign Improvements on MS 363 from the Lee County Line to Mantachie First Baptist Church, from Pearce Drive to MS 178 & from County Road 1389 to Itawamba County Line, known as Federal Aid Project Nos. HRRR-0862-00(022) / 110209301 & HRRR-0862-00(022) / 110209302 in Itawamba & Lee Counties.

PROJECT COMPLETION: 35 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
435	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
625	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
1	Lump Sum	907-618-A001	Maintenance of Traffic
24	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
8	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
12	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,730	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
830	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,529	Linear Feet	907-626-H010	Thermoplastic Legend, White
24	Mile	907-626-R005	Thermoplastic Audible Traffic Stripe, Edge Line
1,095	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,660	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4,060	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers

CALL No. 14

Installation of Audible Stripe, Raised Pavement Markers and Sign Improvements on MS 336 from US 278 to Apostolic Circle, known as Federal Aid Project No. HRRR-1336-58(003) / 110210301 in Pontotoc County.

PROJECT COMPLETION: 25 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
205	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
290	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
1	Lump Sum	907-618-A001	Maintenance of Traffic
11	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
11	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,025	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
720	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
780	Linear Feet	907-626-H010	Thermoplastic Legend, White
11	Mile	907-626-R005	Thermoplastic Audible Traffic Stripe, Edge Line
260	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
400	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
480	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

225	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
225	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

225	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
225	Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 15

Installation of Audible Stripe on MS 350 from MS 2 to CR 100, known as Federal Aid Project No. HRRR-1989-00(015) / 110208301 in Alcorn County.

PROJECT COMPLETION: 25 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
180	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
240	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
1	Lump Sum	907-618-A001	Maintenance of Traffic
5	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
5	Mile	907-626-R001	Thermoplastic Audible Traffic Stripe, Centerline - Passing Zone
6	Mile	907-626-R003	Thermoplastic Audible Traffic Stripe, Centerline - No-Passing Zone
300	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
440	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
555	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers

CALL No. 16

Median Barrier Installation on US 80 from Clinton-Raymond Road to Shaw Road, known as Federal Aid Project No. HSIP-7314-00(040) / 109131301 in Hinds County.

PROJECT COMPLETION: 234 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	202-A001	Removal of Obstructions
1,542	Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
1,155	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
7	Each	202-B057	Removal of Concrete Junction Box, Manhole and Inlet, All Sizes
433	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
254	Square Yard	202-B063	Removal of Concrete Paved Ditch
110	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
142	Square Yard	202-B080	Removal of Concrete Sidewalk
5,425	Linear Feet	202-B089	Removal of Curb &/or Curb and Gutter, All Types
300	Linear Feet	202-B101	Removal of Debris and Sand From Pipe, 18" to Less Than 36" Diameter
4	Each	202-B129	Removal of Flared End Section, All Sizes
14,527	Square Yard	202-B188	Removal of Pavement, All Types and Depths
509	Linear Feet	202-B191	Removal of Pipe, 8" And Above
55	Each	202-B215	Removal of Sign Including Post & Footing
9,872	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
4,547	Cubic Yard	203-G001	Excess Excavation, FM, AH
522	Square Yard	203-I002	Site Grading
1,655	Cubic Yard	206-A001	Structure Excavation
6	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
5,965	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2,980	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1,038	Cubic Yard	211-C001	Topsoil for Plant Holes, Contractor Furnished
3	Ton	213-C001	Superphosphate
2,897	Square Yard	216-A001	Solid Sodding
60	Thousand Gallon	219-A001	Watering

5 Acre	220-A001	Insect Pest Control
81 Cubic Yard	221-A001	Concrete Paved Ditch
5 Acre	225-A001	Grassing
3 Ton	225-B001	Agricultural Limestone
18 Ton	225-C001	Mulch, Vegetative Mulch
5 Acre	226-A001	Temporary Grassing
56,056 Square Feet	230-D001	Bed Preparation
346 Cubic Yard	233-A003	Tree Bark Mulch, Type III
691 Cubic Yard	233-A005	Tree Bark Mulch, Type V
380 Linear Feet	237-A002	Wattles, 20"
67 Each	246-B001	Rockbags
750 Cubic Yard	304-A004	Granular Material, LVM, Class 5, Group C
116,868 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
216 Linear Feet	501-D001	Expansion Joints, With Dowels
110 Square Yard	503-A007	6" and Variable Jointed Concrete Pavement
82 Linear Feet	503-B001	Saw Cut, Longitudinal Joints
26,752 Linear Feet	503-C006	Saw Cut, 6-inch
28,778 Linear Feet	503-C010	Saw Cut, Full Depth
7 Cubic Yard	503-D001	Concrete for Base Repair
38 Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
15,587 Pounds	602-A001	Reinforcing Steel
2,656 Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
72 Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
216 Linear Feet	603-CA038	24" Reinforced Concrete Pipe, Class V, Jacked or Bored
16 Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
13 Each	603-CB003	18" Reinforced Concrete End Section
3 Each	603-CB004	24" Reinforced Concrete End Section
1 Each	603-CB005	30" Reinforced Concrete End Section
232 Linear Feet	603-CE002	22" x 13" Concrete Arch Pipe, Class A III
5 Each	603-CF002	22" x 13" Concrete Arch Pipe End Section

2,298 Pounds	604-A001 Castings
581 Pounds	604-B001 Gratings
5,318 Square Yard	608-A001 Concrete Sidewalk, Without Reinforcement
53 Linear Feet	609-B002 Concrete Curb, Header
7,370 Linear Feet	609-B003 Concrete Curb, Special Design
1,331 Linear Feet	609-D004 Combination Concrete Curb and Gutter Type 2 Modified
23,174 Linear Feet	609-D012 Combination Concrete Curb and Gutter Type 3A Modified
568 Linear Feet	609-D014 Combination Concrete Curb and Gutter Type 3B Modified
1,374 Square Yard	614-B001 Concrete Driveway, With Reinforcement
187 Square Yard	616-A001 Concrete Median and/or Island Pavement, 10-inch
469 Square Yard	616-A004 Concrete Median and/or Island Pavement, 4-inch
12 Mile	619-A1001 Temporary Traffic Stripe, Continuous White
11 Mile	619-A2001 Temporary Traffic Stripe, Continuous Yellow
13 Mile	619-A3001 Temporary Traffic Stripe, Skip White
60,000 Linear Feet	619-A5001 Temporary Traffic Stripe, Detail
5,800 Square Feet	619-A6001 Temporary Traffic Stripe, Legend
28,000 Linear Feet	619-A6002 Temporary Traffic Stripe, Legend
331 Square Feet	619-D1001 Standard Roadside Construction Signs, Less than 10 Square Feet
92 Square Feet	619-D2001 Standard Roadside Construction Signs, 10 Square Feet or More
2,580 Linear Feet	619-F1002 Portable Median Barrier
4,000 Linear Feet	619-F2002 Remove and Reset Portable Median Barrier
24 Linear Feet	619-G4005 Barricades, Type III, Single Faced
469 Each	619-G5001 Free Standing Plastic Drums
2 Each	619-G7001 Warning Lights, Type "B"
1 Lump Sum	620-A001 Mobilization
252 Square Feet	630-A001 Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
17 Square Feet	630-A003 Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
117 Square Feet	630-A005 Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
56 Linear Feet	630-C001 Square Tube Posts, 4.0 lb/ft

780	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
52	Each	635-A059	Traffic Signal Head, Type 1
8	Each	635-A061	Traffic Signal Head, Type 2
16	Each	635-A065	Traffic Signal Head, Type 2 FYA
12	Each	635-A070	Traffic Signal Head, Type 3
2	Each	635-A073	Traffic Signal Head, Type 4
30	Each	635-A076	Traffic Signal Head, Type 6
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
1	Lump Sum	699-A001	Roadway Construction Stakes
14,000	Linear Feet	907-234-A001	Temporary Silt Fence
10	Each	907-234-D001	Inlet Siltation Guard
10	Each	907-234-E001	Reset Inlet Siltation Guard
1	Lump Sum	907-260-PP003	Utility Work - Sewer, Repair
640	Linear Feet	907-282-C003	Sleeves, 4"
1,494	Ton	907-403-A002	12.5-mm, MT, Asphalt Pavement
901	Ton	907-403-A005	19-mm, MT, Asphalt Pavement
11,200	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
935	Ton	907-403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
9,618	Gallon	907-407-A001	Asphalt for Tack Coat
3,720	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
10	Cubic Yard	907-601-A001	Class "B" Structural Concrete
179	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
4	Each	907-604-PP001	Modify Existing Inlet, Per Plans
1,683	Linear Feet	907-607-PP001	Safety Fence Pedestrian Railing
856	Square Feet	907-608-C001	Detectable Warning Panels
2,790	Square Feet	907-616-C003	Colored and Imprinted Concrete Median and Island Pavement, 4-inch Thickness
1	Lump Sum	907-618-A001	Maintenance of Traffic
2,766	Hours	907-618-M2001	Work Zone Law Enforcement
2	Each	907-619-E3001	Changeable Message Sign
5	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White

4	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
40	Linear Feet	907-626-D006	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
39,997	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
14,168	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,147	Square Feet	907-626-H009	Thermoplastic Legend, White
15,162	Linear Feet	907-626-H010	Thermoplastic Legend, White
1,253	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
133	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
5	Each	907-632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
4	Each	907-632-B007	Remove and Replace Existing Traffic Signal Cabinet Assembly, Type III Cabinet, Type 1 Controller
9	Each	907-632-J001	Power Service Pedestal
2	Each	907-634-A042	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 30' Arm
2	Each	907-634-A043	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 35' Arm
1	Each	907-634-A044	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 40' Arm
3	Each	907-634-A045	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 45' Arm
3	Each	907-634-A046	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 50' Arm
1	Each	907-634-A047	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 55' Arm
3	Each	907-634-A048	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 60' Arm
1	Each	907-634-A049	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 65' Arm
1	Each	907-634-A067	Traffic Signal Equipment Pole, Type II(L), 40' Shaft, 75' Arm
1	Each	907-634-A083	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
1	Each	907-634-A265	Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 45' & 60' Arm
1	Each	907-634-A276	Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 55' & 60' Arm
9	Each	907-634-A545	Traffic Signal Equipment Pole, Type VI, 8' Shaft
90	Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
5	Each	907-634-PP004	Traffic Signal Equipment Pole Luminaire Fixture
2,055	Linear Feet	907-636-B003	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor
4,205	Linear Feet	907-636-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
4,425	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor

560	Linear Feet	907-636-B025	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 6, 3 Conductor
840	Linear Feet	907-636-D001	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 10, 2 Conductor
240	Linear Feet	907-636-D006	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 5 Conductor
1,987	Linear Feet	907-636-D008	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
240	Linear Feet	907-636-D022	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 6, 3 Conductor
52	Each	907-637-A002	Pullbox Enclosure, Type 2
11	Each	907-637-A003	Pullbox Enclosure, Type 3
735	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
340	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
415	Linear Feet	907-637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
1,865	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
4,355	Linear Feet	907-640-B001	Shielded Cable, AWG #14, 2 Conductor
54	Each	907-643-A004	Video Vehicle Detection Sensor, Type 1A
9,910	Linear Feet	907-643-B001	Video Vehicle Detection Cable
9	Each	907-643-C002	Video Vehicle Detection Processor, Type 1
30	Each	907-645-B001	Accessible Pedestrian Detection Assembly
244	Square Feet	907-653-B001	Street Name Sign
430	Linear Feet	907-661-B002	Fiber Optic Drop Cable, 12 SM
9	Each	907-672-A003	Remove and Reset Traffic Signal Equipment

ALTERNATE GROUP AA NUMBER 1

1,150	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

1,150	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

1,150	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR