


Proposal & Plan Sales Will Begin on August 31, 2015



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

***Notice to Contractors***

**Letting Date For September - September 22, 2015**



# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## NOTICE TO CONTRACTORS

### LETTING DATE FOR SEPTEMBER - Tuesday, September 22, 2015

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](http://mdot.ms.gov)

### PROPOSAL AND PLAN SALES WILL BEGIN ON AUGUST 31, 2015

Proposals must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
Contract Administration Division  
Jackson, MS  
Telephone: (601) 359-7700

Plans must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
MDOT Plans Print Shop  
Jackson, MS  
Telephone: (601) 359-7460  
e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

#### LIST OF CONTRACTS FOR SEPTEMBER

CALL	CONTRACT	COUNTY
01	HSIP-0002-08(019) / 107112301	ALCORN
02	HSIP-0010-01(150)/106964301	JACKSON
03	STP-0018-03(022) / 106954301	OKTIBBEHA
04	HSIP-0021-01(061)/106779302	DESOTO
05	STP-0806-00(022)/107092301	ITAWAMBA
*	BR-9999-05(020)/106918303 & BR-9999-05(020) / 106918303	MADISON, HINDS
*	STP-0050-01(036) / 107093301	CALHOUN
08	BWO-5137-61(002) / 502907301 & BWO-5051-61(002) / 502907302 & BWO-5150-61(002) / 502907303 & BWO-5188-61(002) / 502907304 & BWO-5031-61(003) / 502907305	RANKIN

CALL No. 01

Slope Correction on U.S.45 near Wheeler Grove Road, known as Federal Aid Project No. HSIP-0002-08(019) / 107112301 in Alcorn County.

PROJECT COMPLETION: 33 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

55	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
568	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
4	Thousand Gallon	219-A001	Watering
1	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
200	Linear Feet	234-A001	Temporary Silt Fence
940	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1	Mile	423-A001	Rumble Strips, Ground In
4,800	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
4,800	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4,800	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
12	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
16	Square Yard	907-216-A001	Solid Sodding
2	Acre	907-225-A001	Grassing
6	Ton	907-225-B001	Agricultural Limestone
4	Ton	907-225-C001	Mulch, Vegetative Mulch
2	Each	907-234-D001	Inlet Siltation Guard
100	Linear Feet	907-237-A003	Wattles, 20"
2,040	Ton	907-403-A027	9.5-mm, HT, Asphalt Pavement
750	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Square Feet	907-618-B001	Additional Construction Signs
900	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
900	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White

900 Linear Feet 907-626-F008 6" Thermoplastic Edge Stripe, Continuous Yellow

3 Cubic Yard 907-631-B001 Flowable Fill, Non-Excavatable

**ALTERNATE GROUP AA NUMBER 1**

685 Ton 907-304-F002 Size 610 Crushed Stone Base

**ALTERNATE GROUP AA NUMBER 2**

685 Ton 907-304-F003 3/4" and Down Crushed Stone Base

**ALTERNATE GROUP AA NUMBER 3**

685 Ton 907-304-F004 Size 825B Crushed Stone Base

CALL No. 02

ITS Installation on I-10 from Harrison/ Jackson County Line to Alabama State Line, known as Federal Aid Project No. HSIP-0010-01(150) / 106964301 in Jackson County.

PROJECT COMPLETION: OCTOBER 28, 2016

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

4	Acre	201-B001	Clearing and Grubbing
193	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
31	Thousand Gallon	219-A001	Watering
3,990	Linear Feet	234-A001	Temporary Silt Fence
3,525	Linear Feet	606-B001	Guard Rail, Class A, Type 1
7	Each	606-C003	Guard Rail, Cable Anchor, Type 1
1	Each	606-D006	Guard Rail, Bridge End Section, Type G
8	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
70	Linear Feet	607-B017	96" Type I Chain Link Fence, Class I
1	Each	607-G044	Gate, 10' x 8' Chain Link
3	Each	607-P1011	Line Post, 12' x 2" Galvanized Steel
3	Each	607-P2012	Brace Post, 12' x 2 1/2" Galvanized Steel
2	Each	607-P3010	Gate Post, 12' x 3 1/2" Galvanized Steel
277	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,831	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2,000	Each	619-D3001	Remove and Reset Signs, All Sizes
2	Each	619-E1001	Flashing Arrow Panel, Type C
492	Linear Feet	619-G4001	Barricades, Type III, Single Faced
120	Each	619-G5001	Free Standing Plastic Drums
21	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
88	Each	630-F001	Delineators, Guard Rail, White
173	Each	647-A003	Pullbox, Type 4
132	Each	647-A004	Pullbox, Type 5
179	Each	647-A005	Pullbox, Type 2

19,575	Linear Feet	666-B028	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
26,980	Linear Feet	666-B038	Electric Cable, Underground in Conduit, THHN, AWG #4, 3 Conductor
500	Linear Feet	666-B040	Electric Cable, Underground in Conduit, THHN, AWG #8, 3 Conductor
2,020	Linear Feet	666-B042	Electric Cable, Underground in Conduit, THHN, AWG #1, 4 Conductor
5,100	Linear Feet	666-B046	Electric Cable, Underground in Conduit, THHN, AWG #4, 4 Conductor
5,150	Linear Feet	666-B052	Electric Cable, Underground in Conduit, THHN, AWG #6, 4 Conductor
15,015	Linear Feet	666-B058	Electric Cable, Underground in Conduit, THHN, AWG #1, 3 Conductor
30	Linear Feet	666-B059	Electric Cable, Underground in Conduit, THHN, AWG #3, 1 Conductor
1,573	Square Yard	907-216-A001	Solid Sodding
6	Acre	907-225-A001	Grassing
3	Ton	907-225-B001	Agricultural Limestone
13	Ton	907-225-C001	Mulch, Vegetative Mulch
3,192	Linear Feet	907-237-A002	Wattles, 12"
798	Each	907-246-A002	Sandbags
237	Ton	907-403-A017	9.5-mm, ST, Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
1	Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
1	Lump Sum	907-630-I002	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
1	Lump Sum	907-630-M003	Pedestal Sign Support, Assembly No 5, Contractor Designed
1	Lump Sum	907-630-M006	Pedestal Sign Support, Assembly No 3, Contractor Designed
1	Lump Sum	907-630-M007	Pedestal Sign Support, Assembly No 4, Contractor Designed
1	Lump Sum	907-630-M008	Pedestal Sign Support, Assembly No 6, Contractor Designed
1	Lump Sum	907-630-M009	Pedestal Sign Support, Assembly No 7, Contractor Designed
4	Each	907-630-O003	Remove and Reset Sign, All Sizes
1	Lump Sum	907-630-Q004	Post Sign Support, Assembly No. 8, Contractor Designed
1	Lump Sum	907-630-Q007	Post Sign Support, Assembly No. 9, Contractor Designed
1	Lump Sum	907-630-Q009	Post Sign Support, Assembly No. 10, Contractor Designed
30	Each	907-637-A001	Equipment Cabinet, Type B
4	Each	907-637-A002	Equipment Cabinet, Type C

4	Each	907-637-A003	Equipment Cabinet, Type A
20	Each	907-637-B001	ITS Equipment Cabinet Modifications
3	Each	907-639-B001	Traffic Signal Equipment Pole Shaft Extension, 10-foot, Video Camera Mount
24	Each	907-639-E001	Camera Pole with Foundation, 50' Pole
2	Each	907-639-E006	Camera Pole with Foundation, 80' Pole
6	Each	907-639-F001	Detector Pole with Foundation, 35' Pole
14	Each	907-642-B002	Solid State Traffic Actuated Controller Modification, Per Plans
38	Each	907-647-A001	Pullbox, Aerial Supported
2	Each	907-648-D003	Radio Interconnect, Broadband, Long Range
68	Each	907-650-A002	On Street Video Equipment, Fixed Type
30	Each	907-650-A003	On Street Video Equipment, PTZ Type
2	Each	907-650-A003	On Street Video Equipment, PTZ Type HD
5	Each	907-655-A001	Highway Advisory Radio System
14	Each	907-655-B001	Highway Advisory Radio Flashing Beacon
1	Lump Sum	907-655-C001	Highway Advisory Radio System Software and Server
2	Each	907-656-A001	Dynamic Message Sign, Type 1
5	Each	907-656-A002	Dynamic Message Sign, Type 2
3	Each	907-656-A004	Dynamic Message Sign, Type 3
197,160	Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
25,205	Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM Aerial Supported
26,045	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
63	Each	907-658-A005	Network Switch, Type A
12	Each	907-658-A006	Network Switch, Type B
2	Each	907-658-A007	Network Switch, Type C
1	Each	907-658-A009	Network Switch, Type E
34	Each	907-658-B001	Terminal Server
5,920	Linear Feet	907-658-C001	Category 6 Cable, Installed in Conduit
1	Lump Sum	907-659-A001	Traffic Management Center Modifications
1	Lump Sum	907-659-C001	Traffic Management Center Modifications - Training



2	Each	907-660-B002	Communications Hut
3	Each	907-661-D001	Rest Area Video Kiosk
2	Each	907-662-A002	Video Encoder
1	Lump Sum	907-663-A001	Central Management Signal Control Software
2	Each	907-664-A002	Roadway Weather Information System
2	Each	907-664-B003	FOG AHEAD Sign with Flashing Beacons
21	Each	907-666-F001	Ground Mounted Transformer Enclosure
12,895	Linear Feet	907-668-E001	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2"
106,930	Linear Feet	907-668-E002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
42,120	Linear Feet	907-668-E003	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 3 @ 2"
1,080	Linear Feet	907-668-E004	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 4 @ 2"
125	Linear Feet	907-668-E005	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 5 @ 2"
7,760	Linear Feet	907-668-F001	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2"
26,065	Linear Feet	907-668-F002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2 @ 2"
2,320	Linear Feet	907-668-F003	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 3 @ 2"
150	Linear Feet	907-668-F004	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 5 @ 2"
420	Linear Feet	907-668-G001	Traffic Signal Conduit Bank, Aerial Supported, Type I, 3 @ 2"
26,035	Linear Feet	907-668-G002	Traffic Signal Conduit Bank, Aerial Supported, Type I, 2 @ 2"
32	Each	907-670-A001	ITS Radar Detection System
2,245	Linear Feet	907-670-B001	ITS RDS Comm Cable
22	Each	907-697-A001	Bluetooth Detection System, Type A
22	Each	907-697-C001	Bluetooth Detection System Server Licensing

**ALTERNATE GROUP AA NUMBER 1**

1,719	Ton	907-304-F002	Size 610 Crushed Stone Base
-------	-----	--------------	-----------------------------

**ALTERNATE GROUP AA NUMBER 2**

1,719	Ton	907-304-F003	3/4" and Down Crushed Stone Base
-------	-----	--------------	----------------------------------

**ALTERNATE GROUP AA NUMBER 3**

1,719	Ton	907-304-F004	Size 825B Crushed Stone Base
-------	-----	--------------	------------------------------

CALL No. 03

Intersection improvements on SR 12 at Russell Street in Starkville, known as Federal Aid Project No. STP-0018-03(022) / 106954301 in Oktibbeha County.

PROJECT COMPLETION: SEPTEMBER 23, 2016

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
1,017	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
1	Each	202-B057	Removal of Inlets, All Sizes
122	Linear Feet	202-B064	Removal of Pipe, 8" And Above
10	Each	202-B070	Removal of Sign Including Post & Footing
3,700	Linear Feet	202-B076	Removal of Traffic Stripe
1,655	Square Yard	202-B078	Removal of Pavement, All Types and Depths
1,471	Linear Feet	202-B094	Removal of Curb &/or Curb and Gutter, All Types
4	Each	202-B125	Removal of Signal Pole Including Hardware and Wiring
4	Each	202-B139	Removal of Footing
4	Each	202-B247	Removal of Pull Box
1,071	Cubic Yard	203-A004	Unclassified Excavation, LVM, AH
797	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
300	Cubic Yard	203-G004	Excess Excavation, LVM, AH
176	Cubic Yard	206-A001	Structure Excavation
1,418	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
94	Thousand Gallon	219-A001	Watering
1,660	Linear Feet	234-A001	Temporary Silt Fence
1,220	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
800	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
2,702	Linear Feet	413-D001	Cleaning and Filling Joints
1,500	Linear Feet	503-C007	Saw Cut, Full Depth
1,702	Pounds	602-A001	Reinforcing Steel
80	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
64	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III

1	Each	603-CB001	18" Reinforced Concrete End Section
1	Each	603-CB004	36" Reinforced Concrete End Section
395	Pounds	604-A001	Castings
355	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement 4"
250	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement 5"
140	Linear Feet	609-B001	Concrete Curb, Header
2,003	Linear Feet	609-D005	Combination Concrete Curb and Gutter Type 3B Modified
3	Each	613-D007	Adjustment of Utility Appurtenance
273	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
8	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
6,837	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
4,231	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1,080	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
1,120	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,304	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
833	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
13	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
360	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
10	Each	619-D3001	Remove and Reset Signs, All Sizes
1	Each	619-E1001	Flashing Arrow Panel, Type C
100	Linear Feet	619-F1001	Concrete Median Barrier, Precast
32	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	619-H1001	Traffic Signals
1	Lump Sum	620-A001	Mobilization
75	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
93	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
62	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
122	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
151	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft

94 Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
98 Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
9 Each	640-A016	Traffic Signal Heads, Type 1 LED
2 Each	640-A018	Traffic Signal Heads, Type 3 LED
6 Each	640-A034	Traffic Signal Heads, Type 6 LED Countdown
2 Each	640-A056	Traffic Signal Heads, Type 2 FYA LED
1 Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
4 Each	644-A001	Optical Detector
1 Each	644-C002	Phase Selector, 4 Channel
1 Each	647-A002	Pullbox, Type 3
4 Each	647-A005	Pullbox, Type 2
1 Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
580 Linear Feet	666-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
70 Linear Feet	666-B023	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
420 Linear Feet	666-B039	Electric Cable, Underground in Conduit, THHN, AWG #10, 3 Conductor
605 Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
225 Linear Feet	666-C017	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 8 Conductor
200 Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
55 Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
365 Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1 Each	686-A001	Relocation of Existing Lighting Assemblies
4,695 Square Yard	907-216-B004	Solid Sodding, Bermuda
280 Linear Feet	907-237-A002	Wattles, 12"
35 Each	907-246-B002	Rockbags
984 Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
390 Ton	907-403-A024	19-mm, MT, Asphalt Pavement
1,335 Gallon	907-407-A001	Asphalt for Tack Coat
2,702 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
20 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures

112	Linear Feet	907-603-ALT21	15" Type A Alternate Pipe
56	Square Feet	907-611-PP003	Detectable Warning, Per Plans
1,494	Square Feet	907-616-C005	Colored and Imprinted Concrete Median and Island Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
1,432	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
830	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
1,101	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
954	Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow
3,769	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,396	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,264	Linear Feet	907-626-H004	Thermoplastic Legend, White
505	Square Feet	907-626-H005	Thermoplastic Legend, White
10	Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
1	Each	907-639-A015	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm
1	Each	907-639-A020	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 60' Arm
1	Each	907-639-A021	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' Arm
2	Each	907-639-A034	Traffic Signal Equipment Pole, Type VI, 8' Shaft
1	Each	907-639-A101	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 75' Arm
16	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
2	Cubic Yard	907-639-C003	Pole Foundations, 24" Diameter
2	Each	907-639-F003	Detector Pole with Foundation, 20' Pole
780	Linear Feet	907-644-B001	Optical Detector Cable
2	Each	907-651-B009	Magnetometer Detection System Component, Repeater
1	Each	907-651-B012	Magnetometer Detection System Component, Extension Card
27	Each	907-651-B013	Magnetometer Detection System Component, Wireless Detection Sensor
2	Each	907-651-B017	Magnetometer Detection System Component, SPP Digital Radio
1	Each	907-651-B018	Magnetometer Detection System Component, Access Point Controller Card
<b>ALTERNATE GROUP AA NUMBER 1</b>			
658	Ton	907-304-F002	Size 610 Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>			

658 Ton

907-304-F003 3/4" and Down Crushed Stone Base

**ALTERNATE GROUP AA NUMBER 3**

658 Ton

907-304-F004 Size 825B Crushed Stone Base

CALL No. 04

Work necessary for Intersection Improvements on SR 302 from I-55 to Marshall County Line, known as Federal Aid Project No. HSIP-0021-01(061) / 106779302 in Desoto County.

PROJECT COMPLETION: SEPTEMBER 09, 2016

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
24	Square Yard	202-B025	Removal of Concrete Paved Ditch
5	Each	202-B057	Removal of Inlets, All Sizes
38	Square Feet	202-B059	Removal of Legend, All Types
84	Linear Feet	202-B064	Removal of Pipe, 8" And Above
75	Linear Feet	202-B076	Removal of Traffic Stripe
3,604	Square Yard	202-B078	Removal of Pavement, All Types and Depths
3,952	Linear Feet	202-B093	Removal of Curb & Gutter, All Types
32	Each	202-B107	Removal of Sign, Ground Mounted with Posts
1	Each	202-B170	Removal of Concrete Junction Box, Manhole and Inlet, All Sizes
873	Square Yard	202-B216	Removal of Island Pavement, All Types
3	Each	202-B218	Removal of Inlet Tops
1	Each	202-B219	Removal of and Replacement of SS-2 Inlet Top
989	Cubic Yard	203-A004	Unclassified Excavation, LVM, AH
2,737	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
50	Cubic Yard	203-G004	Excess Excavation, LVM, AH
21	Cubic Yard	206-A001	Structure Excavation
100	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
3,891	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
13,295	Square Yard	212-B001	Standard Ground Preparation
1	Ton	213-C001	Superphosphate
105	Square Yard	217-A001	Ditch Liner
266	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
27	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch

4,640	Linear Feet	234-A001	Temporary Silt Fence
2,614	Linear Feet	503-C005	Saw Cut, 8-inch
1,780	Linear Feet	503-C007	Saw Cut, Full Depth
3,970	Pounds	602-A001	Reinforcing Steel
128	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
395	Pounds	604-A001	Castings
1,135	Pounds	604-B001	Gratings
331	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
3,906	Linear Feet	609-D005	Combination Concrete Curb and Gutter Type 3B Modified
617	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
9,851	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
20,672	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,183	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
558	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
128	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
784	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
4	Each	619-E1001	Flashing Arrow Panel, Type C
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
502	Linear Feet	619-G4005	Barricades, Type III, Double Faced
400	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization
409	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
311	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
40	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
239	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
196	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
423	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
346	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
32	Each	640-A016	Traffic Signal Heads, Type 1 LED
4	Each	640-A017	Traffic Signal Heads, Type 2 LED



2	Each	640-A034	Traffic Signal Heads, Type 6 LED Countdown
10	Each	640-A056	Traffic Signal Heads, Type 2 FYA LED
4	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
12	Each	644-A001	Optical Detector
3	Each	644-C002	Phase Selector, 4 Channel
1	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
6	Each	647-A001	Pullbox, Type 1
6	Each	647-A002	Pullbox, Type 3
1	Each	647-A003	Pullbox, Type 4
2	Each	647-A004	Pullbox, Type 5
19	Each	647-A005	Pullbox, Type 2
4,506	Linear Feet	666-B013	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 3 Conductor
2,952	Linear Feet	666-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
4,255	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
2,111	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
906	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
255	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
1,873	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
3	Ton	815-A006	Loose Riprap, Size 100
64	Square Yard	815-E001	Geotextile under Riprap
13,295	Square Yard	907-216-A001	Solid Sodding
2	Acre	907-226-A001	Temporary Grassing
6	Each	907-234-D001	Inlet Siltation Guard
1,122	Linear Feet	907-237-A003	Wattles, 20"
100	Each	907-246-A002	Sandbags
20	Ton	907-249-A001	Riprap for Erosion Control
1,147	Ton	907-304-B009	Granular Material, Class 3, Group D
295	Ton	907-403-A019	19-mm, ST, Asphalt Pavement
113	Ton	907-403-A028	12.5-mm, HT, Asphalt Pavement

751	Ton	907-403-A029	19-mm, HT, Asphalt Pavement
2,287	Ton	907-403-D010	9.5-mm, HT, Asphalt Pavement, Polymer Modified
418	Ton	907-403-D011	12.5-mm, HT, Asphalt Pavement, Polymer Modified
24,268	Square Yard	907-406-D001	Fine Milling of Bituminous Pavement, All Depths
1,909	Gallon	907-407-A001	Asphalt for Tack Coat
31	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	907-618-A001	Maintenance of Traffic
5,536	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
1,333	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
15,304	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,582	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
10,407	Linear Feet	907-626-H004	Thermoplastic Legend, White
734	Square Feet	907-626-H005	Thermoplastic Legend, White
1	Each	907-639-A002	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
2	Each	907-639-A006	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm
1	Each	907-639-A008	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm
3	Each	907-639-A009	Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm
2	Each	907-639-A015	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm
4	Each	907-639-A016	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 55' Arm
1	Each	907-639-A018	Traffic Signal Equipment Pole, Type II, 17' Shaft, 65' Arm
2	Each	907-639-A034	Traffic Signal Equipment Pole, Type VI, 8' Shaft
2	Each	907-639-A202	Traffic Signal Equipment Pole, Type II, 17' Shaft, 85' Arm
25	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
1	Cubic Yard	907-639-C003	Pole Foundations, 24" Diameter
19	Cubic Yard	907-639-C004	Pole Foundations, 30" Diameter
4	Each	907-641-C001	Signal Radar Detection System
1	Lump Sum	907-641-D001	Signal Radar Detection Training
1	Each	907-642-C001	GPS Clock System
2,974	Linear Feet	907-644-B001	Optical Detector Cable
12	Each	907-644-D001	Confirmation Light

6	Each	907-644-E001	Rotating Beacon
2	Each	907-645-B001	Be Prepared to Stop When Flashing Assembly
4	Each	907-654-A001	Battery Back-up System
149	Linear Feet	907-668-F001	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 2"
204	Linear Feet	907-668-F002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 2 @ 2"
1	Lump Sum	907-699-A002	Roadway Construction Stakes
25	Ton	907-815-F001	Sediment Control Stone
<b>ALTERNATE GROUP AA NUMBER 1</b>			
1,737	Ton	907-304-F003	3/4" and Down Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>			
1,737	Ton	907-304-F002	Size 610 Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 3</b>			
1,737	Ton	907-304-F004	Size 825B Crushed Stone Base

CALL No. 05

Scrub Seal on approximately 11 miles of SR 23 from Monroe County Line to the beginning of 4-Lane, known as Federal Aid Project No. STP-0806-00(022) / 107092301 in Itawamba County.

PROJECT COMPLETION: JUNE 16, 2016

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

3 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
3 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
965 Each	627-B001	Two-Way Clear Reflective Raised Markers
450 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
950 Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
143,000 Square Yard	907-405-D001	Scrub Seal
600 Ton	907-411-A003	Ultra Thin Asphalt Pavement
800 Gallon	907-411-B001	Bituminous Tack Coat
1 Lump Sum	907-618-A001	Maintenance of Traffic
1 Square Feet	907-618-B001	Additional Construction Signs
8 Mile	907-625-B004	Traffic Stripe, High Build, Skip Yellow
23 Mile	907-625-C004	Traffic Stripe, High Build, Continuous White
12 Mile	907-625-D004	Traffic Stripe, High Build, Continuous Yellow

CALL No. 06

Joint Repair on various routes in District 5, known as Federal Aid Project Nos. BR-9999-05(020) / 106918303100 & 106918303200 in Hinds & Madison Counties.

PROJECT COMPLETION: AUGUST 15, 2016

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1,764	Linear Feet	202-B298	Removal of Existing Joint Material
168	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
432	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
252	Linear Feet	619-G4001	Barricades, Type III, Single Faced
100	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Each	907-619-E3001	Changeable Message Sign

**Bridge Items**

2,916	Linear Feet	808-A001	Joint Preparation
160	Linear Feet	907-823-A001	Prefomed Joint Seal, Type I
1,297	Linear Feet	907-823-A002	Prefomed Joint Seal, Type II
321	Linear Feet	907-823-B001	Saw Cut, Type I
1,248	Linear Feet	907-823-B002	Saw Cut, Type II

CALL No. 07

Mill and Overlay approximately 12 miles of SR 9 from Calhoun City Square to Highway 9/9W split, known as Federal Aid Project No. STP-0050-01(036) / 107093301 in Calhoun County.

PROJECT COMPLETION: 74 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	202-A001	Removal of Obstructions
1,400	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
475	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
4,911	Linear Feet	202-B076	Removal of Traffic Stripe
465	Cubic Yard	203-G003	Excess Excavation, FM, AH
214,250	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
22	Mile	423-A001	Rumble Strips, Ground In
100	Linear Feet	606-B001	Guard Rail, Class A, Type 1
490	Each	606-B025	Guard Rail, Replace Metal Blockout
10	Each	606-E001	Guard Rail, Terminal End Section
290	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
24	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
15	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
33,331	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,746	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
254	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
2,160	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
5,640	Ton	907-304-B009	Granular Material, Class 3, Group D
22,800	Ton	907-403-A022	9.5-mm, MT, Asphalt Pavement
912	Ton	907-403-A024	19-mm, MT, Asphalt Pavement
1,100	Ton	907-403-B016	9.5-mm, MT, Asphalt Pavement, Leveling
1,930	Ton	907-403-C011	19-mm, MT, Asphalt Pavement, Trench Widening
21,050	Gallon	907-407-A001	Asphalt for Tack Coat

1 Lump Sum	907-618-A001	Maintenance of Traffic
1 Square Feet	907-618-B001	Additional Construction Signs
24 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
15 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
8,700 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
24,650 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4,750 Linear Feet	907-626-H004	Thermoplastic Legend, White
254 Square Feet	907-626-H005	Thermoplastic Legend, White

**ALTERNATE GROUP AA NUMBER 1**

880 Ton	907-304-F002	Size 610 Crushed Stone Base
---------	--------------	-----------------------------

**ALTERNATE GROUP AA NUMBER 2**

880 Ton	907-304-F003	3/4" and Down Crushed Stone Base
---------	--------------	----------------------------------

**ALTERNATE GROUP AA NUMBER 3**

880 Ton	907-304-F004	Size 825B Crushed Stone Base
---------	--------------	------------------------------

CALL No. 08

Work necessary to Repair the Hail Damage to the Whitfield Offices, known as State Project Nos. BWO-5137-61(002), BWO-5051-61(002), BWO-5150-61(002), BWO-5188-61(002), & BWO-5031-61(003) / 502907301 ,302, 303, 304, & 305 in Rankin County.

PROJECT COMPLETION: APRIL 29, 2016

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Building Items**

1	Lump Sum	1560-A001	Repair of Existing Project Office Roof
1	Lump Sum	1560-A001	Repair of Existing Old Project Office Roof
1	Lump Sum	1560-A001	Repair of Existing Storage Building Roof
1	Lump Sum	1560-A001	Repair of Existing Maintenance Offices Roof
1	Lump Sum	1560-A001	Repair of Existing Maintenance Shop Building Roof



For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be purchased online at <https://shopmdot.ms.gov>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online. Proposals are available at a cost of Ten Dollars (\$ 10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us). Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH  
EXECUTIVE DIRECTOR